

Minebea Intec IF Series

Explosion Proof Weighing Platform Scales



Shown with additional optional features

Standard Features

- Capacities from 150 kg to 3,000 kg with resolutions up to 30,000 d
- Ultra low profile: standard platform height is 35 mm; optional heights available as low as 25 mm
- Material/surface finish: 304 bead-blasted stainless steel
- Drive-on ramp included with every platform
- No pit required
- Convenient for application-oriented weighing systems from processing to the chemical industry
- Standard configuration: AISI 304 stainless steel

Optional Configurations

- Electro-polished finish
- AISI 304 electro-polished stainless steel platform
- AISI 316Ti electro-polished stainless steel platform
- Ingenious manually-operated lifting mechanism option (patented system) for effortless raising of the platform to facilitate cleaning underneath.
- R2: Cold rolled AISI 316Ti stainless steel, electro-polished
- R6: AISI 304 2b stainless steel, electro-polished
- T4: Stop bar
- T5: Tow bar and stop bar
- T6: Two handles and two rollers
- T7: Retractable wheels (reduces effective resolution to 15,000 dd)
- T9: Additional bottom plate
- T15: Second ramp
- T14: Integrated column
- T13: Four handles

Applications

- Pharmaceutical, chemical, electronics, food processing, precious metals, metal production and processing

APPROVALS



Specifications

Ingress Protection Rating:
IP68

Load Cells:
Four hermetically sealed IP68

Cable Length:
19.7 ft (6 m)

Regulatory Compliance:
HACCP, FDA, Class 10,000 clean rooms (US Federal Standard 209D)

Warranty:
Two-year limited warranty

Approvals:
FM approved, IFXS4 series, are certified for use in Class 1, 2, 3, Div. 1, Groups ABCDEFT4 (Verification of Intrinsic Safety included; also covers any explosion-protected Minebea components combined with this platform series)

Regulatory Compliance

- NEMA, HACCP, FDA, GLP/GMP*, Class 10,000 clean rooms (US Federal Standard 209D) (Equivalent to Class C in accordance with EEC-GWP), FM
- *GLP/GMP requires use of Combics 1 Plus or higher digital weight indicator



Minebea Intec IF Series

Explosion Proof Weighing Platforms

Part Number/Price

RLWS PN	Minebea PN	Weighing Surface Dimensions	# Load Cells	Capacity	Readability	Capacity	Readability	Est. Weight	Price
102530	IFXS4-150GG	23.6 x 23.6 in	4	330 lb	0.01	150 kg	0.005	198 lb	\$12,066.00
102531	IFXS4-300GG	23.6 x 23.6 in	4	660 lb	0.02	300 kg	0.01	198 lb	\$11,822.00
102532	IFXS4-600GG	23.6 x 23.6 in	4	1320 lb	0.05	600 kg	0.02	198 lb	\$12,188.00
102533	IFXS4-1000GG	23.6 x 23.6 in	4	2200 lb	0.1	1000 kg	0.05	198 lb	\$12,250.00
102534	IFXS4-150IG	31.5 x 23.6 in	4	330 lb	0.01	150 kg	0.005	221 lb	\$12,127.00
102536	IFXS4-300IG	31.5 x 23.6 in	4	660 lb	0.02	300 kg	0.01	221 lb	\$12,066.00
102537	IFXS4-600IG	31.5 x 23.6 in	4	1320 lb	0.05	600 kg	0.02	221 lb	\$12,310.00
102538	IFXS4-1000IG	31.5 x 23.6 in	4	2200 lb	0.1	1000 kg	0.05	221 lb	\$12,432.00
102540	IFXS4-150II	31.5 x 31.5 in	4	330 lb	0.01	150 kg	0.005	243 lb	\$12,432.00
102541	IFXS4-300II	31.5 x 31.5 in	4	660 lb	0.02	300 kg	0.01	243 lb	\$12,176.00
102542	IFXS4-600II	31.5 x 31.5 in	4	1320 lb	0.05	600 kg	0.02	243 lb	\$12,554.00
102543	IFXS4-1000II	31.5 x 31.5 in	4	2200 lb	0.1	1000 kg	0.05	243 lb	\$12,675.00
102544	IFXS4-1500II	31.5 x 31.5 in	4	3300 lb	0.1	1500 kg	0.05	243 lb	\$12,432.00
102545	IFXS4-150LG	39.4 x 23.6 in	4	330 lb	0.01	150 kg	0.005	243 lb	\$12,554.00
102546	IFXS4-300LG	39.4 x 23.6 in	4	660 lb	0.02	300 kg	0.01	243 lb	\$12,554.00
102547	IFXS4-600LG	39.4 x 23.6 in	4	1320 lb	0.05	600 kg	0.02	243 lb	\$12,798.00
102548	IFXS4-1000LG	39.4 x 23.6 in	4	2200 lb	0.1	1000 kg	0.05	243 lb	\$13,163.00
102549	IFXS4-1500LG	39.4 x 23.6 in	4	3300 lb	0.1	1500 kg	0.05	243 lb	\$12,798.00
102550	IFXS4-150LI	39.4 x 31.5 in	4	330 lb	0.01	150 kg	0.005	265 lb	\$12,920.00
102551	IFXS4-300LI	39.4 x 31.5 in	4	660 lb	0.02	300 kg	0.01	265 lb	\$13,041.00
102552	IFXS4-600LI	39.4 x 31.5 in	4	1320 lb	0.05	600 kg	0.02	265 lb	\$13,163.00
102553	IFXS4-1000LI	39.4 x 31.5 in	4	2200 lb	0.1	1000 kg	0.05	265 lb	\$13,407.00
102554	IFXS4-1500LI	39.4 x 31.5 in	4	3300 lb	0.1	1500 kg	0.05	265 lb	\$13,163.00
102555	IFXS4-150LL	39.4 x 39.4 in	4	330 lb	0.01	150 kg	0.005	375 lb	\$13,651.00
102556	IFXS4-300LL	39.4 x 39.4 in	4	660 lb	0.02	300 kg	0.01	375 lb	\$13,529.00
102557	IFXS4-600LL	39.4 x 39.4 in	4	1320 lb	0.05	600 kg	0.02	375 lb	\$13,651.00
102558	IFXS4-1000LL	39.4 x 39.4 in	4	2200 lb	0.1	1000 kg	0.05	375 lb	\$14,017.00
102559	IFXS4-1500LL	39.4 x 39.4 in	4	3300 lb	0.1	1500 kg	0.05	375 lb	\$13,651.00
102560	IFXS4-3000LL	39.4 x 39.4 in	4	6600 lb	0.2	3000 kg	0.1	375 lb	\$13,651.00
102561	IFXS4-150NL	49.2 x 39.4 in	4	330 lb	0.01	150 kg	0.005	397 lb	\$14,017.00
102562	IFXS4-300NL	49.2 x 39.4 in	4	660 lb	0.02	300 kg	0.01	397 lb	\$14,139.00
102563	IFXS4-600NL	49.2 x 39.4 in	4	1320 lb	0.05	600 kg	0.02	397 lb	\$14,139.00
102564	IFXS4-1000NL	49.2 x 39.4 in	4	2200 lb	0.1	1000 kg	0.05	397 lb	\$14,382.00
102565	IFXS4-1500NL	49.2 x 39.4 in	4	3300 lb	0.1	1500 kg	0.05	397 lb	\$14,260.00
102566	IFXS4-3000NL	49.2 x 39.4 in	4	6600 lb	0.2	3000 kg	0.1	397 lb	\$14,382.00
102567	IFXS4-150NN	49.2 x 49.2 in	4	330 lb	0.01	150 kg	0.005	481 lb	\$14,625.00
102568	IFXS4-300NN	49.2 x 49.2 in	4	660 lb	0.02	300 kg	0.01	481 lb	\$14,626.00
102569	IFXS4-600NN	49.2 x 49.2 in	4	1320 lb	0.05	600 kg	0.02	481 lb	\$14,870.00
102570	IFXS4-1000NN	49.2 x 49.2 in	4	2200 lb	0.1	1000 kg	0.05	481 lb	\$14,748.00
102571	IFXS4-1500NN	49.2 x 49.2 in	4	3300 lb	0.1	1500 kg	0.05	481 lb	\$14,748.00
102572	IFXS4-3000NN	49.2 x 49.2 in	4	6600 lb	0.2	3000 kg	0.1	481 lb	\$14,748.00
102573	IFXS4-150RN	59.1 x 49.2 in	4	330 lb	0.01	150 kg	0.005	547 lb	\$15,358.00
102574	IFXS4-300RN	59.1 x 49.2 in	4	660 lb	0.02	300 kg	0.01	547 lb	\$15,040.00
102575	IFXS4-600RN	59.1 x 49.2 in	4	1320 lb	0.05	600 kg	0.02	547 lb	\$15,358.00
102576	IFXS4-1000RN	59.1 x 49.2 in	4	2200 lb	0.1	1000 kg	0.05	547 lb	\$15,236.00
102577	IFXS4-1500RN	59.1 x 49.2 in	4	3300 lb	0.1	1500 kg	0.05	547 lb	\$15,358.00

Rails add 16.1 in to width

PRECISION INDUSTRIAL WEIGHING

www.ricelake.com | Phone: 800-472-6703

RICE LAKE

Minebea Intec IF Series

Explosion Proof Weighing Platforms

Part Number/Price

RLWS PN	Minebea PN	Weighing Surface Dimensions	# Load Cells	Capacity	Readability	Capacity	Readability	Est. Weight	Price
102578	IFXS4-300RN	59.1 x 59.1 in	4	6600 lb	0.2	3000 kg	0.1	547 lb	\$15,418.00
102579	IFXS4-150RR	59.1 x 59.1 in	4	330 lb	0.01	150 kg	0.005	628 lb	\$15,626.00
102580	IFXS4-300RR	59.1 x 59.1 in	4	660 lb	0.02	300 kg	0.01	628 lb	\$15,626.00
102581	IFXS4-600RR	59.1 x 59.1 in	4	1320 lb	0.05	600 kg	0.02	628 lb	\$15,966.00
102582	IFXS4-1000RR	59.1 x 59.1 in	4	2200 lb	0.1	1000 kg	0.05	628 lb	\$15,844.00
102583	IFXS4-1500RR	59.1 x 59.1 in	4	3300 lb	0.1	1500 kg	0.05	628 lb	\$15,843.00
102584	IFXS4-3000RR	59.1 x 59.1 in	4	6600 lb	0.2	3000 kg	0.1	628 lb	\$15,626.00
102585	IFXS4-150WR	78.7 x 59.1 in	4	330 lb	0.01	150 kg	0.005	739 lb	\$16,210.00
102586	IFXS4-300WR	78.7 x 59.1 in	4	660 lb	0.02	300 kg	0.01	739 lb	\$16,210.00
102587	IFXS4-600WR	78.7 x 59.1 in	4	1320 lb	0.05	600 kg	0.02	739 lb	\$16,210.00
102588	IFXS4-1000WR	78.7 x 59.1 in	4	2200 lb	0.1	1000 kg	0.05	739 lb	\$16,210.00
102589	IFXS4-1500WR	78.7 x 59.1 in	4	3300 lb	0.1	1500 kg	0.05	739 lb	\$16,210.00
102590	IFXS4-3000WR	78.7 x 59.1 in	4	6600 lb	0.2	3000 kg	0.1	739 lb	\$16,210.00

Rails add 16.1 in to width

Options/Accessories - Not Available On All Models

Part #	Description	Price
T4	Stop bar	Consult
T5	Tow bar and stop bar	Consult
T6	Two handles and two rollers	Consult
T7	Retractable wheels	Consult
T9	Bottom plate	Consult
T13	Four handles	Consult
T14	Integrated column	Consult
T15	Second ramp	Consult
Stainless Steel		
R2	316, T1, 2B cold-rolled steel, electropolished stainless steel	Consult
R6	304, 2B cold-rolled steel, electropolished stainless steel	Consult

Note: Consult factory for lifting device options and compatibility of combined options