



Be Right™



Filters

Microbiological filters from a variety of reputable manufacturers are available through Hach, including Pall, Millipore, Xenomax, and Gelman. Commonly used in detection and enumeration of coliform organisms, 0.45 μm , 47 mm diameter filters are available in various quantities, along with 25 mm sizes and different pore diameters. Also available for a wide variety of applications are AcroCap, AcroDisc, and EnviroCheck (for concentrating giardia and cryptosporidium), filter dispensers, funnels, and accessories, TSS, non-sterile, glass fiber, and other types of filters.

Part Number	Description	Pore Size	Diameter	Material	Type	USD Price
253000	TSS Glass Fiber Filter, Pore Size 1.5 μm , Diameter 47 mm, 100/pk	1.5	47 mm	Glass Microfiber		Contact Hach
2511207	Hach Glass Fiber Filters, 47mm, 100/pk	1.5	47 mm	Glass Microfiber		Contact Hach
2198755	TSS Glass Fiber Filter, Pore Size 1.2 μm , Diameter 90 mm, 100/pk	1.2	90 mm	Glass Microfiber		Contact Hach
2594025	FILTER, VERSAPOR 3UM 25MM PK/25		25 mm			Contact Hach
253053	TSS Glass Fiber Filter, Pore Size 1.5 μm , Diameter 70 mm, 100/pk	1.5	70 mm	Glass Microfiber		Contact Hach
2551456	Hach AE Grade Filters, 47mm, 100/pk	1.0	47 mm	Glass Microfiber		Contact Hach
2546100	Glass Fiber Filter, Diameter 47 mm, Prewighed for Standard Methods TSS procedure, 100/pk	1.5	47 mm	Glass Microfiber		Contact Hach
2198725	TSS Glass Fiber Filter, Pore Size 1.5 μm , Diameter 25 mm, 100/pk	1.5	25 mm	Glass Microfiber		Contact Hach
2569100	TSS Glass Fiber Filter, Pore Size 1.5 μm , Diameter 110 mm, 100/pk	1.5	110 mm	Glass Microfiber		Contact Hach

Part Number	Description	Pore Size	Diameter	Material	Type	USD Price
189457	QT Filters, Pleated, Pore Size 2 - 3 μ m, Diameter 125 mm, 100/pk, Quantitative	2 - 3	125 mm	Cellulose		Contact Hach
2511307	Xenomax TSS-FVS Filter 47mm, 100/pk	1.5	47 mm	Glass Microfiber		Contact Hach
2511210	Hach Glass Fiber Filters, 90mm, 100/pk	1.5	90 mm	Glass Microfiber		Contact Hach
253055	TSS Glass Fiber Filter, Pore Size 1.5 μ m, Diameter 55 mm, 100/pk	1.5	55 mm	Glass Microfiber		Contact Hach
2551400	Glass Fiber Filter, Pore Size 1.0 μ m, Diameter 47mm, 100/pk	1.0	47 mm	Glass Microfiber		Contact Hach
2513801	FILTER, GLASS FIBER 0.7UM 47MM, PK/100	0.7	47 mm	Glass Microfiber		Contact Hach
50655	QL Filters, Pore Size 8 - 12 μ m, Diameter 90 mm, Circular, 100/pk, Qualitative		90 mm	Cellulose		Contact Hach
69257	QT Filters, Pleated, Pore Size 3 - 5 μ m, Diameter 125 mm, 100/pk, Quantitative	3 - 5	125 mm	Cellulose		Contact Hach
2513603	Non-Sterile PDVF Syringe Filter, 33mm, 0.45um, 50/PK	0.45	33 mm	PVDF		Contact Hach
2511211	Hach Glass Fiber Filters, 110mm, 100/pk	1.5	110 mm	Glass Microfiber		Contact Hach
50659	QL Filters, Pore Size 8 - 12 μ m, Diameter 185 mm, Circular, 100/pk, Qualitative		185 mm	Cellulose		Contact Hach
2198720	TSS Glass Fiber Filter, Pore Size 1.5 μ m, Diameter 20 mm, 100/pk	1.5	20 mm	Glass Microfiber		Contact Hach
2511212	Hach Glass Fiber Filters, 125mm, 100/pk	1.5	125 mm	Glass Microfiber		Contact Hach
2511202	Hach Glass Fiber Filters, 24mm, 100/pk	1.5	24 mm	Glass Microfiber		Contact Hach

Part Number	Description	Pore Size	Diameter	Material	Type	USD Price
69259	QT Filters, Pleated, Pore Size 3 - 5 μ m, Diameter 185 mm, 100/pk, Quantitative	3 - 5	185 mm	Cellulose		Contact Hach
50658	QL Filters, Pore Size 8 - 12 μ m, Diameter 150 mm, Circular, 100/pk, Qualitative		150 mm	Cellulose		Contact Hach
253051	TSS Glass Fiber Filter, Pore Size 1.5 μ m, Diameter 42.5 mm, 100/pk	1.5	42.5 mm	Glass Microfiber		Contact Hach
50657	QL Filters, Pore Size 8 - 12 μ m, Diameter 125 mm, Circular, 100/pk, Qualitative		125 mm	Cellulose		Contact Hach
2511201	Hach Glass Fiber Filters, 21mm, 100/pk	1.5	21 mm	Glass Microfiber		Contact Hach
2943300	Xenomax® Triple-layer SPE Filter, 47 mm, 48/PK	1.0	47 mm	Glass Microfiber		Contact Hach
2511306	Xenomax TSS-FVS Filter 42.5mm, 100/pk	1.5	42.5 mm	Glass Microfiber		Contact Hach
52657	QT Filters, Pore Size 8 - 12 μ m, Diameter 125 mm, Circular, 100/pk, Quantitative	8 to 12	125 mm	Cellulose		Contact Hach
2511209	Hach Glass Fiber Filters, 70mm, 100/pk	1.5	70 mm	Glass Microfiber		Contact Hach
2263356	SA Filter, Cone, Diameter 110 mm, Soil Analysis Grade, 500/pk		110 mm	Cellulose		Contact Hach
2546200	Glass Fiber Filter, Diameter 47 mm, Prewighed for Standard Methods TSS procedure, 400/pk	1.5	47 mm	Glass Microfiber		Contact Hach
2514101	Filter, Membrane, Pore Size 0.45 μ m, Diameter 25 mm, 100/pk	0.45	25 mm			Contact Hach
2215500	Glass Fiber Filter, Pore Size 1.0 μ m, Diameter 24 mm, 100/pk	1.0	24 mm	Glass Microfiber		Contact Hach

Part Number	Description	Pore Size	Diameter	Material	Type	USD Price
69258	QT Filters, Pleated, Pore Size 3 - 5 µm, Diameter 150 mm, 100/pk, Quantitative	3 - 5	150 mm	Cellulose		Contact Hach
2511311	Xenomax TSS-FVS Filter 110mm, 100/pk	1.5	110 mm	Glass Microfiber		Contact Hach
189459	QT Filters, Pleated, Pore Size 2 - 3 µm, Diameter 185 mm, 100/pk, Quantitative	2 - 3	185 mm	Cellulose		Contact Hach
2511312	Xenomax TSS-FVS Filter 125mm, 100/pk	1.5	125 mm	Glass Microfiber		Contact Hach
2511208	Hach Glass Fiber Filters, 55mm, 100/pk	1.5	55 mm	Glass Microfiber		Contact Hach
2943301	Xenomax® Triple-layer SPE Filters, 47 mm, 24/PK	1.0	47 mm	Glass Microfiber		Contact Hach
2947902	Prefilters, Polypropylene, 90 mm, 25/PK		90 mm	Polypropelene		Contact Hach
2670500	Filter, GWV High Capacity Groundwater	0.45	680 mm	Polysulfone		Contact Hach
2511310	Xenomax TSS-FVS Filter 90mm, 100/pk	1.5	90 mm	Glass Microfiber		Contact Hach
2676700	Filter, Extra Thick, 25 mm diameter, for OriFlo Filter Holder, pk/100		25 mm			Contact Hach
2511206	Hach Glass Fiber Filters, 42.5mm, 100/pk	1.5	42.5 mm	Glass Microfiber		Contact Hach
2947801	ValuSep® SPE Filter, 47 mm, 50/PK		47 mm			Contact Hach
55356	QT Filters, Pore Size 2 - 3 µm, Diameter 110 mm, Circular, 100/pk, Quantitative	2 - 3	110 mm	Cellulose		Contact Hach
2551459	Hach AE Grade Filters, 90mm, 100/pk	1.0	90 mm	Glass Microfiber		Contact Hach
52655	QT Filters, Pore Size 8 - 12 µm, Diameter 90 mm, Circular, 100/pk, Quantitative	8 to 12	90 mm	Cellulose		Contact Hach

Part Number	Description	Pore Size	Diameter	Material	Type	USD Price
50656	QL Filters, Pore Size 8 - 12 µm, Diameter 110 mm, Circular, 100/pk, Qualitative		110 mm	Cellulose		Contact Hach
2511203	Hach Glass Fiber Filters, 25mm, 100/pk	1.5	25 mm	Glass Microfiber		Contact Hach
2640800	Filter, Membrane, Cellulose, Pore Size 0.8 µm, Diameter 47 mm, 100/pk, plain, non-sterile					Contact Hach
2511309	Xenomax TSS-FVS Filter 70mm, 100/pk	1.5	70 mm	Glass Microfiber		Contact Hach
2943227	Prefilters, Glass Micro Fiber, 3-Layer, 42mm, 48/PK		42 mm	Glass Microfiber		Contact Hach
2546120	Glass Fiber Filter, Diameter 55 mm, Prewighed for Standard Methods TSS procedure, 100/pk	1.5	55 mm	Glass Microfiber		Contact Hach
2511301	Xenomax TSS-FVS Filter 21mm, 100/pk	1.5	21 mm	Glass Microfiber		Contact Hach
2511302	Xenomax TSS-FVS Filter 24mm, 100/pk	1.5	24 mm	Glass Microfiber		Contact Hach
2551452	Hach AE Grade Filters, 25mm, 100/pk	1.0	25 mm	Glass Microfiber		Contact Hach
2513608	Non-Sterile PDVF Syringe Filter, 33mm, 0.22um, 50/PK	0.22	33 mm	PVDF		Contact Hach
52658	QT Filters, Pore Size 8 - 12 µm, Diameter 150 mm, Circular, 100/pk, Quantitative	8 to 12	150 mm	Cellulose		Contact Hach
2546240	Glass Fiber Filter, Diameter 90 mm, Prewighed for Standard Methods TSS procedure, 400/pk	1.5	90 mm	Glass Microfiber		Contact Hach
55359	QT Filters, Pore Size 2 - 3 µm, Diameter 185 mm, Circular, 100/pk, Quantitative	2 - 3	185 mm	Cellulose		Contact Hach
2164300	Glass Fiber Filter, Pore Size 2.7 µm, Diameter 70 mm, 100/pk	2.7	70 mm	Glass Microfiber		Contact Hach

Part Number	Description	Pore Size	Diameter	Material	Type	USD Price
2511204	Hach Glass Fiber Filters, 35mm, 100/pk	1.5	35 mm	Glass Microfiber		Contact Hach
52652	QT Filters, Pore Size 8 - 12 µm, Diameter 55 mm, Circular, 100/pk, Quantitative	8 to 12	55 mm	Cellulose		Contact Hach
55357	QT Filters, Pore Size 2 - 3 µm, Diameter 125 mm, Circular, 100/pk, Quantitative	2 - 3	125 mm	Cellulose		Contact Hach
2551600	Glass Fiber Filter, Pore Size 1.2 µm, Diameter 21 mm, 100/pk	1.2	21 mm	Glass Microfiber		Contact Hach
2551458	Hach AE Grade Filters, 70mm, 100/pk	1.0	70 mm	Glass Microfiber		Contact Hach
2514200	Prefilters, Glass Micro Fiber, 3-Layer, 45mm, 48/PK	5.0	45 mm	Glass Microfiber		Contact Hach
189458	QT Filters, Pleated, Pore Size 2 - 3 µm, Diameter 150 mm, 100/pk, Quantitative	2 - 3	150 mm	Cellulose		Contact Hach
2799401	Replacement 0.45µm Filters for Powerpette					Contact Hach
2551462	Hach AE Grade Filters, 125mm, 100/pk	1.0	125 mm	Glass Microfiber		Contact Hach
2511205	Hach Glass Fiber Filters, 37mm, 100/pk	1.5	37 mm	Glass Microfiber		Contact Hach
55355	QT Filters, Pore Size 2 - 3 µm, Diameter 90 mm, Circular, 100/pk, Quantitative	2 - 3	90 mm	Cellulose		Contact Hach
52656	QT Filters, Pore Size 8 - 12 µm, Diameter 110 mm, Circular, 100/pk, Quantitative	8 to 12	110 mm	Cellulose		Contact Hach
50653	QL Filters, Pore Size 8 - 12 µm, Diameter 70 mm, Circular, 100/pk, Qualitative		70 mm	Cellulose		Contact Hach

Part Number	Description	Pore Size	Diameter	Material	Type	USD Price
50651	QL Filters, Pore Size 8 - 12 µm, Diameter 42.5 mm, Circular, 100/pk, Qualitative		42.5 mm	Cellulose		Contact Hach
55358	QT Filters, Pore Size 2 - 3 µm, Diameter 150 mm, Circular, 100/pk, Quantitative	2 - 3	150 mm	Cellulose		Contact Hach
2546135	Glass Fiber Filter, Diameter 70 mm, Prewighed for Standard Methods TSS procedure, 100/pk	1.5	70 mm	Glass Microfiber		Contact Hach
189460	QT Filters, Pleated, Pore Size 2 - 3 µm, Diameter 240 mm, 100/pk, Quantitative	2 - 3	240 mm	Cellulose		Contact Hach
2551451	Hach AE Grade Filters, 24mm, 100/pk	1.0	24 mm	Glass Microfiber		Contact Hach
2551461	Hach AE Grade Filters, 110mm, 100/pk	1.0	110 mm	Glass Microfiber		Contact Hach
2511303	Xenomax TSS-FVS Filter 25mm, 100/pk	1.5	25 mm	Glass Microfiber		Contact Hach
2551457	Hach AE Grade Filters, 55mm, 100/pk	1.0	55 mm	Glass Microfiber		Contact Hach
2513605	Non-Sterile Nylon Syringe Filter, 33mm, 0.2µm, 50/PK	0.20	33 mm	Nylon		Contact Hach
2546140	Glass Fiber Filter, Diameter 90 mm, Prewighed for Standard Methods TSS procedure, 100/pk	1.5	90 mm	Glass Microfiber		Contact Hach
2546110	Glass Fiber Filter, Diameter 42.5 mm, Prewighed for Standard Methods TSS procedure, 100/pk	1.5	42.5 mm	Glass Microfiber		Contact Hach
2676600	Glass Fiber Filter, Pore Size 0.7 µm, Diameter 47 mm, 100/pk	1	47 mm	Glass Microfiber		Contact Hach
2551450	Hach AE Grade Filters, 21mm, 100/pk	1.0	21 mm	Glass Microfiber		Contact Hach

Part Number	Description	Pore Size	Diameter	Material	Type	USD Price
2546259	QT Filters, Pore Size 1 - 2 um, Diameter 185 mm, 100/pk, Quantitative	1 - 2	185 mm	Cellulose		Contact Hach
50652	QL Filters, Pore Size 8 - 12 µm, Diameter 55 mm, Circular, 100/pk, Qualitative		55 mm	Cellulose		Contact Hach
2516200	Conical Drying Agent Filters, 8 - 12µm, 150mm, 100/pk	8 - 12	150 mm			Contact Hach
2947802	ValuSep® SPE Filter, 90 mm, 50/PK		90 mm			Contact Hach
2198730	TSS Glass Fiber Filter, Pore Size 1.5 µm, Diameter 30 mm, 100/pk	1.5	30 mm	Glass Microfiber		Contact Hach
2511305	Xenomax TSS-FVS Filter 37mm, 100/pk	1.5	37 mm	Glass Microfiber		Contact Hach
2551455	Hach AE Grade Filters, 42.5mm, 100/pk	1.0	42.5 mm	Glass Microfiber		Contact Hach
2512203	Vent Filter for Millipore Direct-Q® Systems					Contact Hach
2546250	Glass Fiber Filter, Diameter 110 mm, Preweighed for Standard Methods TSS procedure, 400/pk	1.5	110 mm	Glass Microfiber		Contact Hach
55353	QT Filters, Pore Size 2 - 3 µm, Diameter 70 mm, Circular, 100/pk, Quantitative	2 - 3	70 mm	Cellulose		Contact Hach
2516640	Solvent Phase Separator Filter, 150mm		150 mm			Contact Hach
2551454	Hach AE Grade Filters, 37mm, 100/pk	1.0	37 mm	Glass Microfiber		Contact Hach
2511213	Hach Glass Fiber Filters, 150mm, 100/pk	1.5	150 mm	Glass Microfiber		Contact Hach
2677800	Rapid Silver Test Kit Replacement Filters					Contact Hach
2947809	ValuSep® SPE Filter, 90 mm, 300/PK		90 mm			Contact Hach

Part Number	Description	Pore Size	Diameter	Material	Type	USD Price
52653	QT Filters, Pore Size 8 - 12 µm, Diameter 70 mm, Circular, 100/pk, Quantitative	8 to 12	70 mm	Cellulose		Contact Hach
2546150	Glass Fiber Filter, Diameter 110 mm, Prewighed for Standard Methods TSS procedure, 100/pk	1.5	110 mm	Glass Microfiber		Contact Hach
2599738	Syringe Filter, 1.5µm 25mm	1.5	25 mm			Contact Hach
2943600	Xenosep® Glass Wool, Prefilter Fibers 50 g					Contact Hach
2599734	Filter Disc, Syringe, 1.2 µm, Glass Fiber	1.2	25 mm			Contact Hach
2489300	Replacement Filters for Brinkmann Pipet Helper					Contact Hach
2947808	ValuSep® SPE Filter, 47 mm, 300/PK		47 mm			Contact Hach
2551463	Hach AE Grade Filters, 150mm, 100/pk	1.0	150 mm	Glass Microfiber		Contact Hach
2546235	Glass Fiber Filter, Diameter 70 mm, Prewighed for Standard Methods TSS procedure, 400/pk	1.5	70 mm	Glass Microfiber		Contact Hach
2947826	Prefilters, Glass Fiber (5µm)	5.0	100 mm	Glass Microfiber		Contact Hach
2511304	Xenomax TSS-FVS Filter 35mm, 100/pk	1.5	35 mm	Glass Microfiber		Contact Hach
55351	QT Filters, Pore Size 2 - 3 µm, Diameter 42.5 mm, Circular, 100/pk, Quantitative	2 - 3	42.5 mm	Cellulose		Contact Hach
2947901	Prefilters, Polypropylene, 47 mm, 25/PK		47 mm	Polypropelene		Contact Hach
2551460	Hach AE Grade Filters, 102mm, 100/pk	1.0	102 mm	Glass Microfiber		Contact Hach
2514201	Prefilters, Glass Micro Fiber, 3-Layer, 83mm, 12/PK	5.0	83 mm	Glass Microfiber		Contact Hach

Part Number	Description	Pore Size	Diameter	Material	Type	USD Price
55352H	QT Filters, Pore Size 2 - 3 μm , Diameter 55 mm, Circular, 100/pk, Quantitative	2 - 3	55 mm	Cellulose		Contact Hach
2948202	Xenomax® Triple-layer SPE Filter, 95 mm, 12/PK	1.0	95 mm	Glass Microfiber		Contact Hach