



Be Right™



HQ Series Portable Meters

The HQ Series is for water quality professionals who want to perform electrochemical analysis for field and lab environments. Our new portable platform will allow you to collect intuitive, accurate measurements, manage data, and easily review results, while supplying an IP67 robustness rating.

Performing a successful calibration has never been so simple

Most measuring issues are due to incorrect calibration procedures. With our illustrated, step-by-step on-screen calibration and troubleshooting procedures, water quality professionals can succeed every time.

Deliver your daily activity in just a few clicks

Whether you are at your facility or working in the field, the Hach HQ Series portable meter ensures your data will be safely transferred via USB or optional Bluetooth*. Take advantage of additional data validation when you connect your field meter to Claros Data Management software.

Sensors designed for every application

We offer standard laboratory and rugged field Intellical smart sensors available with the HQ Series to measure a wide variety of parameters including Total Dissolved Solids (TDS), Optical Dissolved Oxygen (DO), Biochemical Oxygen Demand (BOD), Temperature, Conductivity, and pH. Intellical smart probes are automatically recognised by HQ meters, retain calibration history and method settings to minimise errors and setup time. They incorporate proven technology to deliver superior accuracy and response times – even when measuring challenging samples or challenging operating environments.

Peace of mind: Hach service and support will be there for you

Our Technical Support, Field Service, and Central Service Teams work together with over 80 years of electrochemistry expertise to help you maximise instrument uptime, ensure data integrity, maintain operational stability, and reduce compliance risk. Never feel alone when you need support.

Choose from 4 models, including the three-input HQ4000 series, dual-input HQ2000 series, and single-input HQ1000 series. These meters offer a range in measurement versatility - eliminating the need for multiple pieces of equipment.

*Bluetooth connectivity currently available in North America and selected European countries.

Part Number	Parameter	Model	Probes included	Data Memory	Warranty	USD Price
LEV015.53.2200A	pH, Conductivity, TDS, Salinity, Dissolved Oxygen, ORP	HQ2200 Multi/2 Channels	None	10,000 data points	12 months	Contact Hach

Part Number	Parameter	Model	Probes included	Data Memory	Warranty	USD Price
LEV015.53.2100A	pH, Conductivity, TDS, Salinity, Dissolved Oxygen, ORP	HQ2100 Multi/1 Channel	None	10,000 data points	12 months	Contact Hach
LEV015.53.4200A	pH, Conductivity, TDS, Salinity, Dissolved Oxygen, ORP, ISE	HQ4200 Multi/ISE/2 Channels	None	100,000 data points	36 months	Contact Hach
LEV015.53.1130A	Dissolved Oxygen (DO)	HQ1130 DO/1 Channel	None	5000 data points	12 months	Contact Hach
LEV015.53.1110A	pH/Oxidation Reduction Potential (ORP)	HQ1110 pH/ORP/1 Channel	None	5000 data points	12 months	Contact Hach
LEV015.53.4300A	pH, Conductivity, TDS, Salinity, Dissolved Oxygen, ORP, ISE	HQ4300 Multi/ISE/3 Channels	None	100,000 data points	36 months	Contact Hach
LEV015.53.22006	pH Dissolved Oxygen	HQ2200 Multi/2 Channels	PHC10105, LDO10105	10,000 data points	12 months	Contact Hach
LEV015.53.1140A	Conductivity/Total Dissolved Solids (TDS)	HQ1140 EC/TDS/1 Channel	None	5000 data points	12 months	Contact Hach
LEV015.53.4100A	pH, Conductivity, TDS, Salinity, Dissolved Oxygen, ORP, ISE	HQ4100 Multi/ISE/1 Channel	None	100,000 data points	36 months	Contact Hach
LEV015.53.11101	pH/Oxidation Reduction Potential (ORP)	HQ1110 pH/ORP/1 Channel	PHC20101	5000 data points	12 months	Contact Hach
LEV015.53.11302	Dissolved Oxygen (DO)	HQ1130 DO/1 Channel	LDO10105	5000 data points	12 months	Contact Hach
LEV015.53.22005	pH Dissolved Oxygen	HQ2200 Multi/2 Channels	PHC10101, LDO10101	10,000 data points	12 months	Contact Hach
LEV015.53.42002	pH Conductivity	HQ4200 Multi/ISE/2 Channels	PHC10101, CDC40101	100,000 data points	36 months	Contact Hach
LEV015.53.21001	pH	HQ2100 Multi/1 Channel	PHC20101	10,000 data points	12 months	Contact Hach
LEV015.53.21004	Dissolved Oxygen	HQ2100 Multi/1 Channel	LDO10101	10,000 data points	12 months	Contact Hach
LEV015.53.41002	pH	HQ4100 Multi/ISE/1 Channel	PHC10101	100,000 data points	36 months	Contact Hach
LEV015.53.42003	pH Conductivity	HQ4200 Multi/ISE/2 Channels	PHC10105, CDC40105	100,000 data points	36 months	Contact Hach
LEV015.53.42005	pH Dissolved Oxygen	HQ4200 Multi/ISE/2 Channels	PHC10101, LDO10101	100,000 data points	36 months	Contact Hach

Part Number	Parameter	Model	Probes included	Data Memory	Warranty	USD Price
LEV015.53.11102	pH/Oxidation Reduction Potential (ORP)	HQ1110 pH/ORP/1 Channel	PHC10101	5000 data points	12 months	Contact Hach
LEV015.53.11103	pH/Oxidation Reduction Potential (ORP)	HQ1110 pH/ORP/1 Channel	PHC10105	5000 data points	12 months	Contact Hach
LEV015.53.11104	pH/Oxidation Reduction Potential (ORP)	HQ1110 pH/ORP/1 Channel	MTC10101	5000 data points	12 months	Contact Hach
LEV015.53.11301	Dissolved Oxygen (DO)	HQ1130 DO/1 Channel	LDO10101	5000 data points	12 months	Contact Hach
LEV015.53.11401	Conductivity/Total Dissolved Solids (TDS)	HQ1140 EC/TDS/1 Channel	CDC40101	5000 data points	12 months	Contact Hach
LEV015.53.11402	Conductivity/Total Dissolved Solids (TDS)	HQ1140 EC/TDS/1 Channel	CDC40105	5000 data points	12 months	Contact Hach
LEV015.53.21002	pH	HQ2100 Multi/1 Channel	PHC10101	10,000 data points	12 months	Contact Hach
LEV015.53.21003	pH	HQ2100 Multi/1 Channel	PHC10105	10,000 data points	12 months	Contact Hach
LEV015.53.21005	Dissolved Oxygen	HQ2100 Multi/1 Channel	LDO10105	10,000 data points	12 months	Contact Hach
LEV015.53.21006	Conductivity	HQ2100 Multi/1 Channel	CDC40101	10,000 data points	12 months	Contact Hach
LEV015.53.21007	Conductivity	HQ2100 Multi/1 Channel	CDC40105	10,000 data points	12 months	Contact Hach
LEV015.53.22001	pH Conductivity	HQ2200 Multi/2 Channels	PHC10101, CDC40101	10,000 data points	12 months	Contact Hach
LEV015.53.22002	pH Conductivity	HQ2200 Multi/2 Channels	PHC10105, CDC40105	10,000 data points	12 months	Contact Hach
LEV015.53.22003	pH Conductivity	HQ2200 Multi/2 Channels	PHC20101, CDC40101	10,000 data points	12 months	Contact Hach
LEV015.53.22004	pH Dissolved Oxygen	HQ2200 Multi/2 Channels	PHC20101, LDO10101	10,000 data points	12 months	Contact Hach
LEV015.53.22008	Dissolved Oxygen	HQ2200 Multi/2 Channels	LDO10105	10,000 data points	12 months	Contact Hach
LEV015.53.22009	pH	HQ2200 Multi/2 Channels	PHC10105	10,000 data points	12 months	Contact Hach
LEV015.53.41001	pH	HQ4100 Multi/ISE/1 Channel	PHC20101	100,000 data points	36 months	Contact Hach
LEV015.53.41003	pH	HQ4100 Multi/ISE/1 Channel	PHC10105	100,000 data points	36 months	Contact Hach
LEV015.53.41004	Conductivity	HQ4100 Multi/ISE/1 Channel	CDC40101	100,000 data points	36 months	Contact Hach

Part Number	Parameter	Model	Probes included	Data Memory	Warranty	USD Price
LEV015.53.41005	Conductivity	HQ4100 Multi/ ISE/1 Channel	CDC40105	100,000 data points	36 months	Contact Hach
LEV015.53.42001	pH Conductivity	HQ4200 Multi/ ISE/2 Channels	PHC20101, CDC40101	100,000 data points	36 months	Contact Hach
LEV015.53.42006	pH Dissolved Oxygen	HQ4200 Multi/ ISE/2 Channels	PHC10105, LDO10105	100,000 data points	36 months	Contact Hach
LEV015.53.43001	pH Conductivity Dissolved Oxygen	HQ4300 Multi/ ISE/3 Channels	PHC20101, CDC40101, LDO10101	100,000 data points	36 months	Contact Hach