

ott.com > Products

# OTT HydroSystems

Complete hydrological gauging stations with telemetry

[SHARE ▾](#)
[PRINT](#)
  
[f](#)
[t](#)
[in](#)
[x](#)



OTT HydroSystems offer a decisive price advantage compared to individual configured systems. The IP-enabled and highly energy-efficient datalogger OTT netDL is the core of the system. Several SDI-12 sensors may be connected to the rugged logger, as it has up to 40 channels. The measured data may be remotely transferred via the built-in cellular modem, optionally via satellite or Ethernet. The required antennas are already included in the system.

<b>Product Highlights:</b>	Turn-key solutions for stand-alone measuring stations
<b>Location:</b>	Gauging station, Pole mount
<b>Main power supply:</b>	Battery, Solar
<b>Communication:</b>	Cellular, Satellite (GOES/Meteosat)

[Request a quote or advice](#)

<a href="#">Advantages</a>	<a href="#">Example of use</a>	<a href="#">Resources</a>	<a href="#">Technical Data</a>

## Compact, turn-key, and convenient:

- All components are pre-installed, pre-wired, and pre-configured – minimum installation operations required.
- Standardized configuration resulting in particularly attractive value for money.
- Rugged lockable stainless steel system cabinet – particularly designed for field applications.
- Cabinet enclosure fitted with breathing gland for sufficient ventilation and drainage.

- Powerful IP datalogger providing efficient power management.
- Convenient stainless steel mast mounting bracket – for easy installation to masts of 1"… 4" (accessory).
- Alternatively stainless steel wall bracket for safe wall mounting, e.g. in gauge station (accessory).

[Back](#)

