

DISPLAY STANDS

ŝ

DISPLAY STANDS

Salamander's Mobile Stands provide robust and deployable solutions for all your interactive display needs. These advanced stands provide accessible, comfortable, ergonomic positioning that improves productivity and user experience.



COLLABORATION READY



WORK-PLACE READY



PRESENTATIONS



EASILY TRANSPORTED



Designed For Touchscreens







DISPLAY STANDS / MOBILE

1 Stand

2 Accesories





Ergonomic Minimal Screen Reach







CASTER WHEELS

4" (100mm) HD, Non Marking, Brakes on two

ELECTRICAL INFORMATION

Input:90V - 240V ~, 48 Hz - 63HZ Duty Cycle:10% Max 2min / 18min

POWER CABLE

IEC - Type Class 2, 2-prong USA Included: (PN 400-590)

Available: EU (PN 400-591) UK (PN 400-592) New Zealand, Australia and others (PN 400-593)

MOBILE / DISPLAY STANDS

ELECTRIC LIFT

Fully adjustable, electric lift, mobile stands that offer convenience, flexibility, and designer style. The sleek, compact design moves easily between spaces and is designed for touchscreen in working, drafting, collaboration, and presentation positions.



FPS1XL/EL/GG XL Electric Lift Mobile Stand

Holds displays 60-90", up to 300 lbs (136 kg) †

VESA Compliant: Horizontal: 400, 600, 800, 1000, 1200mm Vertical: 400, 500, 600mm

Export Model: FPS1XL/EL/GG/EX

CA/MAC1: Cisco Sparkboard 55" adapter CA/MAC2: Cisco Sparkboard 70" adapter



FPS1/EL/GG Electric Lift Mobile Stand

Holds displays 42-65", up to 175 lbs (79 kg) †

ACCESSORIES See all accessories on page 48

VESA Compliant: Horizontal: 200, 300, 400, 600mm Vertical: 200, 300, 400mm

Export Model: FPS1/EL/GG/EX



FPS1/ELT/GG Electric Lift & Tilt Mobile Stand

Holds displays 42-65", up to 175 lbs (79 kg) †

VESA Compliant: Horizontal: 200, 300, 400, 600mm Vertical: 200, 300, 400mm

Export Model: FPS1/ELT/GG/EX

Warning: Some interactive panels are not recommended for use in horizontal position. Check with manufacturer. Tilt position limits can be custom programmed by factory.



Retractable Power

Cable Reel

FPSA/CR



Retractable CAT6 Cable Reel FPSA/CR/CAT6

Equipment StorageCover FPSA/SC/GT



Vertical Rack Mount FPSA/VR/3U FPSA/UR/5U



Wireless Remote FPSA/RF1



Camera Shelf FPSA/CS

45

DISPLAY STANDS / MOBILE

1 Stand

2 Accesories




Designed For Touchscreens



Ergonomic Minimal Screen Reach





MOBILE / DISPLAY STANDS

FIXED HEIGHT

Fixed height, mobile stands were designed to meet your needs, these stands deliver sleek design, functionality and mobility.



FPS1XL/FH/GG XL Fixed Height Mobile Stand

Holds displays 60-90", up to 400 lbs (181 kg) † Rear cubby storage

VESA Compliant:

Horizontal: 400, 600, 800, 1000, 1200mm Vertical: 400, 500, 600mm

CA/MAC1: Cisco Sparkboard 55" adapter CA/MAC2: Cisco Sparkboard 70" adapter



FPS1/FH/GG Fixed Height Mobile Stand

Holds displays 42-65", up to 175 lbs (79 kg) † Front cubby storage

VESA Compliant: Horizontal: 200, 300, 400, 600mm Vertical: 200, 300, 400mm



DISPLAY STANDS / ACCESSORIES

1 Frame

2 Accessories



Road Case, ATA Style

IN STOCK

custom@salamanderdesigns.com for details

- Easy deploy-ability of mobile stands
- Combine a mobile stand with a road case to provide secure and convenient transport of your display.

Call 800-535-9910 or email,

- Roll-in Style on Casters
- Saves on Freight
- Ensures device is protected
- Not compatible with fixed height stands



Vertical Rack Mounts

FPSA/VR/3U	3U Rack Mounting Equipment Bracket
FPSA/VR/5U	5U Rack Mounting Equipment Bracket

- The Vertical Mounting Bracket integrates with the FPS Series Mobile Stands to integrate industry standard 19" Rack Gear, 3 or 5 Rack Units (RU).
- 22.5" (572mm) W x 16.5" (419mm) "H x 7.5" (190mm) D
- Not compatible with fixed height stands



Cable Reels

FPSA/CR	Retractable Power Cable Reel, 30' Payout
FPSA/CR/CAT6	Retractable CAT6 Cable Reel, 20' Payout

Power Cable Reel

- Tri-tap, female plugs with USA NEMA 5-15 male plug
- 30 foot retractable cable with 24" pigtail
- Max Rating 10A, 125V, Indoor, Dry Location, General Use Cord Reel Only
- Cable: 16 AWG/3C, 105C

CAT6 Cable Reel

20 foot retractable cable with 36" pigtail



Power Distribution Unit

SA/RM/PDU	Power Distribution Unit, 9 Outlets

- Multi-port rack mounted Power Distribution Unit with surge protection.
- 8 Rear Ports, 1 Front Port
- Maximum Output Current: 15 Amps
- See full specs on page 33.
- USA Compatible

ACCESSORIES / DISPLAY STANDS

Integrated Storage



FPSA/SC/GT 3U Secure Equipment Storage Cover

• 31"W (787mm) x 25"H (635mm) x 7.5"D (190mm)

FPSA/SC2/GT

5U Secure Equipment Storage Cover

- 31"W (787mm) x 25"H (635mm) x 10.5"D (266mm)
- Cable management
- Constructed of steel
- Not compatible with fixed height stands



FPSA/KS/GT Keyboard Storage Shelf

- Attaches to the FPS Series Mobile Stands to store keyboards and other peripherals.
- 22.5"W (572mm) x 16.5"H (419mm) x 2"D (51mm)



FPSA/AS1 Small Shelf with Mounting Straps

- Supports any small peripheral device
- 12"W (305mm) x 4"H (102mm) x 4"D (102mm)
- Not compatible with fixed height stands

Audio / Video Integration



FPSA/SBK Speaker Bracket

- Extends out from display to accommodate most center speakers.
- Mounting holes up to 14.5"W (368.3mm)



FPSA/CS Camera Shelf

- Fully adjustable height
- 10"W (254mm) x 6"D (152mm) x .5" (12.7mm)

Wireless Remote



FPSA/RF1 Wireless Remote Control with Memory

- Allows more mobility and flexibility when controlling the electric lift function of the FPS Electric Stands.
- Not compatible with fixed height stands

DISPLAY STANDS