

# **UNIFI**<sup>™</sup> MEETING TABLES



# UNIFI™ MEETING TABLES

The Salamander Designs Unifi Meeting<sup>™</sup> Tables provide the latest in high-quality, customizable solutions so teams can gather quickly and collaborate more easily. Unifi Meeting Table that provide the latest in table solutions to accommodate today's modern offices.

All designs are easy to specify for rapid deployment and offer innovative solutions to support and manage today's technology. Ultra simple to install in just minutes, Unifi is built to last and a future-proof design allows technology updates easily.





### UNIFI HUDDLE™

Ideal for 2 to 5 people seated, Unifi offers select mounting solutions to support virtually any unified communication technology. A premium-grade cabinet features storage for larger AV systems with quick access and easy cable management. Other thoughtful options include power distribution and cooling systems.





### UNIFI HUDDLE™ LITE

Since one size doesn't fit all, the smaller Unifi Huddle Lite accommodates 2 to 3 people at cafe-height and is ideal for a fast-paced environment where people gather often in an impromptu manner. The Unifi Lite is available with or without integrated display mount and features a unique under table storage base is easily accessible for small AV systems.

### **UNIFI CONFERENCE™**

Unifi<sup>™</sup> Conference Tables are an award-winning complete series of 6 to 16-ft tables built on an aluminum C-frame design and equipped with an innovative pedestal that allows virtually all wiring, power supplies, A/V components and cables to be hidden yet easily accessible in lift off panels for servicing.





# UNIFI<sup>™</sup> CONFERENCE

### **Charge and Connect**

- Top surface cable cubby and connections
- Under surface charging ports
- Pedestal located power ports
- Custom cut-in of any customer supplied device


Low Impact Installation Easy to deploy, simple to move


### Large Open Table Storage Pedestal

- Built on aluminum chassis
- Lift off access panel on both sides of storage base allow simple equipment access
- Cable management from floor to pedestal with fully open interior and raceway up to table
- Equipment storage options include rack mount equipment with 3ru vertical racks and cooling systems
- Ample space to accommodate large cable retractor systems
- Vented pedestal provides convention cooling


## **Shapes & Sizes**

Rectangular or boat shapes in two table width (4' and 5') and up to 5 lengths (6', 8', 10' 12, and 16'). Split top option available for easy transportation and assembly.






**Boat** Curve on a boat shape offers better sight lines.



# **Storage Pedestal**

A variety of laminate and real wood veneer finishes with black legs and toe-kick.





\*Custom HPL Laminate **Tops and Pedestals** Call or details.

# **Conference Table Surfaces & Edges**

Super durable table top surface, available with an antimicrobial, soft-to-the-touch super matte, fingerprint-resistant surface finishes for enhanced aesthetics and protection.



Satin Black or Ultra Matte Black

Satin Storm or Ultra Matte Storm

> Satin Fog or Ultra Matte Fog

Satin White or Ultra Matte White



Black, Molded Edge (Polyurethane Rubber)




Matching, Knife Edge





# Displays

Single, dual or no display mount options.







### **Aluminum Chassis Cabinet**

Includes 3RU vertical rack and adjustable tray shelves



### **Wire Management**

Throughout open cabinet, back with fully open interior and raceway up to display and to table

# **Huddle Storage Cabinet**

A variety of laminate and real wood veneer finishes with black cabinet top.



Warm, White Gloss



Siena, Natural Oak Wood



Slate, Gray, Matte



Siena, Wengel Oak Wood



Siena, Black Oak Wood

**Cabinet Measures:** 65"W x 31"H x 12"D 1651mm W x 787mm H x 305mm D



# Huddle Tops & Edges



Butter-knife Edge 3/4" Seamless Powder-Coated MDF



Square Edge 1/2" Solid Black (Only) Compact Core



Table: 60"L (1524mm) x 48"W (1219mm) x 29"H (736mm)




Slate Gray 3/4" Seamless

Warm White 3/4" Seamless

Solid Black 1/2" Solid Black Compact Core\*


\*Custom HPL Laminates Available Call or details.





# **Huddle Lite Heights**

Select seating or cafe height.



Cafe Table: 48"L (1219mm) x 48"W (1219mm) x 39"H (990mm)

Seated Table: 48"L (1219mm) x 48"W (1219mm) x 30"H (762mm)

# Huddle Lite Tops & Edges



2-5 PERSON	DDLE Siena style in	your choice of finishes with blac	k cabinet top.	
				ADA Compliant
Cabinet Finishes	Single Display	Dual Display	No Display	4'x5' Table Top
Warm White Gloss (Laminate)	D1/338AM1/SN/GW/BK	D1/338AM2/SN/GW/BK	D1/338A/SN/GW/BK	Warm White 3/4" Seamless TP4860A/S/WW
Slate Gray Matte (Laminate)	D1/338AM1/SN/SG/BK	D1/338AM2/SN/SG/BK	D1/338A/SN/SG/BK	Slate Gray 3/4" Seamless TP4860A/S/SG
Gray Oak (Veneer)	D1/338AM1/SN/GO/BK	D1/338AM2/SN/GO/BK	D1/338A/SN/GO/BK	Satin Black 3/4" Seamless TP4860A/S/BK
Black Oak (Veneer)	D1/338AM1/SN/BO/BK	D1/338AM2/SN/BO/BK	D1/338A/SN/BO/BK	Solid Black 1/2" Solid Black Compact Core*
Wengé Oak (Veneer)	D1/338AM1/SN/WO/BK	D1/338AM2/SN/WO/BK	D1/338A/SN/WO/BK	
Natural Oak (Veneer)	D1/338AM1/SN/NO/BK	D1/338AM2/SN/NO/BK	D1/338A/SN/NO/BK	
Cabinet: 65"W (1651mm) x 31"H (787mm) (65" (1651mm) w/mount) x 12"D (305mm) Table: 60"L (1524mm) x				m) x 48"W (1219mm) x 29"H (736mm)

# **UNIFI**<sup>™</sup> HUDDLE LITE

2-3 PERSON 30"H 38" 38" 29" 29" (965mm) (965mm) (737mm) (737mm) Single Display - 39" No Display - 39" Single Display - 30" No Display - 30" Warm White UHL40AM1/G/S/WW UHL40A/G/S/WW UHL30AM1/G/S/WW UHL30A/G/S/WW 3/4" Seamless Slate Gray UHL40AM1/G/S/SG UHL40A/G/S/SG UHL30AM1/G/S/SG UHL30A/G/S/SG 3/4" Seamless Satin Black UHL40AM1/G/S/BK UHL40A/G/S/BK UHL30AM1/G/S/BK UHL30A/G/S/BK 3/4" Seamless Solid Black UHL40AM1/G/S/BK1 UHL40A/G/S/BK1 UHL30AM1/G/S/BK1 UHL30A/G/S/BK1 1/2" Solid Black Compact Core\*

Cafe Table: 48"L (1219mm) x 48"W (1219mm) x 39"H (990mm)

Seated Table: 48"L (1219mm) x 48"W (1219mm) x 30"H (762mm)

# Customize Your Unifi<sup>™</sup> Meeting Table

with optional mounts, cut-ins and interior accessories for a complete turnkey video conference solution.



### HUDDLE TABLE VIDEO CONFERENCE -



Universal Single or \*Dual Display Mounts with Adjustable Positions \* 338 Cabinet Model Only



**Speaker/Camera Mount** Speaker sold seperately



Tech Shelf Camera sold seperately

### **CONNECTION PORTS**

Ports can be placed in various locations throughout table and cabinet. Reference page 7 for location specs.



Flush Mount 110v Power and Dual USB Charge #FI/CP5/BK - Black



Under Table Dual USB Charging Dock #FI/CP8/BK - Black



Flip-Top Charge & Connect #FI/CP9/SA - Silver Alunimum





Vertical Rack Mount

#FI/RM/VR/3U #FI/RM/VR/5U



Pop-up Wireless Qi Charger with Triple USB Charging #FI/CP4/BK - Black



Popup Charge & Connect #FI/CP7/BK - Black



**16x6 Cable Cubby** #FI/CP10/BK - Black #FI/CP10/SA - Silver Alunimum

**1RU Vertical, Rack** 

**#SA/IVAC** 

**Mounted Cooling Kit** 



Cable Port #FI/CP2/BK - Black #FI/CP2/SN - Satin Nickel



Pen Holder #FI/CP6/BK - Black #FI/CP6/SA - Satin Aluminum



Specifiy Your Own Device with a Custom Cut-In



1RU Multi-Port Rack Mounted Power Distribution Unit

#FI/RM/PDU

# **Specifications**

### VIDEO CONFERENCE

### **Display Mounts**

### Select Table Model

- Universal single or dual display
- mount with adjustable positions - Holds displays up to: Huddle: 175 lbs (80 kg) Huddle Light: 110 lbs (50 kg)
- Single: VESA 200 x 200 400 x 600 - Dual: VESA 200 x 200 - 400 x 600
- Adjustable Center Line of Screen: 59" (1499mm) / 57 (1448mm) /55.25" (1403mm) / 53.375" (1356mm) / 51.5" (1308mm)

### CABINET INTERIORS

### Vertical Rack Mounts

### #FI/RM/VR/3U - 3RU #FI/RM/VR/5U - 5RU

# 3 and 5 rack units of vertical mounted.

- knob up component storage (total 15RU) - Threaded for 10-32 screws
- Black powder coated steel
- Lift and load design for easy install
- 10-32 threaded fasteners

### Speaker/Camera Mount

### #FI/SBK

- Fully adjustable height
- Mount above or below display
- Accommodates most video/audio
- conference systems
- Universal mounting plate pattern: 0-16" (0-410mm)
- Max weight capacity of 25 lbs (11 kgs)

### Tech Shelf

### #FI/CMS/S - Single Shelf #FI/CM/D - Dual Shelf

### **Call for Custom Sizes**

- Camera, Speaker, and Controller Shelf
- Fully adjustable height
- Mount above or below display
- Max weight capacity of 5 lbs (2 kgs)
- Single Shelf: 7"W (178mm) x 5.75"D (146mm) x .25"Th (6mm)
- Dual Shelf: 26.25"W (667mm) x 6.75"D (171mm) x .5"Th (13mm)

### **1RU Vertical, Rack Mounted Cooling Kit**

### **#SA/IUAC - Black**

- Airflow: 40 to 180 CFM | Noise: 9 to 32 dBA
- 180 cfm of airflow at max efficiency maintains
- a 20 degree rise of up to 3750 BTU of electronics - 19"W (482mm) x 13.5"D (343mm) x 1.75" Th (44mm) - Probe Length: 72"
- Power Consumption: 8 W, 0.67 A
- Power In: 100 to 240V AC
- RoHS and CE Certified

### **1RU Multi-Port Rack Mounted Power Distribution Unit**

### #FI/RM/PDU - Black

- 8 Rear Ports, 1 Front Port
- Maximum Output Current: 15 Amps
- Spike Protection Mode: Line to neutral
- Energy Dissipation: 170 Joules
- Peak Impulse Current: 12,000 Amps
- Maximum Continuous Operating Voltage: 130 VAC RMS

3-3/4" Round Pen Holder

#FI/CP6/SA - Satin Aluminum

- Cut-In Locations 1, 2, 3, 4, 5, 6

3-3/8" Round Cable Port

#FI/CP2/SN - Satin Nickel

- Split Body Design for Plug and

- Cut-In Locations 1, 2, 3, 4, 5, 6

12

#FI/CP2/BK - Black

Wire Pass Through

#FI/CP6/BK - Black

- 9"W (228mm) x 3.75D" (95mm) x 1.75" Th (44mm)
- Safety Agency Listing: cTUVus Certified

### **CONNECTION PORTS SPECS & CUT-IN LOCATIONS**



### 3" Round Flush mount 110v Power and Dual USB Charge

### #FI/CP5/BK - Black

- 1 Outlet. AC 125V 15A max
- 5V 4.2A USB module with 2 ports
- Bore 3" (76.2mm) hole for installation
- 10' (3058mm) SJT 14 AWG\*3C
- power cord
- UL Certified
- Cut-In Locations 1, 2, 3, 5, 6



### Flip-Top Charge & Connect

### #FI/CP9/BK


- Satin Aluminum Cover Opens Fully Flat
- Integrated Socket 4 Module 11x 4"
- 3 Grounded AC Outlets, 110 V
- 2 USB Charging
- 1 CAT6
- 1 HDMI coupler



### Pop-up Wireless Qi Charger with Triple USB Charging

### #FI/CP4/BK - Black

- Power Input: DC 5V, 6A max
- Wireless Charger: 5 watts max
- USB Charger: 1 x 2.4A (12 watts) max and 2 x 1A (5 Watts) Max
- Wireless Charging Distance: 6mm max
- Qi V1.2.4 Certified
- UL, cUL, FCC ID, RoHS Certified
- Cut-In Locations 1, 2, 3, 4, 5, 6



### 4x6 Popup Charge & Connect

### #FI/CP7/BK

- Aluminum Housing
- 1 Grounded AC Outlet, 125 V 12A rating
- 5V 4.2A USB module with 2 ports
- 1 HDMI coupler
- 1 Ethernet RJ45 Coupler power cord - UI Certified
- Cut-In Locations 1, 2, 3, 4, 5



### Under Table Dual USB Charging Dock

### #FI/CP8/BK - Black

- Dual 5V DC 2.1A (10.5 Watts) USB charging ports
- Input 5VDC 4.2A wall plug

- Cut-In Locations 7A, 7B, 7C, 7D

adapter with 8' lead

88 ₽₽₽

16x6 Cable Cubby

#FI/CP10/BK - Black

while cables are in use

- 3 Grounded AC Outlets

- 2 USB Charging

- 1 CAT6 - 1 HDMI coupler

#FI/CP10/SA - Satin Aluminum

- Wire brushes allow cover to close


- Finely finished Aluminum cover

- Blue LED back-lighting - UL Pending

# **Connection Cut-In Locations**

# $\begin{bmatrix} 1 & 2 & 3 \\ 7A & 4 & 7B \\ 5 & 5 \\ 7C & 6 & 7D \\ \end{bmatrix}$

**UNIFI HUDDLE** 











CUSTOM MADE EASY

Salamander specializes in custom designing and manufacturing high-performing furniture solutions for complex projects.

Call us for a free design consultation.



SALAMANDER DESIGNS 811 Blue Hills Avenue Bloomfield, CT 06002

salamandercommercial.com custom@salamanderdesigns.com 800.535.9910

logitech



Salamander technology partners provide solutions that, when integrated with the Unifi Tables, create the perfect interactive, collaboration solutions for every corporate environment.

CRESTRON.