CAST IRON

Painted Weights

with adjusting cavity for sealing

Classes Available: ASTM Class 6 and 7 OIML Class M1

Applications:

- Field standards for testing industrial devices Class III, Class IIIL or Class IIII
- Testing for non-marked scales without class designation
- Verifying scales are within specified accuracy and tolerances

Styles Available:

- Grip-handle design for easy handling
- Nesting slab weights for heavy-capacity weighing
- Slotted weights and hangers for suspended weighing
- Counterpoise weights for ratio weighing

Features:

- Nominal value marked on weight
- Weight capacities of 10 kg/20 lb and up meet NIST Handbook 105-1 and Handbook 44 specifications
- Metric weights designated by gold paint
- Avoirdupois (pound) weights designated by silver paint
- Serial numbers may be stamped on weights (optional)

236

CAST IRON - ASTM AND OIML Cast Iron Grip-handle and Nesting Slab Weights

Slot Width

3 1/2 in

3 1/2 in

2 1/2 in

2 1/2 in

2 3/4 in

2 1/2 in

2 1/2 in

2 1/2 in

4 1/2 in

4 1/2 in

(88.9 mm)

(63.5 mm)

(63.5 mm)

(69.9 mm)

(63.5 mm)

(63.5 mm)

(63.5 mm)

(114.3 mm)

(114.3 mm)

4 15/32 in

3 5/8 in

(92.1 mm)

3 31/32 in

(100.8 mm)

(113.5 mm)

(88.9 mm)

3 31/32 in

(100.8 mm)

Slot Depth*

2 3/4 in

2 3/4 in

2 3/4 in

2 1/4 in

2 1/4 in

(69.9 mm)

(69.9 mm)

(69.9 mm)

(57.2 mm)

(57.2 mm)

2 29/32 in

(73.8 mm)

1 29/32 in

(48.4 mm)

(50.8 mm)

(50.8 mm) 1 1/2 in

(38.1 mm)

1 21/32 in

(42.1 mm)

31/32 in

31/32 in

(24.6 mm)

(24.6 mm)

1 5/32 in

(29.4 mm)

Price

\$76.00

\$58.00

\$55.00

\$50.00

Price

Cast Iron

\$8.199.00

\$4,150.00

2in

2 in

ы.
\sim
_
<
$\mathbf{-}$
_
-
er.

237

2 lb	12874 3in (76.2mm)			2 1/8in (54.0mm)		1 3/4 in (44.5 mm)					
1 lb	lb 12876 2		2 1/2in (63.5mm) 1		1 11/16in (1 11/16in (42.9mm)		1 13/32 in (35.7 mm)			
Nesting	Slab AS	TM Cla	iss 6								
Weight	Part #	Wi	dth	Ler	igth		Height		Slot Width	5	Slot Depth*
2,500 lb	12860	42 (10	in)66.8 mm)	30 (76	in 2 mm)		8 1/4 in (209.5 mn	n)	2 in (50.8 mm)		2 1/4 in (57.15 mm)
1,000 lb	34563		1/2in 19.3 mm)		1/2 in 5.3 mm)		7 1/4 in (184.15 m	ım)	2 in (50.8 mm)		2 1/4 in (57.15 mm)
* Slot depth	refers to di	istance b	etween lifting bars	and c	astings						
Addition	al Acces	ssories	;								
Part #		Descrip	otion						Price		
36092		Statem	ent of Accuracy					\$4	15.00		Figure
25836		Serial n	umber					\$1	6.00		
											(50)



ASTM Class 6

Part #

12872

12854

12868

12864

12858

12850

12844

12892

12890

12862

12839

12878

12833

12870

Part #

12828

12823

Width

20 3/4 in

20 3/4 in

(527.1 mm)

(527.1 mm)

(527.05mm)

(384.2mm)

(381.0mm)

(381.0mm)

(292.1 mm)

(247.65mm)

(247.65mm)

(231.8mm)

7 29/32 in

8 1/4 in

6 1/2 in

5 3/4 in

(200.8 mm)

(209.6 mm)

(165.1 mm)

(146.1 mm)

Width

5 in (127.0 mm)

4 in (101.6 mm)

11 1/2 in

9 3/4 in

9 3/4 in

91/8in

20 3/4 in

15 1/8in

15in

15in

Length

20 3/4 in

20 3/4 in

(527.1 mm)

(527.05mm)

20 3/4 in

15 1/8in

15 in

12 in

(384.2mm)

(381.0 mm)

(393.7 mm)

(304.8 mm)

(247.65mm)

(247.65mm)

(177.8mm)

(139.7 mm)

4 29/32 in

4 1/2 in

(124.6 mm)

(114.3mm)

4 15/32 in

(113.5mm)

Length

3 1/4 in (82.6 mm)

2 9/16 in (65.1 mm)

5 1/2 in

9 3/4 in

9 3/4 in

7 in

15 1/2 in

(527.1 mm)

Height

(736.6 mm)

(628.65 mm)

24 3/4 in

19 1/2 in

(495.3mm)

26 7/8 in

23 3/4 in

(682.6 mm)

(603.3 mm)

18 11/16in

(474.7 mm)

(400.1 mm)

(304.8 mm)

(254 mm)

(200.0 mm)

(166.7 mm)

(114.3 mm)

4 15/16 in

5 3/32 in

(125.4 mm)

(129.4 mm)

Height

4 1/32 in (102.4 mm)

3 7/32 in (81.8 mm)

7 7/8 in

6 9/16 in

4 1/2 in

15 3/4 in

12in

10in

29in

Weight

3,000 lb

2,500 lb

2,000 lb

1,500 lb

1,250 lb

1,000 lb

500 lb

250 lb

200 lb

100 lb

50 lb

30 lb

25 lb

20 lb

Weight

10 lb

5lb

ASTM Class 7

Nesting Slab PN 12860



Price

\$8,199.00

\$7,250.00

\$6,565.00

\$5,485.00

\$2,626.00

\$1,650.00

\$1,510.00

\$1,313.00

\$577.00

\$137.00

\$180.00

\$120.00

\$97.00

Accredit

Optional Accredited Certificate

\$235.00

\$235.00

\$235.00

\$235.00

\$235.00

\$235.00

\$235.00

\$235.00

\$105.00

\$80.00

\$80.00

\$80.00

\$80.00

\$80.00

\$80.00

Optional

Accredited Certificate

\$65.00 \$65.00	
Optional ed Certificate	
\$235.00	
\$235.00	

CAST IRON - ASTM AND OIML

Cast Iron

Grip-handle Weights

ASTM C	lass 6							Optional
Weight	Part #	Width	Length	Height	Slot Width	Slot Depth*	Price	Accredited Certificate
1,000 kg	12801	20 1/2 in (520.7 mm)	20 1/2 in (520.7 mm)	22 in (558.8 mm)	3 1/2 in (88.9 mm)	2 3/4 in (69.85 mm)	\$7,250.00	\$310.00
500 kg	12797	15 1/8 in (384.2 mm)	15 1/8 in (384.2 mm)	20 3/4 in (527 mm)	2 1/2 in (63.5 mm)	2 in (50.8 mm)	\$2,678.00	\$235.00
250 kg	12782	11 1/2 in (292.1 mm)	12 1/2 in (317.5 mm)	17 1/2 in (444.5 mm)	2 1/2 in (63.5 mm)	1 7/8 in (47.6 mm)	\$1,680.00	\$235.00
200 kg	12793	11 1/2 in (292.1 mm)	12 in (304.8 mm)	14 1/4 in (362 mm)	2 1/2 in (63.5 mm)	1 7/8 in (47.6 mm)	\$1,442.00	\$235.00
100 kg	12817	9 7/8 in (250.8 mm)	9 7/8 in (250.8 mm)	11 in (279.4 mm)	2 1/2 in (63.5 mm)	2 in (50.8 mm)	\$1,329.00	\$235.00
50 kg	12803	9 7/32 in (234.2 mm)	7 in (177.8 mm)	8 13/16 in (223.8 mm)	4 15/32 in (113.5 mm)	1 29/32 in (48.4 mm)	\$577.00	\$130.00
35 kg	12805	7 7/8 in (200.0 mm)	5 1/2 in (139.7 mm)	9 15/32 in (252.4 mm)	4 15/32 in (113.5 mm)	1 1/16 in (27.0 mm)	\$412.00	\$130.00
25 kg	12775	7 21/32 in (194.5 mm)	5 1/2 in (139.7 mm)	7 3/32 in (180.2 mm)	4 7/16 in (112.7 mm)	1 13/16 in (46.0 mm)	\$160.00	\$75.00
20 kg	12771	7 5/8 in (193.7 mm)	5 19/32 in (142.1 mm)	5 29/32 in (150.0 mm)	4 5/8 in (117.5 mm)	1 19/32 in (40.5 mm)	\$134.00	\$75.00
10 kg	12767	6 in (152.4 mm)	4 1/2 in (114.3 mm)	5 in (127.0 mm)	3 3/4 in (95.3 mm)	1 1/16 in (27.0 mm)	\$129.00	\$75.00
ASTM C	ass 7							Optional
								Accredited
Weight	Part #	Width	Length		Height		Price	Certificate
5 kg	12786	5 15/32 in (138.9 mm)	3 13/32 in ((86.5 mm)	4 1/8 in (104.8 mm)		\$77.00	\$75.00
2 kg	12809	3 31/32 in (100.8 mm)	2 9/16 in (6	5.1 mm)	2 13/16 in (71.4 mm)		\$64.00	\$75.00
1 kg	12813	3 in (76.2 mm)	2 1/8 in (54	.0 mm)	1 27/32 in (46.8 mm)		\$55.00	\$55.00
500 g	12815	2 1/2 in (63.5 mm)	1 5/8 in (41		1 17/32 in (38.9 mm)		\$50.00	\$55.00
OIML Cla	ass M1				· ·			Optional
								Accredited
Weight	Part #	Width	Length	Height	Slot Width	Slot Depth*	Price	Certificate
500 kg	156304	15 1/8 in (384.2 mm)	15 1/8 in (384.2 mm)	20 3/4 in (527 mm)	2 1/2 in (63.5 mm)	2 in (50.8 mm)	\$2,678.00	\$235.00
250 kg	156305	11 1/2 in (292.1 mm)	12 in (304.8 mm)	17 1/2 in (444.5 mm)	2 1/2 in (63.5 mm)	1 7/8 in (47.6 mm)	\$1,680.00	\$235.00
100 kg	156306	9.87 in (250.7 mm)	9.87 in (250.7 mm)	11 in (279.4 mm)	2 1/2 in (63.5 mm)	2 in (50.8 mm)	\$1,329.00	\$235.00
50 kg	105417	9 7/32 in (234.2 mm)	7 in (177.8 mm)	8 13/16 in (223.8 mm)	4 15/32 in (113.5 mm)	1 29/32 in (48.4 mm)	\$577.00	\$130.00
20 kg	105416	7 5/8 in (193.7 mm)	5 19/32 in (142.1 mm)	5 29/32 in (150.0 mm)	4 5/8 in (117.5 mm)	1 19/32 in (40.5 mm)	\$134.00	\$75.00
10 kg	105415	6 in (152.4 mm)	4 1/2 in (114.3 mm)	5 in (127.0 mm)	3 3/4 in (95.3 mm)	1 1/16 in (27.0 mm)	\$129.00	\$75.00
E Lun	405444	E 1 E (00 in (100 0 mm)	0.10/00: (00.5		. ,	. ,		

-

5 kg

Part # 36092 25836 105414

Additional Accessories

* Slot depth refers to distance between lifting bars and castings

238

Description	Price
Statement of Accuracy	\$45.00
Serial number	\$16.00

5 15/32 in (138.9 mm) 3 13/32 in (86.5 mm) 4 1/8 in (104.8 mm)



_

\$77.00

\$75.00

Cast Iron

CAST IRON - ASTM AND OIML Cast Iron Slotted Interlocking and Hanger Weights

3
~
5
_
>
>
_
~
0
<u> </u>
1
\sim
\mathbf{n}
-
<₹
3
\sim

Optional

SIULIEU A									υριισιιαί
Weight	Part #	Slot Width		Diameter		Height		Price	Accredited Certificate
100 lb	40828	1 in (25.4 mm	ו)	17 in (431	.8 mm)	1 15/16 i	n (49.2 mm)	\$595.00	\$105.00
50 lb	12856	3/4 in (9 mm)		10 5/8 in (269.9 mm)	2 11/16 i	n (68.3 mm)	\$232.00	\$80.00
20 lb	12831	13/16 in (20.	6 mm)	8 1/8 in (2	06.4 mm)	1 31/32 i	n (50.0 mm)	\$100.00	\$80.00
Slotted A	STM Class 7								Optional
Weight	Part #	Slot Width		Diameter		Height		Price	Accredited Certificate
10 lb	12826	13/16 in (20.0	6 mm)	6 1/8 in (1	55.6 mm)	1 11/16i	n (42.9 mm)	\$85.00	\$80.00
5 lb	12852	11/16 in (17.	5 mm)	5 1/8 in (1	30.2 mm)	1 5/16 in	(33.3 mm)	\$69.00	\$80.00
2 lb	12848	9/16 in (14.3	mm)	5 in (127.0) mm)	23/32 in	(18.3 mm)	\$59.00	\$65.00
1 lb	12842	9/16 in (14.3	mm)	5 in (127.0) mm)	15/32 in	(11.9mm)	\$59.00	\$65.00
1/2 lb	12837	9/16 in (14.3	mm)	3 3/4 in (9	5.3 mm)	7/16 in (1	1.1 mm)	\$46.00	\$40.00
Hanger A	STM Class 7								Optional
Weight	Capacity	Part #	Total Length		Operational Ler	ngth	Diameter	Price	Accredited Certificate
5 lb*	500 lb	12846	37 1/4 in (946	.2 mm)	35 in (889.0 mm)	4 in (101.6 mm)	\$273.00	\$80.00
2 lb	200 lb	12841	21 13/32 in (5-	43.7 mm)	19 in (482.6 mm)	3 3/4 in (95.3 mm)	\$137.00	\$65.00
2 lb	200 lb	12835	10 1/4 in (260	.4 mm)	8 in (203.2 mm)		3 3/4 in (95.3 mm)	\$131.00	\$65.00
1 lb	200 lb	12830	21 29/32 in (5	56.4 mm)	20 7/32 in (513.	6 mm)	3 3/4 in (95.3 mm)	\$117.00	\$65.00
1 lb	200 lb	12825	9 5/16 in (236	.5 mm)	7 9/16 in (192.1	mm)	3 3/4 in (95.3 mm)	\$95.00	\$65.00
* Stainless s	steel								
Slotted A	STM Class 6								Optional
Weight	Part #	Slot Width		Diameter		Height		Price	Accredited Certificate
20 kg	12819	21/32 in (16.7	7 mm)	10 5/16 in	(261.9 mm)	2 11/32 ii	n (59.5 mm)	\$232.00	\$75.00
10 kg	12811	3/4 in (19.1 m	ım)	8 3/16 in (208.0 mm)	2 1/16 in	(52.4 mm)	\$129.00	\$75.00
Slotted A	STM Class 7								Optional
Weiaht	Part #	Slot Width		Diameter		Heiaht		Price	Accredited Certificate

Slotted A	ASTM Class 7					Optional
Weight	Part #	Slot Width	Diameter	Height	Price	Accredited Certificate
5 kg	12807	13/16 in (20.6 mm)	6 3/16 in (157.2 mm)	1 13/16 in (46.0 mm)	\$117.00	\$75.00
2 kg	12799	9/16 in (14.3 mm)	5 1/8 in (130.2 mm)	1 3/16 in (30.2 mm)	\$69.00	\$75.00
1 kg	12795	9/16 in (14.3 mm)	5 1/16 in (128.6 mm)	3/4 in (19.1 mm)	\$60.00	\$55.00
500 g	12791	9/16 in (14.3 mm)	5 in (127.0 mm)	15/32 in (11.9 mm)	\$58.00	\$55.00
200 g	12780	5/8 in (15.9 mm)	3 21/32 in (92.9 mm)	7/16 in (11.1 mm)	\$47.00	\$55.00
Hanger A	ASTM Class 7					Optional
Weight	Capacity	Part # Total Length	Operational Len	igth Diameter	Price	Accredited Certificate

Weight	Capacity	Part #	Total Length	Operational Length	Diameter	Price	Accredited Certificate
2 kg	250 kg	12788	37 1/4 in (946.2 mm)	35 in (889.0 mm)	4 in (101.6 mm)	\$273.00	\$75.00
1 kg	100 kg	12784	21 13/32 in (543.7 mm)	19 in (482.6 mm)	3 3/4 in (95.3 mm)	\$134.00	\$55.00
1 kg	100 kg	12777	10 1/4 in (260.4 mm)	8 in (203.2 mm)	3 3/4 in (95.3 mm)	\$134.00	\$55.00
500 g	100 kg	12773	21 29/32 in (556.4 mm)	20 7/32 in (513.6 mm)	3 3/4 in (95.3 mm)	\$117.00	\$55.00
500 g	100 kg	12769	9 5/16 in (236.5 mm)	7 9/16 in (192.1 mm)	3 3/4 in (95.3 mm)	\$105.00	\$55.00

essories	
Description	Price
Statement of Accuracy	\$45.00
Serial number	\$16.00
	Description Statement of Accuracy

Slotted ASTM Class 6

