





Dexter[™] Wall-Hung Urinals

The compact design of the Dexter urinal makes it perfect for smaller restrooms.

Anti-splash backwall

Limits splashback for a cleaner user experience

Compact wall print

Perfect for smaller commercial bathrooms

ADA-compliant

When the rim is mounted no more than 17" from finished floor

Top spud and rear spud options

Available with 3/4" top or rear spud

New Dexter wash-down 0.125 gpf urinal (K-5452):

0.125 gallons per flush

Ultra-low water consumption can help earn LEED Water Efficiency points

Easy retrofit

Covers existing K-5016 footprint

A clean rinse

Wash-down design rinses the surface with each flush for a cleaner fixture when compared to waterless urinals

Existing Dexter siphon-jet 0.5 or 1.0 gpf urinal (K-5016):

Siphon-jet urinal

Stronger flush pushes water and debris from the bowl area

Less stock on hand

Two flush volumes available in one urinal model means less stock on hand and higher inventory turns

WaterSense®-compliant

When used with a WaterSense-labeled flushometer



Backwall geometry limits splashback





K-5452-ET

K-5016-ET

| SKU | Description | Wall to Rim | Width x Height | Gallons per Flush | Spud |
|-----------|------------------------------|-------------|----------------|-------------------|------|
| K-5452-ET | Dexter wash-down urinal 🚳 🕰 | 143/4" | 13¾" × 20¾" | 0.125 | Тор |
| K-5452-ER | Dexter wash-down urinal 🚳 🕰 | 143/4" | 13¾" x 20¾" | 0.125 | Rear |
| K-5016-ET | Dexter siphon-jet urinal 🚳 🕰 | 141/2" | 13½" x 20¾" | 0.5 or 1.0 | Тор |
| K-5016-ER | Dexter siphon-jet urinal 💿 🗪 | 141/2" | 13½" x 20¾" | 0.5 or 1.0 | Rear |

Color options:



Codes/Standards:

- ·ASME A112.19.2/CSA B45.1
- ·DOE Energy Policy Act 1992
- ·ICC/ANSI A117.1



WaterSense-labeled urinals use at least 50% less water than standard 1.0-gallon urinals while still meeting strict flushing performance guidelines.



Products labeled ADA or ADA-compliant will comply with the Americans with Disabilities Act, when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 605 (Urinals) of the Act.

