Z100A Clinical Lab Centrifuge

The Z100A Clinical Centrifuge is suitable for a variety of applications in the clinical setting or in the research laboratory. The fixed angle rotor accepts 6 x 15 mL or 10 mL tubes directly. Optional adapters can be purchased to accommodate smaller tubes, including most common blood draw tubes.

A clear lid allows for visualization of the rotor. For safety, power is cut to the unit when the centrifuge lid is opened. The rugged ABS housing adds durability to the centrifuge and makes cleaning easier.

The Z100A can be used in a cold room for subambient applications.

Features

- Max. capacity 6 x 15 mL tubes
- ▶ Variable speed up to 4,000 rpm (1,900 x g)
- Clear lid with latching mechanism
- Adapters available for most common blood draw tubes



Specifications

Maximum Capacity	6 x 10/15 mL round or conical tubes
Speed Range	1,000 to 4,000 rpm
Maximum RCF	1,900 x g
Timer	1 to 30 min. or continuous, analog
Dimensions (W x D x H)	11 x 13.75 x 10.2 in. (26.5 x 33 x 24.5 cm)
Weight	12 lbs. (5.5 kg)
Electrical	120V, 5060Hz



Ordering Information

Cat. No.	Description
C0100-A	Z100A clinical lab centrifuge with 6 x 10/15 mL rotor, 120V

Accessories

Cat. No.	Description	
C0200-17A	Adapters for 5 mL (13 x 75 mm) and 7 mL (13 x 100 mm) tubes	6