

# **DeckLink IP HD Optical**



DeckLink IP HD Optical features 3 channels of video capture and 3 channels of video playback to 2110 IP broadcast systems via an SFP based optical fiber Ethernet connection. It is designed to work with the highest quality video with support for capture and playback to popular video formats such as Apple ProRes, DNxHD or even 10-bit uncompressed. DeckLink IP connections are multi rate so they support 525i, 625i, 720p, 1080i and 1080p video standards up to 1080p60.

\$345


#### Connections

## 10G Optical Fiber SFP+ Port

1 x 10GBASE-LR Supports 3 input channels and 3 output channels, each up to 1080p60 with 16 audio channels.

## **Computer Interface**

PCI Express 4 lane generation 2, compatible with 4, 8 and 16 lane PCI Express slots.



## **Supported Codecs**

AVC-Intra, AVCHD, Canon XF MPEG2, Digital SLR, DV-NTSC, DV-PAL, DVCPRO50, DVCPROHD, DPX, HDV, HEVC, XDCAM EX, XDCAM HD, XDCAM HD422, DNxHR & DNxHD, Apple ProRes 4444, Apple ProRes 422 HQ, Apple ProRes 422, Apple ProRes LT, Apple ProRes 422 Proxy, Uncompressed 8-bit 4:2:2, Uncompressed 10-bit 4:2:2, Uncompressed 10-bit 4:4:4

#### Software

#### **Software Included**

Media Express, Disk Speed Test, LiveKey, Blackmagic Desktop Video Utility and Blackmagic driver on Mac OS and Windows. Media Express, Blackmagic Desktop Video Utility and Blackmagic driver on Linux.

## Internal Software Upgrade

Firmware built into software driver. Loaded at system start or via updater software.

#### **Physical Installation**

PCI Express 4 lane generation 2, compatible with 4 and 8 lane PCI Express slots on Mac OS, Windows and Linux. Mac OS systems require a Mac Pro computer with PCI Express slots. Please check the Support pages to see the full system requirements.

## Software Applications



DaVinci Resolve



Adobe Premiere Pro



Avid Pro Tools





Avid Media Composer



Steinberg Cubase



Adobe Photoshop

These are third party applications and support may vary, check with your software vendor.



Final Cut Pro



Adobe After Effects



Steinberg Nuendo

## Video Standards

#### **SD Video Standards**

525i59.94 NTSC, 625i50 PAL

#### **HD Video Standards**

720p50, 720p59.94, 720p60 1080i50, 1080i59.94, 1080i60 1080p23.98, 1080p24, 1080p25, 1080p29.97, 1080p30, 1080p50, 1080p59.94, 1080p60

#### **Audio Sampling**

Television standard sample rate of 48 kHz and 24 bit.

#### **Color Precision**

8, 10, 12-bit RGB 4:4:4 in all modes up to 1080p30 and 8, 10-bit YUV 4:2:2 in all modes.

#### **Color Space**

REC 601, REC 709, REC 2020

## IP Video Compliance

## SMPTE 2110-20 (Uncompressed

#### Video)

IGMP v2

#### SMPTE 2110-21 (Traffic Shaping)

Sender: Narrow

Receiver: Narrow, Wide Synchronous,

Asynchronous

#### **SMPTE 2110-30 (PCM)**

Audio Conformance level: Level C

### SMPTE 2110-40 (Ancillary Data)

Full access to entire SMPTE ancillary data stream. Includes RP 188/SMPTE 12M-2, closed captioning and HDR static metadata.

#### **Precision Time Protocol**

IEEE 1588-2008 (PTP v2) ST 2059-1 ST 2059-2

## NMOS IS-04 Discovery and

#### Registration

v1.3.2

Peer-to-peer via mDNS/DNS-SD

#### NMOS IS-05 Connection

Management

v1.1.2

#### NMOS BCP-002-01

Natural Grouping

#### NMOS BCP-004-01

Receiver capabilities

## Processing

#### **Colorspace Conversion**

Hardware based real time.


#### Real Time Effects

DaVinci Resolve, Final Cut Pro internal effects. Adobe Premiere Pro CC Mercury Playback Engine effects. Avid Media Composer internal effects.

## Physical Installation

PCI Express low profile.

## **Physical Specifications**



## **Operating Systems**



Mac 12.0 Monterey, Mac 13.0 Ventura or later.



Windows 10, 64-bit. Windows 11.



Linux

Power Requirements

#### **Power Consumption**

10 Watts

## **Environmental Specifications**

Operating Temperature  $5^{\circ}$  to  $40^{\circ}$  C ( $32^{\circ}$  to  $104^{\circ}$  F)

Storage Temperature

-20° to 45° C (-4° to 113° F)

**Relative Humidity** 

0% to 90% non-condensing

## What's Included

DeckLink IP HD Optical 10GBASE-LR Optical Fiber SFP+ Module and Cage Low profile slot bracket Welcome wallet with QR code for software download

Warranty
3 Year Limited Manufacturer's Warranty
All items on this website are copyright Blackmagic Design Pty. Ltd. 2023, all rights reserved. All trademarks are property of their respective owners. MSRP includes duties, but excludes sales tax and shipping costs. This website uses remarketing services to advertise on third party websites to previous visitors to our site. You can opt out at any time by changing cookie settings. Privacy Policy.
Blackmagic Design Authorized Reseller