

Custom Shower

Specification Guide



THE BOLD LOOK
OF **KOHLER**®

The Art of Personalized Water Delivery

The perfect shower. It starts with one of life's basic and essential elements – H₂O. But where do you go from there? With KOHLER® performance showering faucetry, receptors, doors, steam, storage and seating, the options are virtually endless. If you can dream it ... we can make it a reality.

A KOHLER custom shower can transform water from a gentle rain to a profound downpour, or a tumbling waterfall to a relaxing mist. The water can come from above, the front and back, with virtually limitless combinations for an experience tailored to your exacting specifications.

And that's just the water part. Enjoy singing in the shower? Now you can sing with a full orchestra accompanying you. Today's KOHLER performance showers deliver a total sensory experience. So, go ahead. Immerse yourself. In hydro-rejuvenation. Music. Steam. Lighting. Even aromatherapy. All according to your needs and desires. With KOHLER, you'll have complete control over your showering environment and experience. And what an experience it will be!

This guide will take you through all the wonderful options and components available to you, in a simple, step-by-step format. Start with water. Add imagination. And let KOHLER do the rest.

Table of Contents

The Steps to a Perfect Shower	4
DTV™ Custom Showering Experience	6–11
Valve Technology	12
K-Joints by Kohler	13
MasterShower® Thermostatic Valves	14–15
Rite-Temp® Pressure-Balancing Valves	16–17
Valve Setup	18–19
KOHLER Valve Trim	20–21
KOHLER Steam	22–23
WaterTile® Custom Shower Products	24–25
Performance Showerheads	26–27
Adjustable Handshowers & Accessories	28–29
KOHLER Rain Showerheads	30
Custom Shower Accessories	31
KOHLER Shower Receptors	32
KOHLER Shower Lockers, Seating & Hand Rails	33
KOHLER Shower Doors	34–35
Complete Custom Shower Product Lists	36–39



The Steps to a Perfect Shower

- 1. Dream.** What's your idea of the perfect shower? Really think about it. Do you shower in the morning, evening, mid-afternoon? What's the purpose – relaxation, invigoration, or does it all depend on the kind of day you're having? How many people will be using the shower? Remember, each user has a unique set of preferences that you will want to consider. If you can dream it, Kohler can probably build it – across an incredibly accommodating range of budgets.
- 2. Take some measurements.** Your Kohler design representative will need to know the space requirements, so measure the floor, walls and ceiling. Put it in a sketch or your house plans, if you can, showing the overall layout and where you might want the components. Will it be a corner installation or an alcove? What kind of enclosure and floor? Also, be sure to check the drain. A custom shower could require a 3-inch drain or a couple of 2-inch drains. Ask your Kohler design representative for a copy of our *Custom Shower Workbook* – perfect for taking notes and making sketches.
- 3. Check your water heater and water pressure.** A ten-minute high-performance shower may use more water than a standard shower. So check your hot water heater specs and write them down. Your water pressure should be at least 45 psi, and you'll need ¾-inch supplies. KOHLER® custom showering components are compatible with well/pump systems, as long as they can provide sufficient water pressure. If you need help verifying your water pressure, please consult a licensed plumber or contractor.
- 4. Weigh your options.** Start with the overall experience. Look at the DTV™ Custom Showering Experience, with its incredible combinations of water, sound, light and steam delivery. Peruse our custom configurations. Consider a steam shower. Then look at all the components – showerheads, bodysprays and don't forget the handshowers. Consider finish options, trim, doors, receptors and shower storage and seating. Kohler has everything you need to create the perfect shower – with all components fully coordinated, both in terms of design aesthetic and function.
- 5. Get online.** Experience gracious living at KOHLER.com/customshowering.
- 6. See your Kohler design representative.** Bring your sketches or your house plans, thoughts and dreams. He or she will answer all your questions, show you the products and systems, go through your options, offer suggestions and guide you on the right path to your perfect shower. Visit KOHLER.com to find your local representative.

THE BOLD LOOK
OF **KOHLER**®





The seamless integration of water, music, light and steam – all at the touch of a button.

DTV™ II is redefining the entire concept of a shower. Yes, it's water. But now imagine wrapping it in music, lighting, chromatherapy and a soothing blanket of steam. DTV II is a whole new level of performance – the total sensory experience, fully integrated, according to your ever-changing moods and wishes. The key is an advanced digital control platform that brings four media together – water, music, light and steam – into a single, seamless, fully programmable, absolutely personal showering environment.

You can choose from a number of water delivery options. You can cue your own music selections from your computer or MP3 player. You have a selection

of light packages, including chromatherapy, designed to elevate the shower to unprecedented levels. You can incorporate rejuvenating steam – preset for temperature and duration – and aromatherapy options that can help you relax, or put you in another place altogether.

And, best of all, everything has been meticulously designed to be easily managed and operated, according to your needs and wishes, with an intuitive, digital interface that offers a menu of simple presets. No levers, no wall clutter, no manual adjustments, just one well-conceived, simple electronic control – and one incredible shower.





DTV™ II

Four elements – water, music, light and steam – wrapped into one seamless, multi-sensory showering experience. A digital media module brings it all into a single interface – with everything right at your fingertips. The six presets, with simple soft-touch actuation and clear on-screen navigation, enable you to easily create and save your showering preferences.

You'll want to first program the water – the incredible, spa-like DTV platform allows users to tailor the delivery of water according to their every last whim. Add your favorite music – from your own playlist – with a simple connection from your PC or Mac. Add your WaterTile® Ambient Rain™ showering panel* light palettes including sunrise, sunset, sunny clouds and water reflection, with colors that move and change over the course of your shower.


SoundTile™ speakers are water-resistant and match perfectly the shape, profile and finish of WaterTile bodysprays and showerheads. A fully integrated experience – right down to the hardware!

DTV

For those who prefer to concentrate on water, DTV lets you do it like no other shower in the world. It's truly the ultimate in hydrotherapy experience and personalization – from the angle of delivery to coverage and temperature. A true spa-like environment, developed with the assistance of body and wellness experts at Kohler Waters Spa, DTV features the same sleek design and intuitive controls as DTV II, including menu-based navigation and easy-to-use presets.

*See page 25 for information on WaterTile Ambient Rain showering panels


Digital Soft-Touch Interface




Removable magnetic control dial allows users to easily clean the one-piece sealed interface.

DTV™ II Screen Samples


Shower Screens








Lighting Screens



Music Screens



Steam Screens




More Choices. Easier Installation.

Kohler has developed a custom shower system that has proved to be very effective in satisfying a range of customer needs. Below are six thoughtfully conceived configurations, each designed to simplify and accelerate specification and installation. Of

course, we're more than happy to help you develop one-of-a-kind shower configurations as well, based on your space, your needs and your personal showering preferences. Kohler offers nearly unlimited options. And the DTV™ platform fits them all.



Linear



Surround



Downpour



Unwind



Envelop



Frontage

*Visit KOHLER.com/customshowering for more configurations.



(a)



(c)



(b)

- (a) DTV II media module K-638-K-NA
- (b) DTV six-port thermostatic valve K-682-K-NA
- (c) DTV II Auxiliary digital interface K-658
- (d) DTV II Primary digital interface K-695



The Power Behind the Shower

Now that you are familiar with the digital interface of DTV™ and DTV II, and how simple it is to create a personalized shower that integrates water, music, lighting and even steam, you may be wondering just how it all works. Well, it actually begins behind your wall with our precision-engineered, best-in-class thermostatic valve that powers the entire system.

It takes power to drive a DTV custom shower, and this six-port valve really delivers. In fact, it is capable of operating as many as eight shower components.

It offers easy, plug-and-go, stud-pocketed installation too— a simple setup for a variety of shower configurations with the capacity to handle almost any custom configuration. For DTV II, the valve is paired with a media module that acts as a central hub for lighting, music and steam. This makes the integration of all these different media seamless for the user, allowing one to create complex programs with ease.

Valve Technology. Taken to a Higher Power.

A KOHLER® custom shower, with its network of products and sprays, provides a wonderful experience for a homeowner. And a very demanding experience for a valve. Fact is, it takes serious mechanics to drive a modern shower – to maintain consistent flow and temperature across multiple, synchronized showerheads, handshowers and bodysprays. KOHLER

valves are more than up to the task. They deliver up to 17.2 gallons of water per minute, enough to support even the most complex showers, including his and hers configurations. They provide incredibly accurate temperature control and safety protection. And they're taking installation to whole new levels of ease, flexibility and confidence.




K-Joints* by Kohler

As important as performance is to today's shower, appearance is often what leaves the most lasting impression. Even the slightest imperfection in a valve rough-in can leave the homeowner staring at a shower with unusually tall, short or even crooked handles.

Enter the K-joint, Kohler's innovative solution to out-of-spec valve installations. The exclusive, patent-pending K-joint compensates for behind-the-wall variability, such as out-of-square and deep rough-in installations, without compromising the appearance of the trim.

Three sizes ... easy and convenient



All three K-joints are included with KOHLER® thermostatic, transfer and volume control trim and also are available as service parts:
 1/2" K-1030840-BC*, 7/8" K-1031782-BC, 1 3/8" K-1032871-BC, 1 7/8" K-1032872-BC.



Normal Rough-In Installations

- Valve is square to finished wall
- Valve is at prescribed depth

Result

- Both with and without the K-joint – handle height and squareness as intended



Out-of-Square Installations

- Valve is not square to finished wall
- Valve is at prescribed depth

Result

- Standard installation without K-joint – handle likely to appear crooked against the wall
- With K-joint – handle height and squareness as intended



Deep Rough-In Installations

- Valve is square to finished wall
- Valve is deeper than prescribed

Result

- Standard installation without K-joint – handle height will likely be shorter than intended (deep rough-in kit may need to be purchased)
- With K-joint – handle height and squareness as intended

*K-joints are not available on 300-series or 400-series valves.

**Available if needed at KOHLER.com/serviceparts



MasterShower® XVII Thermostatic and Stacked Thermostatic Valves

A KOHLER® thermostatic mixing valve controls the temperature. A separate volume control valve manages the flow – a simple concept that gives the user total control over the shower environment. These thermostatic valves can run up to seven components at once using a ¾-inch pipe, and their innovative shuttle design delivers precise, consistent temperature control at the full range of flow rates. Both the thermostatic and stacked thermostatic valves have a 104°F factory-calibrated comfort setting for safety and




a high-temperature limit stop for those who want a slightly higher temperature, up to a maximum of 120°F. The stacked thermostatic valve offers the same ease of control over temperature and volume, and the same safety features as the MasterShower XVII thermostatic valve, but because the valves are housed together, a clean, simple look is created in the shower enclosure. Everything is right there in one easy-to-use valve trim assembly.




MasterShower® XVII Thermostatic Valve



*Actual flow rates may vary according to plumbing system setup.




*Actual flow rates may vary according to plumbing system setup.




Under Normal Conditions

- Hot and cold water are mixed to achieve the desired temperature



When Cold Water Pressure Drops

- Temperature of the water rises slightly
- Wax element is heated
- Resulting expansion of the wax moves the shuttle down
- Flow of water into the valve is reduced
- Temperature is quickly restored to a comfortable level



When Hot Water Pressure Drops

- Temperature of the water drops slightly
- Wax element is cooled
- Resulting contraction of the wax moves the shuttle up
- Flow of water into the valve is reduced
- Temperature is quickly restored to a comfortable level



HiFlow Rite-Temp. Pressure-Balancing Valve

The HiFlow Rite-Temp (¾-inch) and Rite-Temp (½-inch) pressure-balancing valves do not require a volume control. One handle controls the flow and temperature. This valve maintains a consistent


temperature, within a range of +/- 3°F, and shuts off automatically if the cold water supply is interrupted. The adjustable high-temperature limit stop provides an extra level of safety.




HiFlow Rite-Temp® Pressure Balancing Valve




*Actual flow rates may vary according to plumbing system setup.



The Rite-Temp Diaphragm is shown above as designed within the valve. Upon change of water pressure, the diaphragm will slide to the left or right and sustain the flow of incoming water.



When cold water pressure drops, diaphragm system adjusts to increase incoming cold water and decrease incoming hot water.





When hot water pressure drops, diaphragm system adjusts to increase incoming hot water and decrease incoming cold water.

MasterShower® XVII Thermostatic Valve⁺ Setup

A KOHLER® thermostatic mixing valve controls the temperature **(a)**. A separate volume control valve controls the flow **(b)**. A simple concept that gives the user total control over the shower environment. Set the temperature and it stays there, automatically adjusting to changes in pressure and incoming water temperature. These

thermostatic valves deliver 17 gallons of water per minute, and their patented shuttle delivers precise, consistent temperature control at the full range of flow rates. KOHLER volume control valves allows the user to control the flow of each individual outlet (showerhead, handshower, bodysprays).




⁺A volume control valve is required to operate the MasterShower XVII thermostatic valve.


MasterShower® XVII Stacked Thermostatic Valve or HiFlow Rite-Temp® Pressure-Balancing Valve Setup

This arrangement allows you to choose between a **(a)** MasterShower XVII stacked thermostatic valve or a HiFlow Rite-Temp pressure-balancing valve **(b)** to control both temperature and volume. The stacked thermostatic valve allows the user to set and maintain a desired temperature while controlling volume separately. For the Rite-Temp valve, one handle controls both the volume and the temperature. After choosing

between these two valves, all you need is a 3-way transfer valve **(c)**. Used in conjunction with either the MasterShower XVII stacked thermostatic or the HiFlow Rite-Temp valve, the 3-way transfer valve allows you to put the water exactly where you want it. Just turn the handle and choose from six different outputs. You can combine showerheads with bodysprays or handshowers with fixed showerheads. The choice is yours.



3-Way Wall-Mount Transfer Valve Operation



A transfer valve is not required to operate a pressure-balancing or stacked thermostatic valve. It is recommended only for controlling outputs in multiple component showers employing those mixing valves.


KOHLER® Valve Trim & Finishes

KOHLER custom shower trim is available in a myriad of styles and colors that coordinate perfectly with KOHLER fixtures and faucets. Available on thermostatic valves, volume controls and transfer valves, the exclusive KOHLER K-joint is an extension that attaches to the valve stem and compensates for behind-the-wall rough-in variability without compromising the appearance of the trim. All trim features an

extraordinary range of exclusive finishes that are both durable and beautiful, including Vibrant® PVD color finishes, as well as options for Polished or Brushed textures that can be carried throughout the entire shower environment. Exceeding industry standards two times over, our Vibrant PVD color finishes withstand daily use by resisting tarnish, corrosion and scratches, to ensure a lifetime of dependability.




K-687-K
Transfer Valve



K-306-KS
Rite-Temp Valve

Transfer Valve Trim with Rite-Temp® Valve Trim Options

	IV Georges Brass®	Antique™	Pinstripe*†	Finial® Traditional*	Symbol™	Stillness®
Transfer Valve Trim						
Rite-Temp Valve Trim						
	K-T10682-4 K-T6810-4D with dial plate K-146	K-T10113-4 K-T134-4D with dial plate K-146	K-T13175-4 K-T13135-4	K-T10304-4M K-T309-4M	K-T18491-4 K-T18490-4	K-T10944-4 K-T950-4
	Purist*†	Margaux™	Revival*†	Memoirs® Stately*	Memoirs Classic*†	Lyntier™
Transfer Valve Trim						
Rite-Temp Valve Trim						
	K-T14491-4 K-T14423-4	K-T16242-4 K-T16235-4	K-T16178-4 K-T16117-4	K-T10424-4V K-T463-4V	K-T10429-4C K-T466-4C	K-T10340-4 K-T10335-4
	Bancroft*†	Forté*†	Fairfax®	Devonshire®		
Transfer Valve Trim						
Rite-Temp Valve Trim						
	K-T10595-4 K-T10584-4	K-T10290-4 K-T10277-4	K-T12189-4 K-T12021-4	K-T376-4 K-T397-4		



K-680-KS
1/2" Stacked
Thermostatic Valve**


Stacked Thermostatic Valve Trim Options

Finial® Traditional*




K-T10302-4M

Stillness®



K-T10941-4

Purist®




K-T14489-4

Revival®*



K-T16176-4

Memoirs® Stately*




K-T10422-4V

Memoirs Classic*




K-T10427-3C


Bancroft™*



K-T10594-4



K-681-K
1/2" Volume Control** Valve



K-679-KS
1/2" Thermostatic Valve**

Volume Control Trim and Thermostatic Valve Trim Options

IV Georges Brass®



Volume
Control Trim

Antique™



Pinstripe®*




K-T13174-4
K-T13173-4

Finial Traditional*



K-T10303-4M
K-T10301-4M

Symbol™



K-T18091-4
K-T18090-4

Stillness



K-T10943-4
K-T10940-4

Purist*



K-T14490-4
K-T14488-4


Thermostatic
Valve Trim




K-T10681-4
K-T10680-4
with dial plate
K-10140



K-T10111-4
K-T10110-4
with dial plate
K-10140



Margaux™*



Volume
Control Trim

Revival*



Memoirs Stately*



Memoirs Classic*



Bancroft*




Forté®



Devonshire®



Thermostatic
Valve Trim



K-T16241-4
K-T16239-4



K-T16177-4
K-T16175-4



K-T10423-4V
K-T10421-4V



K-T10428-4C
K-T10426-4C



K-T10596-4
K-T10593-4



K-T10360
K-T10359



K-T10358
K-T10357

*See page 36 for more handle options.

**Also available in a 3/4" version.

Your KOHLER Steam Configuration.

Kohler offers a full line of steam components that provides the features you need to create a personal steam environment in your home. Enveloped in luxuriously moist heat, your mind and body are free to relax while muscle aches, tension, stress and congestion disappear.

KOHLER® steam generators can be installed easily in new shower enclosures, including modules, receptors

with tiled walls and completely customized showering spaces. Innovative KOHLER steam generators, available with Fast-Response™ and automatic Power Clean™ technologies, take the steam experience to a whole new level. The Fast-Response model delivers a soothing experience that begins in one minute. The Power Clean option provides hands-off, automatic cleaning to ensure proper, safe maintenance of the steam generator.

Steam Components

To incorporate steam in your shower, a control kit consisting of a control and steamhead are required. If using DTV™II, an adapter kit and steam generator are required.



K-1647-PC
Includes Control

The easy-to-operate steam control regulates time and temperature to help you create the steam experience you desire. Select your preferences—between 90°F and 125°F and up to 20 minutes in duration—to customize your experience. Recommended placement is 4"–6" above the shower floor.



K-1647-PC
Includes Steam head

The state-of-the-art thermostatic steam head opens and disperses steam in an even pattern to prevent hot spots. An integral aromatherapy well allows you to add a relaxing scent to the environment. The steam head retracts when steam is not in use.

Available in KOHLER line matched finishes.



K-1708 7-kW Fast Response
steam generator.

KOHLER steam generators are available in a range of sizes to suit your specifications. The upgrade options, Fast-Response™ steam generator and the automatic cleaning technology of Power Clean™, offer added convenience to optimize your steam experience.

For added convenience, flexibility and optimal performance, install steam generator within 25 feet of the shower.

Step 1: Personalize your steam environment.

To create a steam environment that suits your experiential needs, simply calculate the cubic footage of the shower enclosure (length x width x height) and select the appropriate steam generator size with the preferred options. In 60 seconds, Fast-Response™ 5- to 30-kW UL Listed steam generators deliver a luxurious steam experience in larger home showering spaces, while standard 5- to 11-kW models offer robust steam for most shower sizes.

Maximum Volume Rating*** (L x W x H)	Power Rating	Fast-Response** Steam Generator Model	Control Kit Required	Standard Steam Generator Model	Control Kit Required
56 cu ft	5 kW*	K-1695	K-1647-PC or K-1737 if using DTV II	K-1652	K-1663
112 cu ft	7 kW	K-1708		K-1657	
240 cu ft	9 kW	K-1733		K-1658	
317 cu ft	11 kW	K-1734		K-1659	
447 cu ft	13 kW	K-1696			
500 cu ft	15 kW	K-1713	K-1698 or K-1838 if using DTV II		
580 cu ft	18 kW	K-1714			
634 cu ft	22 kW	K-1715			
894 cu ft	26 kW	K-1697			
1,000 cu ft	30 kW	K-1716			

*The 5-kW steam generator can be used for 4' Sonata® shower modules. **Includes Power Clean™ technology.
 ***Recommended ceiling height is 8' or less. For each foot above 8', you must upgrade to the next steam generator size.



Step 2: Seamless style.

Next, choose a control kit finish to match an array of KOHLER showerheads and showering components. To order a control kit, which includes the steam head and control, simply choose the kit in the same finish as your KOHLER shower faucets to create a coordinated look.



*Contains no gold content

This KOHLER® steam environment features Fast-Response™ steam generator, Kathryn® shower door with transom, Memoirs® seated receptor and coordinating faucet components.

The WaterTile® Family of Custom Shower Products










The WaterTile offering includes a full range of custom showering components including WaterTile and WaterTile Round bodysprays, WaterTile showerheads, the WaterTile Rain showering panel, SoundTile™ speakers and the WaterTile Ambient Rain™ showering panel. Each piece delivers a sophisticated, low-profile appeal and is available in an array of beautiful KOHLER finishes.

WaterTile and WaterTile Round bodysprays and WaterTile showerheads, as well as the WaterTile Rain showering panel with four individually adjustable WaterTile units, deliver an unsurpassed level of hydrotherapy. WaterTile Ambient Rain delivers full-body water coverage while also allowing

the user to incorporate transforming colors and themes from passing clouds and sunsets to flowing water, adding a whole new dimension to the showering experience.

SoundTile speakers, engineered in close cooperation with Polk Audio, personalize things and create a unified, sophisticated aesthetic. These water-resistant speakers are designed to connect seamlessly with the DTV™ II media module or any home audio system, allowing you to link directly to your MP3 player or PC and listen to your own playlists. And they sound ... Amazing!




WaterTile Showering Panels	WaterTile Round	WaterTile Bodysprays	WaterTile Showerheads	SoundTile™ Speakers
 <p>K-8031 WaterTile Rain with four 22-nozzle units 10" x 10"</p>	 <p>K-8013 WaterTile Round 27-nozzle 4 7/8" Diameter</p>	 <p>K-8003 WaterTile 22-nozzle bodyspray 4 7/8" x 4 7/8"</p>	 <p>K-8023 WaterTile 22-nozzle showerhead 4 3/4" x 4 3/4"</p>	 <p>K-8033 SoundTile (sold in pairs) 4 7/8" x 4 7/8"</p>
 <p>K-8030 WaterTile Rain with four 54-nozzle units 10" x 10"</p>	 <p>K-8014 WaterTile Round 54-nozzle 4 7/8" Diameter</p>	 <p>K-8002 WaterTile 54-nozzle bodyspray 4 7/8" x 4 7/8"</p>	 <p>K-8022 WaterTile 54-nozzle showerhead 4 3/4" x 4 3/4"</p>	


WaterTile® Ambient Rain™ Showering Panels

WaterTile Ambient Rain showering panels, featuring four WaterTile* units mount flush to the ceiling and let you create your own personal ambience of transforming


colors and themes from passing clouds and sunsets to flowing water. Relaxing chromatherapy – created and programmed by you.




White




Red




Green




Orange




Sunny Clouds*



Warm Energy*



Water Reflections*



Sunset*

Panels shown:
54-nozzle unit, 21" x 21" (K-8034), also available with 22-nozzle unit, 21" x 21" (K-8038)

*Image shown is a screen capture of one of the many visual themes offered on WaterTile Ambient Rain showering panel. Because of the static nature of this representation, the motion of the actual program cannot be expressed.

Performance Showerheads

Think about the different types of rain you've experienced in your life. Kohler certainly has. And we've created an extraordinary collection of performance showerheads that is capable of providing a range of experiences from a gentle mist to a virtual deluge. Enjoy walking in those full, drenching summer downpours? You'll want a KOHLER® single-function showerhead. With its large, 72-nozzle sprayface and "racetrack" waterway, it delivers a consistent and dependable spray. Our multifunction showerheads feature an easy-grip

adjustment ring that offers an aerated, wide-coverage or massage spray to match your changing moods and needs, from revitalization to relaxation. For those interested in conserving water, consider Purist® and Forté® eco-friendly showerheads. Their 1.75 gpm flow rate offer a 30% water savings over traditional 2.5 gpm showerheads. KOHLER performance showerheads are available in a wide variety of styles and finishes that coordinate with other KOHLER products.



K-13137-SN Pinstripe® single-function showerhead



K-997 Purist® 1.75 gpm multifunction showerhead



K-10240 Forté® 1.75 gpm multifunction showerhead



K-968-CP Stillness® multifunction showerhead



K-14425-BN Purist® multifunction showerhead



K-16245-SN Margaux™ multifunction showerhead



K-18494-CP Symbol™ multifunction showerhead



K-966-BN* Taboret® multifunction showerhead



K-16167-BN* Revival® multifunction showerhead



K-444-BN* Memoirs® multifunction showerhead



K-10591-CP* Bancroft™ multifunction showerhead



K-10284-G* Forté® multifunction showerhead



K-12009-BN* Fairfax® multifunction showerhead



K-13137-SN Pinstripe® single-function showerhead



K-10391-BN Devonshire® single-function showerhead

Showerhead Spray Patterns



Kohler utilizes a "racetrack" waterway in its single-function showerheads to deliver full and consistent water flow across the entire sprayface, regardless of water pressure.



Multifunction coverage spray



Multifunction aerated spray



Multifunction pulsating spray



Single-function deluge spray

Note: Additional single-function showerheads located on page 37.

*Part numbers refer to showerhead only. For a listing of showerarms and service parts, please reference page 31 of this guide, the K-700 Design Manual or KOHLER.com/customshowering

Adjustable Handshowers & Coordinating Accessories

You haven't experienced this many angles since geometry class. KOHLER® performance handshowers adjust to virtually any position, giving you total command of the shower. Their articulating heads let you choose just the right angle for the spray, so that you can wash, rinse or massage. You can even use it to clean the shower enclosure.

To increase the functionality of your showering

environment, while reinforcing the aesthetic of your KOHLER performance showering faucetry, KOHLER accessories offer a wide variety of line-complementing products for complete design solutions.

For those interested in conserving water, consider Purist® and Forté® eco-friendly handshowers. Their 1.75 gpm flow rate offers a 30% water savings over traditional 2.5 gpm handshowers.

Multifunction Handshower Spray Patterns



Wide-coverage spray



Eco spray***



Aerated spray



Pulsating spray





K-978 Purist 1.75 gpm multifunction handshower



K-10298 Forté 1.75 gpm multifunction handshower



K-973-BN* Stillness multifunction handshower



K-18495-CP* Symbol multifunction handshower



K-10597-CP* Bancroft multifunction handshower



K-10286-CP* Forté multifunction handshower



K-10257 Designer multifunction shower wand



K-419-CP* Memoirs single-function handshower



K-10343-CP* Lyntier single-function handshower



K-8524 Slide bar (shown with Stillness escutcheons)



K-352 Forté adjustable handshower holder



K-422 Memoirs adjustable handshower holder



K-975 Stillness adjustable handshower holder



K-10599 Bancroft adjustable handshower holder



K-355 Forté wall supply elbow



K-427 Memoirs wall supply elbow



K-976 Stillness wall supply elbow



K-10574 Bancroft wall supply elbow



K-8593 MasterShower® 72" metal shower hose with swivel base
Also available K-9514 MasterShower 60" metal shower hose with swivel base



K-349 Bancroft escutcheons** and trim



K-974 Stillness escutcheons**



K-421 Memoirs escutcheons**

*Part numbers refer to showerhead/handshower only. For a listing of accessories and service parts, see the K-700 Design Manual or KOHLER.com for more details.

**Escutcheons for use with slide bar K-8524.

***Eco spray reduces flow by up to 20% while maintaining full water coverage.

KOHLER® Rain Showerheads

The new Rain showerheads offer a thick, indulgent spray that soaks you thoroughly and completely. It's gravity, working to create a big, beautiful, relaxing soak that only nature could deliver ... until now. Water pressure fills the large 8-inch showerhead, and gravity empties it, slowly and luxuriously, directly above you. Rain showerheads are crafted from solid brass in either contemporary or traditional styles. Both come with the MasterClean™ sprayface for easy cleaning and with a choice of two mounting systems – directly to the ceiling or with a 90° showerarm.



K-10121
Rain showerhead
with contemporary design



K-10122
Rain showerhead
with traditional design



Custom Shower Accessories

A KOHLER® custom shower is the sum of all its parts, working flawlessly together in a harmonious system. Every component. Every detail. Wall brackets. Supply elbows. Metal hoses. Showerarms. Everything you

need. All coordinated in style, finish and function. All made to the most exacting standards for absolute quality and lasting beauty. For a full selection of accessories, visit KOHLER.com.

Showerarms



K-7396
3" straight ceiling-mount
showerarm
and flange



K-7397
7 1/2" showerarm
and flange



K-16133
Revival/Finial®
showerarm



K-10124
14" 90° showerarm
(approximately 5/8"
threads into wall)



K-16281
Margaux™ cast
showerarm

MasterShower® Shower Accessories



K-8515
MasterShower
fixed wall bracket



K-9515
MasterShower
adjustable wall bracket



K-9511
MasterShower
showerarm
with diverter



K-9512
MasterShower
showerarm
without diverter



K-9516
MasterShower 22 3/4"
shower slide bar



K-9513
MasterShower
wall-mount
supply elbow



K-8593
MasterShower 72"
metal shower hose
with swivel base
Also available K-9514
MasterShower 60"
metal shower hose
with swivel base

Part numbers refer to showerhead only. For a listing of showerarms and service parts, please reference page 37 of this guide, the K-700 Design Manual or KOHLER.com.

Shower Receptors

Think tile is the only option you have for creating a sophisticated shower floor? Think again. A KOHLER shower receptor is the flexible, seamless, one-piece solution. KOHLER receptors are available in a wide range of styles, sizes, colors, textures and materials, giving you tremendous freedom to create and explore, while staying within the context of your overall shower aesthetic. Plus, they have none of the complications of tile – no messy grout lines to clean

or time-consuming installation hassles, and their one-piece construction is dependably leak-resistant. KOHLER shower receptors come in a variety of materials. KOHLER Cast Iron shower receptors feature a thick layer of enamel that resists staining, scratching and chipping, and offer a gorgeous, high-gloss finish. Or choose a beautiful acrylic or fiberglass receptor to accommodate your functional and aesthetic preferences.



Saliend™ 60"
K-9053



Fountainhead™ 72"
K-1787



Memoirs™ seated 48"
K-9488



Memoirs 48"
K-9549



Profile™ 60"
K-9852



Captiva™ 60"
K-9535



Groove™ 60"
K-9949



Memoirs 42" neo-angle
K-9542



Archer™ 60"
K-9479

For a complete receptor size offering please visit kohler.com/customshowering



Shower Lockers, Seating & Hand Rails

Far too often storage, seating and support solutions for the shower are afterthoughts. As a result, many homeowners resort to makeshift solutions that are unsightly, inefficient and uncomfortable. At Kohler, storage and seating are a fundamental part of the conversation. And they're always fully integrated — aesthetically, functionally and ergonomically.

Our storage systems come in a range of styles, colors and configurations. Constructed of aluminum or acrylic, their dimensions go up to 60-inches tall and 15-inches wide. You have a choice of fixed or removable shelves, some with cutouts for razors, brushes and other items. Each option is recessed and flush-mounted to fully complement your showering environment without intruding on the space. Add a coordinated, built-in acrylic KOHLER seat and your shower will be relaxing, comfortable and sophisticated — just the way you want it.

Offering concealed installation, KOHLER Belay hand rails blend in with tiled showering environments, providing functionality while upholding the visual allure of the tile. Their aluminum construction, offered in five gorgeous finishes, coordinates with KOHLER faucetry and shower door hardware and trim. A water-drainage channel eliminates water from pooling within the hand rail. Additionally, KOHLER hand rails can be installed at various heights.



Pilaster™ Shower Locker K-1840

Constructed of aluminum, dimensions, removable shelves, self rimming installation

61" x 5"



Echelon™ Shower Locker K-1842

Constructed of acrylic, dimensions, Tile-installation, wide range of color available to coordinate with tile

14 5/8" x 59 1/16"



Echelon Shower Seat K-1843

Constructed of acrylic, dimensions, Tile-installation, wide range of color available to coordinate with tile

14 5/8" x 40 3/4"



Belay™ Hand Rail

Constructed of aluminum, dimensions, tile-in installation, integral water drainage channel, wide range of finishes to coordinate with shower components

K-1845 30" x 4.19" x 4.83"

K-1846 54" x 4.19" x 4.83"

KOHLER® Shower Doors

At Kohler, we believe a shower door should do more than simply open and close. We design our doors to both complement and enhance the environment, and never to overwhelm an aesthetic.

Kohler offers a wide choice of styles, shapes and sizes, all impeccably designed to coordinate with your overall design strategy. Choose from sliding, hinged or compact doors to those offering greater accessibility. There are unique, foldable glass curtains and heavy glass pivoting doors inspired by some of today's more state-of-the-art spas. You have an extraordinary range of design and structural ideas to consider, from traditional to sleek European treatments. So whether you're trying to accommodate open spaces, compact environments or even a frameless aesthetic, Kohler has the shower door for you.



All Kohler shower doors feature CleanCoat™ technology, a protective layer that repels water and residue away from the glass. This innovative coating makes cleaning easy and keeps the shower door beautiful.






Fluence® frameless bypass shower door
K-702208-L-SHP



Devonshire® 3/8" thick glass bypass
bath door
K-704411-L-SHP



Portrait® 3/8" thick glass bypass
bath door
K-702101-L-SHP

Bypass

- Bypass doors often used for bath and large shower applications
- Two panels overlap and slide back and forth
- Fits bath openings up to 60" and shower openings from 48" to 60"
- Select models available with 3/8" glass



Minima® right-hand frameless corner
rectangle enclosure
K-705791-L-SHP



Cyan® left-hand walk-in curved panel
K-705788-L-SHP




Memoirs® neo-angle shower door
K-702300-L-SH

Corner

- Create unique showering spaces out of corner installations
- Maximize small space



Pinstripe® heavy glass pivot shower door
K-705723-L-SHP



Purist® steam door
K-702226-D4-SS



Purist frameless pivot shower door
K-702010-L-SH

Pivot/Hinge

- Typically used in shower applications
- Door panel swings open like a traditional door
- Fits openings from 30" to 72"
- Select models work with steam



Fountainhead® 72" shower door
with transom
K-705774-L-SS



Kathryn® 48" steam pivot shower door
K-702216-L-NX



Fluence frameless pivot shower door
K-702404-L-SH

Bath Screen

- Greater access to bathing areas
- Trackless design allows users to comfortably rest arms
- Folds down to 20" when not in use



Minima left-hand triple-panel bath screen
K-705792-L-SHP

KOHLER Custom Shower Products

Product/Product Number	Product Description	Finishes ¹
DTV™ Custom Showering Experience		
K-682-K	DTV six-port thermostatic valve	
K-683	DTV digital interface (landscape setting)	1CP, 1SN, 1AF
K-684	DTV digital interface (portrait setting)	1CP, 1SN, 1AF
K-685	DTV auxiliary digital interface (landscape setting)	1CP, 1SN, 1AF
K-686	DTV auxiliary digital interface (portrait setting)	1CP, 1SN, 1AF
K-694	DTV II digital interface (landscape setting)	1CP, 1SN, 1AF
K-695	DTV II digital interface (portrait setting)	1CP, 1SN, 1AF
K-657	DTV II auxiliary digital interface (landscape setting)	1CP, 1SN, 1AF
K-658	DTV II auxiliary digital interface (portrait setting)	1CP, 1SN, 1AF
K-638-K-NA	DTV II media module	
K-1737-NA	DTV II Steam Adapter Kit	CP, G, SN, BN, BV, AF, PG
K-1838-NA	DTV II Tandem Steam Adapter Kit	CP, G, SN, BN, BV, AF, PG
K-10609-A-NA	2 speaker cable kit	
K-10609-B-NA	4 speaker cable kit	
Valves		
K-669-KS-NA	MasterShower® XVII ¾" thermostatic valve	
K-679-KS-NA	MasterShower ½" thermostatic valve	
K-670-KS-NA	MasterShower XVII ¾" stacked thermostatic valve	
K-680-KS-NA	MasterShower ½" stacked thermostatic valve	
K-304-K-NA	Rite-Temp® ½" pressure-balancing valve	
K-306-KS-NA	HiFlow Rite-Temp ¾" pressure-balancing valve	
K-671-K-NA	Volume control ¾" valve	
K-681-K-NA	Volume control ½" valve	
K-687-K-NA	3-way transfer valve	
Transfer Valve Trim and Rite-Temp Valve Trim Options		
K-T10682-4/K-T6810-4D	IV Georges Brass® transfer valve trim and Rite-Temp valve trim; with dial plate K-146	SN, BN, BV, PB
K-T10113-4/K-T134-4D	Antique® transfer valve trim and Rite-Temp valve trim; with dial plate K-146	CP, BN, BV, PB
K-T13175-K-T13135 (-3A, -3B, -4A, -4B)	Pinstripe® transfer valve trim and Rite-Temp valve trim	CP, SN, BN, BV, AF
K-T10304-4M/K-T309-4M (-4F, -4P)	Finial® Traditional transfer valve trim and Rite-Temp valve trim	CP, SN, BN, BV, AF, PB
K-T18491-4/K-18490-4	Symbol® transfer valve trim and Rite-Temp valve trim	CP, BN, SN
K-T10944-4/K-T950-4	Stillness® transfer valve trim and Rite-Temp valve trim	CP, SN, BN
K-T14491-4/K-T14423-4 (-3)	Purist® transfer valve trim and Rite-Temp valve trim	CP, G, SN, BN, BV, AF
K-T16242-4/K-T16235-4 (-3)	Margaux® transfer valve trim and Rite-Temp valve trim	CP, SN, BN, BV, AF
K-T16178-4/K-T16117-4 (-4A)	Revival® transfer valve trim and Rite-Temp valve trim	CP, BN, BV, AF, PB
K-T10424-4V/K-T463-4V (-4S, -3S)	Memoirs® transfer valve trim and Rite-Temp valve trim with Stately design	CP, G, BN, BV, AF
K-T10429-4C/K-T466-4C (-3C)	Memoirs transfer valve trim and Rite-Temp valve trim with Classic design	CP, G, BN, BV, AF
K-T10340-4/K-T10335-4	Lyntier® transfer valve trim and Rite-Temp valve trim	CP, SN, BN, BV, AF
K-T10595-4/K-T10584-4 (-4P)	Bancroft® transfer valve trim and Rite-Temp valve trim	CP, SN, BN, BV, AF
K-T10290-4/K-T10277-4 (-4A)	Forté® transfer valve trim and Rite-Temp valve trim	CP, G, BN, BV, AF
K-T12189-4/K-T12021-4	Fairfax® transfer valve trim and Rite-Temp valve trim	CP, G, BN, BV, PB
K-T376-4/K-T397-4	Devonshire® transfer valve trim and Rite-Temp valve trim	CP, G, BN, BV, PB, BRZ
Thermostatic Valve Trim and Volume Control Trim Options		
K-T10302-4M (-4F, -4P)	Finial Traditional stacked thermostatic valve trim*	CP, SN, BN, BV, AF, PB
K-T10941-4	Stillness stacked thermostatic valve trim*	CP, SN, BN
K-T14489-4	Purist stacked thermostatic valve trim*	CP, G, SN, BN, BV, AF
K-T16176-4 (-4A)	Revival stacked thermostatic valve trim*	CP, BN, BV, AF, PB
K-T10422-4V (-4S, -3S)	Memoirs stacked thermostatic valve trim with Stately design*	CP, G, BN, BV, AF
K-T10427-3C (-4C)	Memoirs stacked thermostatic valve trim with Classic design*	CP, G, BN, BV, AF
K-T10594-4 (-4P)	Bancroft stacked thermostatic valve trim*	CP, SN, BN, BV, AF
K-T10680-4/K-T10681-4	IV Georges Brass thermostatic valve trim and volume control trim; with dial plate K-10140	SN, BN, BV, PB
K-T10110-4/K-T10111-4	Antique thermostatic valve trim and volume control trim; with dial plate K-10140	CP, BN, BV, PB
K-T13173-4A/K-T13174-4A (-4B, -3A, -3B)	Pinstripe thermostatic valve trim and volume control trim	CP, SN, BN, BV, AF
K-T10301-4M/K-T10303-4M (-4F, -4P)	Finial Traditional thermostatic valve trim and volume control trim	CP, SN, BN, BV, AF, PB
K-T18090-4/K-T18091-4	Symbol thermostatic valve trim and volume control trim	CP, SN, BN
K-T10940-4/K-T10943-4	Stillness thermostatic valve trim and volume control trim	CP, SN, BN
K-T14488-4/K-T14490-4 (-3)	Purist thermostatic valve trim and volume control trim	CP, G, SN, BN, BV, AF
K-T16239-4/K-T16241-4 (-3)	Margaux thermostatic valve trim and volume control trim	CP, SN, BN, BV, AF
K-T16175-4/K-T16177-4 (-4A)	Revival thermostatic valve trim and volume control trim	CP, BN, BV, AF, PB
K-T10421-4V/K-T10423-4V (-4S, -3S)	Memoirs thermostatic valve trim and volume control trim with Stately design	CP, G, BN, BV, AF
K-T10426-4C/K-T10428-4C (-3C)	Memoirs thermostatic valve trim and volume control trim with Classic design	CP, G, BN, BV, AF
K-T10593-4/K-T10596-4 (-4P)	Bancroft thermostatic valve trim and volume control trim	CP, SN, BN, BV, AF
K-T10359-4/K-T10360-4	Forté thermostatic valve trim and volume control trim	CP, G, BN, BV, AF
K-T10357-4/K-T10358-4	Devonshire thermostatic valve trim and volume control trim	CP, G, BN, BV, PB
	*See above for corresponding transfer valve trim product number	
Steam Generators²		
K-1695-NA	5-kW Fast-Response™ steam generator (56 cu ft shower size)	
K-1708-NA	7-kW Fast-Response steam generator (112 cu ft shower size)	
K-1733-NA	9-kW Fast-Response steam generator (240 cu ft shower size)	
K-1734-NA	11-kW Fast-Response steam generator (317 cu ft shower size)	
K-1647-PC	Steam head and control panel	CP, G, SN, BN, BV, AF, PB

KOHLER® Custom Shower Products

Product/Product Number	Product Description	Finishes ¹
WaterTile®		
K-8002	WaterTile 54-nozzle bodyspray, 4 7/8" x 4 7/8"	CP, G, SN, BN, BV, BRZ, AF
K-8003	WaterTile 22-nozzle bodyspray, 4 7/8" x 4 7/8"	CP, G, SN, BN, BV, BRZ, AF
K-8022	WaterTile 54-nozzle showerhead, 4 3/4" x 4 3/4"	CP, G, SN, BN, BV, BRZ, AF
K-8023	WaterTile 22-nozzle showerhead, 4 3/4" x 4 3/4"	CP, G, SN, BN, BV, BRZ, AF
K-8014	WaterTile Round 54-nozzle bodyspray, 4 3/4" diameter	CP, G, SN, BN, BV, BRZ, AF
K-8013	WaterTile Round 27-nozzle bodyspray, 4 3/4" diameter	CP, G, SN, BN, BV, BRZ, AF
K-8030	WaterTile Rain overhead showering panel, four 54-nozzle units, 10" x 10"	CP, G, SN, BN, BV, AF
K-8031	WaterTile Rain overhead showering panel, four 22-nozzle units, 10" x 10"	CP, G, SN, BN, BV, AF
K-8034	WaterTile Ambient Rain™ overhead showering panel, four 54-nozzle units, 21" x 21"	CP, G, SN, BN, BV, AF
K-8038	WaterTile Ambient Rain overhead showering panel, four 22-nozzle units, 21" x 21"	CP, G, SN, BN, BV, AF
K-8033	SoundTile™ speaker set of two 4 7/8" x 4 7/8"	CP, G, SN, BN, BV, AF
Bodysprays		
K-8509	MasterShower® 3-way Invigorating bodyspray, 2.5 gpm	CP, G, SN, BN, BV, AF, PB
K-8510	MasterShower 2-way low-flow bodyspray, 1.5 gpm	CP, G, SN, BN, BV, AF, PB
Showerheads		
K-997	Purist 1.75 gpm multifunction showerhead	CP, BN
K-10240	Forte® 1.75 gpm multifunction showerhead	CP, BN
K-968	Stillness® multifunction showerhead; single-function K-967	CP, SN, BN
K-14425	Purist multifunction showerhead; single-function K-14418	CP, G, SN, BN, BV, AF
K-16245	Margaux™ multifunction showerhead; single-function K-16244	CP, SN, BN, BV, AF
K-18494	Symbol™ multifunction showerhead; single-function K-18493	CP, SN, BN
K-966	Taboret® multifunction showerhead; single-function K-965	CP, G, SN, BN, AF
K-16167	Revival® multifunction showerhead; single-function K-16166	CP, SN, BN, BV, AF
K-444	Memoirs® multifunction showerhead with Classic design; single-function K-457	CP, BN, BV, AF
K-444	Memoirs multifunction showerhead with Stately design; single-function K-449	CP, G, BN, BV, AF
K-10591	Bancroft™ multifunction showerhead; single-function K-10590	CP, SN, BN, BV, BRZ, AF
K-10284	Forté multifunction showerhead; single-function K-10282 ¹	CP, G, BN, BV, AF, PB
K-12009	Fairfax® multifunction showerhead; single-function K-12008 ¹	CP, G, BN, BV, PB
K-10391	Devonshire® single-function showerhead	CP, G, BN, BV, BRZ, PB
K-13137	Pinstripe® single-function showerhead	CP, SN, BN, BV, AF
K-10121	Rain showerhead with contemporary design	CP, SN, BN, BV, AF
K-10122	Rain showerhead with traditional design	CP, SN, BN, BV, AF
K-8506	MasterShower 3-way Invigorating showerhead	CP, G, SN, BN, BV, AF, PB
K-8507	MasterShower 3-way Relaxing showerhead	CP, G, SN, BN, BV, AF, PB
Handshowers		
K-978	Purist 1.75 gpm multifunction handshower	CP, BN
K-10298	Forté 1.75 gpm multifunction handshower	CP, BN
K-973	Stillness multifunction handshower	CP, G, SN, BN, BV, AF
K-18495	Symbol multifunction handshower	CP, SN, BN
K-10597	Bancroft multifunction handshower	CP, SN, BN, BV, BRZ, AF
K-10286	Forté multifunction handshower	CP, G, SN, BN, BV, AF, PB
K-10257	Designer stick multifunction handshower	CP, SN, BN, BV, AF
K-419	Memoirs single handshower	CP, G, BN, BV, AF
K-10343	Lyntier™ single-function handshower	CP, SN, BN, BV, AF
K-8501	MasterShower 3-way Invigorating handshower	CP, G, SN, BN, BV, AF, PB
K-16161	Revival 3-way Invigorating handshower	CP, G, SN, BN, BV, AF, PB
K-8502	MasterShower 3-way Relaxing handshower	CP, G, SN, BN, BV, AF, PB
K-16162	Revival 3-way Relaxing handshower	CP, G, SN, BN, BV, AF, PB
Shower Accessories		
K-8515	MasterShower fixed wall bracket	CP, G, SN, BN, BV, AF, PB
K-9515	MasterShower adjustable wall bracket	CP, G, SN, BN, BV, AF, PB
K-9511	MasterShower showerarm with diverter	CP, G, SN, BN, BV, BRZ, AF, PB
K-9512	MasterShower showerarm	CP, G, SN, BN, BV, AF, PB
K-9516	MasterShower 22 3/4" shower slide bar	CP, G, SN, BN, BV, AF, PB
K-9513	MasterShower wall-mount supply elbow	CP, G, SN, BN, BV, AF, PB
K-7396	3" straight ceiling-mount showerarm and flange	CP, SN, BN, BV, AF, PB
K-8593	MasterShower 72" metal shower hose with swivel base; 60" hose K-9514	CP, G, SN, BN, AF, PB
K-7397	7 1/2" showerarm and flange	CP, G, SN, BN, BV, BRZ, AF, PB
K-16133	Revival/Finial® showerarm	CP, SN, BN, BV, AF, PB
K-10124	14" 90° showerarm; approximately 5/8" threads into wall	CP, G, SN, BN, BV, AF
K-16281	Margaux cast showerarm	CP, SN, BN, BV, AF
K-8524	Slide bar	CP, G, SN, BN, BV, BRZ, AF, PB
K-349	Bancroft escutcheons and trim	CP, G, SN, BN, BV, BKB, AF, PB
K-974	Stillness escutcheons	CP, G, SN, BN, BV, AF, PB
K-421	Memoirs escutcheons	CP, G, BN, BV, AF
K-352	Forté adjustable handshower holder	CP, G, SN, BN, BV, AF, PB
K-975	Stillness adjustable handshower holder	CP, G, SN, BN, BV, AF
K-422	Memoirs adjustable handshower holder	CP, G, BN, BV, AF
K-10599	Bancroft adjustable handshower holder	CP, SN, BN, BV, BKB, AF
K-355	Forté wall supply elbow	CP, G, SN, BN, BV, AF, PB
K-976	Stillness wall supply elbow	CP, G, SN, BN, BV, AF
K-427	Memoirs wall supply elbow	CP, G, BN, BV, AF
K-10574	Bancroft wall supply elbow	CP, SN, BN, BV, BRZ, AF

KOHLER® Shower Doors

Product/ Product Number	Size	Configuration	Product/ Product Number	Size	Configuration
Fluence®			Kathryn® Steam		
K-702400	28 ³ / ₄ "-30 ¹ / ₄ "	Pivot	K-702210	34"-35"	Pivot
K-702402	30"-31 ¹ / ₂ "	Pivot	K-702212	45 ¹ / ₈ "-47"	Pivot
K-702404	31 ¹ / ₄ "-32 ³ / ₄ "	Pivot	K-702214	34"-35"	Pivot w/Transom
K-702406	32 ¹ / ₂ "-34"	Pivot	K-702216	45 ¹ / ₈ "-47"	Pivot w/Transom
K-72408	33 ³ / ₄ "-35 ¹ / ₄ "	Pivot	Fountainhead™		
K-702410	35"-36 ¹ / ₂ "	Pivot	K-705771	60"	French Dr
K-702412	36 ¹ / ₄ "-37 ³ / ₄ "	Pivot	K-705773	60"	French Dr w/Transom
K-702414	37 ¹ / ₂ "-39"	Pivot	K-705772	72"	French Dr
Purist®			K-705774	72"	French Dr w/Transom
K-702010	30"-33"	Pivot	Devonshire®		
K-702011	33"-36"	Pivot	K-704516	17 ¹ / ₂ " x 27" x 17 ¹ / ₂ "	Neo-Angle
K-702012	36"-39"	Pivot	K-704517	18 ¹ / ₁₆ " x 27 ³ / ₄ " x 18 ¹ / ₁₆ "	Neo-Angle w/o Walls
K-702013	39"-42"	Pivot	Memoirs®		
Purist Heavy Glass			K-702300	14 ³ / ₄ " x 27 ³ / ₄ " x 14 ³ / ₄ "	Neo-Angle
K-705700	30"-33"	³ / ₈ " Pivot	K-702305	19 ³ / ₈ " x 27" x 19 ³ / ₈ "	Neo-Angle w/o Walls
K-705701	33"-36"	³ / ₈ " Pivot	Arica® Round		
K-705702	36"-39"	³ / ₈ " Pivot	K-705250	36" x 36"	Round Corner
K-705703	39"-42"	³ / ₈ " Pivot	Minima™ Rectangle		
K-705704	45"-48"	³ / ₈ " Pivot	K-705790	46 ³ / ₈ " x 34 ³ / ₄ "	LH Corner
K-705705	57"-60"	³ / ₈ " Pivot	K-705791	46 ³ / ₈ " x 34 ³ / ₄ "	RH Corner
K-705712	30"-33"	¹ / ₂ " Pivot	Minima Bath Screen		
K-705713	33"-36"	¹ / ₂ " Pivot	K-705792	47 ¹ / ₄ " x 61"	LH Screen
K-705714	36"-39"	¹ / ₂ " Pivot	K-705793	47 ¹ / ₄ " x 61"	RH Screen
K-705715	39"-42"	¹ / ₂ " Pivot	Cyan™ Walk-In		
K-705716	45"-48"	¹ / ₂ " Pivot	K-705788	55 ¹ / ₈ " x 31 ¹ / ₂ "	LH Curved Walk-In
K-705717	57"-60"	¹ / ₂ " Pivot	K-705789	55 ¹ / ₈ " x 31 ¹ / ₂ "	RH Curved Walk-In
Finial® Heavy Glass			Portrait®		
K-705724	30"-33"	³ / ₈ " Pivot	K-702100	56 ⁵ / ₈ "-59 ⁵ / ₈ "	¹ / ₄ " Bath Bypass
K-705725	33"-36"	³ / ₈ " Pivot	K-702102	56 ⁵ / ₈ "-59 ⁵ / ₈ "	¹ / ₄ " Shower Bypass
K-705726	36"-39"	³ / ₈ " Pivot	K-702104	44 ⁵ / ₈ "-47 ⁵ / ₈ "	¹ / ₄ " Shower Bypass
K-705727	39"-42"	³ / ₈ " Pivot	Portrait Heavy Glass		
K-705728	45"-48"	³ / ₈ " Pivot	K-702101	56 ⁵ / ₈ "-59 ⁵ / ₈ "	³ / ₈ " Bath Bypass
K-705729	57"-60"	³ / ₈ " Pivot	K-702103	56 ⁵ / ₈ "-59 ⁵ / ₈ "	³ / ₈ " Shower Bypass
K-705736	30"-33"	¹ / ₂ " Pivot	K-702405	44 ⁵ / ₈ "-47 ⁵ / ₈ "	³ / ₈ " Shower Bypass
K-705737	33"-36"	¹ / ₂ " Pivot	Devonshire		
K-705738	36"-39"	¹ / ₂ " Pivot	K-704410	56 ⁵ / ₈ "-59 ⁵ / ₈ "	¹ / ₄ " Bath Bypass
K-705739	39"-42"	¹ / ₂ " Pivot	K-704412	56 ⁵ / ₈ "-59 ⁵ / ₈ "	¹ / ₄ " Shower Bypass
K-705740	45"-48"	¹ / ₂ " Pivot	K-704414	44 ⁵ / ₈ "-47 ⁵ / ₈ "	¹ / ₄ " Shower Bypass
K-705741	57"-60"	¹ / ₂ " Pivot	Devonshire Heavy Glass		
Pinstripe® Heavy Glass			K-704411	56 ⁵ / ₈ "-59 ⁵ / ₈ "	³ / ₈ " Bath Bypass
K-705706	30"-33"	³ / ₈ " Pivot	K-704413	56 ⁵ / ₈ "-59 ⁵ / ₈ "	³ / ₈ " Shower Bypass
K-705707	33"-36"	³ / ₈ " Pivot	K-704415	44 ⁵ / ₈ "-47 ⁵ / ₈ "	³ / ₈ " Shower Bypass
K-705708	36"-39"	³ / ₈ " Pivot	Fluence®		
K-705709	39"-42"	³ / ₈ " Pivot	K-702200	56 ⁵ / ₈ "-59 ⁵ / ₈ "	¹ / ₄ " Bath Bypass
K-705710	45"-48"	³ / ₈ " Pivot	K-702202	54"-57"	¹ / ₄ " Bath Bypass
K-705711	57"-60"	³ / ₈ " Pivot	K-702204	56 ⁵ / ₈ "-59 ⁵ / ₈ "	¹ / ₄ " Bath Bypass
K-705718	30"-33"	¹ / ₂ " Pivot	K-702206	56 ⁵ / ₈ "-59 ⁵ / ₈ "	¹ / ₄ " Shower Bypass
K-705719	33"-36"	¹ / ₂ " Pivot	K-702208	44 ⁵ / ₈ "-47 ⁵ / ₈ "	¹ / ₄ " Shower Bypass
K-705720	36"-39"	¹ / ₂ " Pivot	Fluence Heavy Glass		
K-705721	39"-42"	¹ / ₂ " Pivot	K-702205	56 ⁵ / ₈ "-59 ⁵ / ₈ "	³ / ₈ " Bath Bypass
K-705722	45"-48"	¹ / ₂ " Pivot	K-702207	56 ⁵ / ₈ "-59 ⁵ / ₈ "	³ / ₈ " Shower Bypass
K-705723	57"-60"	¹ / ₂ " Pivot	K-702209	44 ⁵ / ₈ "-47 ⁵ / ₈ "	³ / ₈ " Shower Bypass
Purist Steam			Senza Steam for Senza		
K-702220	34"-35"	Pivot	K-704310	52"	Shower Bypass
K-702222	45 ¹ / ₈ "-47"	Pivot	K-704312	40"	Shower Bypass
K-702224	34"-35"	Pivot w/Transom	K-704314	52"	Shower Bypass
K-702226	45 ¹ / ₈ "-47"	Pivot w/Transom			



KOHLER.com/customshowering

THE BOLD LOOK
OF **KOHLER**®

Form 1051798-EA 3/08
© 2008 by Kohler Co.
Kohler Co., Kohler, Wisconsin 53044
Printed in U.S.A.
1-800-4-KOHLER
(1-800-456-4537)