







LIGHT STRINGS

Decorative Light String

Commercial Coaxial

5mm	pg. 46
Mini	pg. 47
G12	pg. 48
C6	pg. 49

Commercial Standard

5mm	pg. 50
Twinkle 5mm	pg. 51
Mini	pg. 52
C6	pg. 53
C7	pg. 54
C9	pg. 55

Icicle & Net Lights

Icicle Lights	pg. 56
Net Lights	pg. 57

COMMERCIAL 5MM

Commercial Coax Light String

This lens is 5MM tall with an inverted cone at the top of the lens that disperses the very directional light from the LEDs to more closely approximate the sparkle of incandescent mini lights. Our most popular lens type is offered in various colors and features commercial coaxial connections for all season use.

FEATURES

- Up to 90% energy savings over incandescent light string
- Coaxial power connection system provides strain relief and keeps moisture out of connections
- Durable construction includes thicker 20AWG wire
- Available in multiple LED color options
- Connection accessories available for large scale installations while minimizing connections to power
- CSAus Certified or ETL listed for indoor and outdoor use
- 3-season warranty



LISTINGS & RATINGS 420W MAX:



MULTI COLOR



RED



ORANGE



YELLOW



GREEN



BLUE



PURPLE



PINK



PURE WHITE



ULTRA WARM WHITE



LISTINGS & RATINGS 240W MAX:

COMMERCIAL COAX 5MM ORDERING INFORMATION

*(MU) Multi Color = Red, Gold, Green, Blue, and Orange

240W MAX / 50 LEDs / 4" Spacing

ITEM NUMBER	COLOR
5MM-50/4-G-PW	16.8 / Pure White / 4.8W
5MM-50/4-G-UWW	16.8 / Ultra Warm White / 4.8W

240W MAX / 50 LEDs / 6" Spacing

ITEM NUMBER	COLOR
5MM-50/6-G-BL	25ft / Blue / 4.8W
5MM-50/6-G-GR	25ft / Green / 2.4W
5MM-50/6-G-MU	25ft / Multi Color* / 2.4W
5MM-50/6-G-OR	25ft / Orange / 2.4W
5MM-50/6-G-YE	25ft / Yellow / 2.4W

240W MAX / 50 LEDs / 6" Spacing

ITEM NUMBER	COLOR
5MM-50/6-G-PI	25ft / Pink / 2.4W
5MM-50/6-G-PU	25ft / Purple / 2.4W
5MM-50/6-G-PW	25ft / Pure White / 4.8W
5MM-50/6-G-RE	25ft / Red / 2.4W
5MM-50/6-G-UWW	25ft / Ultra Warm White / 4.8W

COMMERCIAL COAX LIGHT STRING ACCESSORIES


ITEM NUMBER	DESCRIPTION
LEDPWRCON-4A	120V AC 4amp Power Adaptor (Required)
LEDSPACER-12	12ft Extension Wire
LEDSPACER-20	20ft Extension Wire
LEDSPACER-50	50ft Extension Wire
POWERTAP-8	8-way Power Tap (1 male port - 7 female port)
POWERTAP-Y	"Y" Power Connector
POWERTAP-X	"X" Power Connector
POWERTAP-END	End Cap / Qty 10



120V AC Power Adaptor



X - Connector



Y - Connector



Extension Wire



8-way Connector



End Cap



COMMERCIAL MINI

Commercial Coax Light String

The mini, or M5, lens is designed to look the same as traditional incandescent mini lights that have been used for years. Faceting the lens breaks up directional LED lighting dispersing the light in all directions. For those who are fans of the traditional mini shape, this LED option provides the same look in an energy efficient & long lasting product.

FEATURES

- Up to 90% energy savings over incandescent light string
- Coaxial power connection system provides strain relief and keeps moisture out of connections
- Durable construction includes thicker 20AWG wire
- Available in multiple color options
- Connection accessories available for large scale installations while minimizing connections to power
- CSAus Certified or ETL listed for indoor and outdoor use
- 3-season warranty

LISTINGS & RATINGS 420W MAX:



BLUE



GREEN



MULTI COLOR



ORANGE



Intertek



RED



PINK



PURE WHITE



ULTRA WARM WHITE

COMMERCIAL COAX MINI ORDERING INFORMATION

*(MU) Multi Color = Red, Gold, Green, Blue, and Orange

420W MAX / 25 LEDs / 6" Spacing

ITEM NUMBER	COLOR	WIRE COLOR
MINI-25/6-G-GR	12.5ft / Green / 2.4W	Green
MINI-25/6-G-MU	12.5ft / Multi Color* / 2.4W	Green
MINI-25/6-G-OR	12.5ft / Orange / 2.4W	Green
MINI-25/6-G-PW	12.5ft / Pure White / 2.4W	Green
MINI-25/6-G-RE	12.5ft / Red / 2.4W	Green
MINI-25/6-G-UWW	12.5ft / Ultra Warm White / 2.4W	Green

240W MAX / 50 LEDs / 6" Spacing

ITEM NUMBER	COLOR	WIRE COLOR
MINI-50/6-G-BL	25ft / Blue / 4.8W	Green
MINI-50/6-G-GR	25ft / Green / 4.8W	Green
MINI-50/6-G-MU	25ft / Multi Color* / 2.4W	Green
MINI-50/6-G-PI	25ft / Pink / 2.4W	Green
MINI-50/6-G-PW	25ft / Pure White / 4.8W	Green
MINI-50/6-G-RE	25ft / Red / 2.4W	Green
MINI-50/6-G-UWW	25ft / Ultra Warm White / 4.8W	Green

COMMERCIAL COAX LIGHT STRING ACCESSORIES

ITEM NUMBER	DESCRIPTION
LEDPWRCON-4A	120V AC 4amp Power Adaptor (Required)
LEDSPACER-12	12ft Extension Wire
LEDSPACER-20	20ft Extension Wire
LEDSPACER-50	50ft Extension Wire
POWERTAP-8	8-way Power Tap (1 male port - 7 female port)
POWERTAP-Y	"Y" Power Connector
POWERTAP-X	"X" Power Connector
POWERTAP-END	End Cap / Qty 10

LEDPWRCON-4A required see page 47



120V AC Power Adaptor



X - Connector




Y - Connector



Extension Wire



8-way Connector



End Cap

COMMERCIAL G12


Commercial Coaxial LED Light String

The G12 is a spherical, 12mm diameter, faceted lens that creates a look similar to berries or small orbs where it's installed. Enjoy longer runs of light and easier installation using commercial LEDs, with water tight coaxial connectors to reduce maintenance time during the busy holiday season.

FEATURES

- Up to 90% energy savings over incandescent light string
- Coaxial power connection system provides strain relief and keeps moisture out of connections
- Durable construction includes thicker 20AWG wire
- Available in four different color options
- Connection accessories available for large scale installations while minimizing connections to power
- CSAUs Certified for indoor and outdoor use
- 3-season warranty


LISTINGS & RATINGS:




BLUE



GREEN



PURE WHITE



RED

COMMERCIAL COAX G12 ORDERING INFORMATION

420W MAX / 25 LEDs / 6" Spacing

ITEM NUMBER	COLOR	WIRE COLOR
G12-25/6-G-BL	Blue / 2.4W	Green
G12-25/6-G-GR	Green / 2.4W	Green
G12-25/6-G-PW	Pure White / 2.4W	Green
G12-25/6-G-RE	Red / 2.4W	Green

COMMERCIAL COAX LIGHT STRING ACCESSORIES

ITEM NUMBER	DESCRIPTION
LEDPWRCON-4A	120V AC 4amp Power Adaptor (Required)
LEDSPACER-12	12ft Extension Wire
LEDSPACER-20	20ft Extension Wire
LEDSPACER-50	50ft Extension Wire
POWERTAP-8	8-way Power Tap (1 male port - 7 female port)
POWERTAP-Y	"Y" Power Connector
POWERTAP-X	"X" Power Connector
POWERTAP-END	End Cap / Qty 10



120V AC Power Adaptor



Extension Wire




8-way Connector



Y - Connector



X - Connector



End Cap



COMMERCIAL C6

Commercial Coaxial LED Light String

The largest in the commercial coaxial line, the C6 is a strawberry-shaped lens slightly smaller than its popular counterpart, the C7 bulb. Enjoy longer runs of light and easier installation using commercial LEDs, with water tight coaxial connectors to reduce maintenance time during the busy holiday season.

FEATURES

- Up to 90% energy savings over incandescent light string
- Coaxial power connection system provides strain relief and keeps moisture out of connections
- Durable construction includes thicker 20AWG wire
- Available in multiple color options
- Connection accessories available for large scale installations while minimizing connections to power
- CSAus Certified or ETL listed for indoor and outdoor use
- 3-season warranty

LISTINGS & RATINGS 420W:




BLUE




GREEN




PINK



PURE WHITE



RED



ULTRA WARM WHITE

LISTINGS & RATINGS 240W:

COMMERCIAL COAX C6 ORDERING INFORMATION

* (MU) Multi Color = Red, Gold, Green, Blue, and Orange

420W MAX / 25 LEDs / 6" Spacing

ITEM NUMBER	COLOR	WIRE COLOR
C6-25/6-G-BL	12.5ft / Blue / 2.4W	Green
C6-25/6-G-PI	12.5ft / Pink / 2.4W	Green
C6-25/6-G-PW	12.5ft / Pure White / 2.4W	Green
C6-25/6-G-RE	12.5ft / Red / 2.4W	Green

240W MAX / 50 LEDs / 6" Spacing

ITEM NUMBER	COLOR	WIRE COLOR
C6-50/6-G-BL	25ft / Blue / 4.8W	Green
C6-50/6-G-GR	25ft / Green / 4.8W	Green
C6-50/6-G-MU	25ft / Multi Color* / 2.4W	Green
C6-50/6-G-PW	25ft / Pure White / 4.8W	Green
C6-50/6-G-RE	25ft / Red / 2.4W	Green
C6-50/6-G-UWW	25ft / Ultra Warm White / 4.8W	Green

COMMERCIAL COAX LIGHT STRING ACCESSORIES

ITEM NUMBER	DESCRIPTION
LEDPWRCON-4A	120V AC 4amp Power Adaptor (Required)
LEDSPACER-12	12ft Extension Wire
LEDSPACER-20	20ft Extension Wire
LEDSPACER-50	50ft Extension Wire
POWERTAP-8	8-way Power Tap (1 male port - 7 female port)
POWERTAP-Y	"Y" Power Connector
POWERTAP-X	"X" Power Connector
POWERTAP-END	End Cap / Qty 10



120V AC Power Adaptor



X - Connector




Y - Connector



Extension Wire



8-way Connector



End Cap

STANDARD 5MM

Commercial Standard LED Light String

The standard 5mm light strings are ideal for holiday decoration of trees, shrubs, wreaths, garland, and many other applications. Designed with a concave lens, these wide angle bulbs are 25% brighter than standard-shaped light strings.

FEATURES

- Up to 90% energy savings over conventional incandescent light string
- Standard 120V AC plug and socket power connection
- Inter-connectable up to 210W
- Pre-assembled, durable plastic sockets on 22 AWG copper wire with fused stacked plug
- 36,000 hours rated life
- UL Listed for indoor and outdoor use
- 1 Year Warranty



LISTINGS & RATINGS:




BLUE



GREEN



MULTI COLOR



ORANGE



PINK



PURPLE



PURE WHITE



RED



ULTRA WARM WHITE

STANDARD 5MM ORDERING INFORMATION

*(MU) Multi Color = Red, Gold, Green, Blue, and Orange

25ft / 50 LEDs / 6" Spacing

ITEM NUMBER	COLOR	WIRE COLOR
5MM-50/6-G-BL-S	Blue / 4.8W	Green
5MM-50/6-G-GR-S	Green / 4.8W	Green
5MM-50/6-G-MU-S	Multi Color / 2.4W	Green
5MM-50/6-G-PI-S	Pink / 4.8W	Green
5MM-50/6-G-PU-S	Purple / 4.8W	Green
5MM-50/6-G-PW-S	Pure White / 4.8W	Green
5MM-50/6-G-RE-S	Red / 2.4W	Green
5MM-50/6-G-UWW-S	Ultra Warm White / 4.8W	Green
5MM-50/6-G-CW-S	Cool White / 4.8W	Green
5MM-50/6-G-UWW-S-CUL	Ultra Warm White / 4.8W (cUL)	Green
5MM-50/6-G-MU-S-CUL	Multi Color / 4.8W (cUL)	Green

23.5ft / 70 LEDs / 4" Spacing

ITEM NUMBER	COLOR	WIRE COLOR
5MM-70/4-G-BL-S	Blue / 4.8W	Green
5MM-70/4-G-GR-S	Green / 4.8W	Green
5MM-70/4-G-MU-S	Multi Color / 4.8W	Green
5MM-70/4-G-PU-S	Purple / 4.8W	Green
5MM-70/4-G-PW-S	Pure White / 4.8W	Green
5MM-70/4-G-RE-S	Red / 4.8W	Green
5MM-70/4-G-UWW-S	Ultra Warm White / 4.8W	Green
5MM-70/4-G-OR-S	Orange / 2.4W	Green
5MM-70/4-G-PI-S	Pink / 4.8W	Green
5MM-70/4-G-MU-S-CUL	Multi Color / 4.8W (cUL)	Green
5MM-70/4-G-PW-S-CUL	Pure White / 4.8W (cUL)	Green
5MM-70/4-G-UWW-S-CUL	Ultra Warm White / 4.8W (cUL)	Green
5MM-70/4-G-RE-S-CUL	Red / 4.8W (cUL)	Green
5MM-70/4-G-BL-S-CUL	Blue / 4.8W (cUL)	Green
5MM-70/4-G-GR-S-CUL	Green / 4.8W (cUL)	Green



TWINKLE 5MM

Commercial Standard LED Light String

The Standard 5mm Twinkle light string creates an eye-catching display with a slow, random twinkling effect. LEDs in the string turn on and off randomly, drawing attention and adding additional sparkle to displays. Use exclusively for an overall effect or inter-mixed with 5mm Standard strings for a subtler display that still has movement.

FEATURES

- Twinkle on and off lighting effect
- Up to 90% energy savings over conventional incandescent light string
- Standard 120V AC plug and socket power connection
- Inter-connectable up to 210W
- 60,000 (PW/UWW)/100,000 (color) hours rated life
- Pre-assembled, durable, plastic sockets on 22 AWG copper wire; 2-Blade socket with fused stacked plug
- UL Listed for indoor and outdoor use
- 1 Year Warranty

LISTINGS & RATINGS:



BLUE



GREEN



MULTI COLOR



PURE WHITE



RED



ULTRA WARM WHITE

TWINKLE 5MM ORDERING INFORMATION

17ft / 50 LEDs / 4" Spacing

ITEM NUMBER	COLOR	WIRE COLOR
T5MM-50/4-G-BL-S	Blue / 4.8W	Green
T5MM-50/4-G-GR-S	Green / 4.8W	Green
T5MM-50/4-G-MU-S	Multi Color / 4.8W	Green
T5MM-50/4-G-PW-S	Pure White / 4.8W	Green
T5MM-50/4-G-RE-S	Red / 4.8W	Green
T5MM-50/4-G-UWW-S	Ultra Warm White / 4.8W	Green
T5MM-50/4-W-UWW-S	Ultra Warm White / 4.8W	White

*(MU) Multi Color = Red, Gold, Green, Blue, and Orange

STANDARD MINI

Commercial Standard LED Light String

These mini (M5) LEDs are your replacement for older style incandescent mini lights. Featuring multicolor options, create a fun color theme for holiday decorating with a festive spirit effect. Use indoors to light your Christmas tree or outside in the yard or wrapped around tree trunks, columns and railings.

FEATURES

- Up to 90% energy savings over conventional light string
- Inter-connectable up to 210W
- Pre-assembled, durable, plastic sockets on 22 AWG copper wire; 2-Blade socket with fused stacked plug
- 36,000 hours rated life
- UL Listed for indoor and outdoor use
- 1 Year Warranty
- Standard 120V AC plug and socket power connection



LISTINGS & RATINGS:



BLUE



GREEN




MULTI COLOR



PURE WHITE



RED



ULTRA WARM WHITE

STANDARD MINI ORDERING INFORMATION

*(MU) Multi Color = Red, Gold, Green, Blue, and Orange

25ft / 50 LEDs / 6" Spacing

ITEM NUMBER	COLOR	WIRE COLOR
MINI-50/6-G-BL-S	Blue / 4.8W	Green
MINI-50/6-G-GR-S	Green / 4.8W	Green
MINI-50/6-G-MU-S	Multi Color / 2.4W	Green
MINI-50/6-G-PW-S	Pure White / 4.8W	Green
MINI-50/6-G-RE-S	Red / 2.4W	Green
MINI-50/6-G-UWW-S	Ultra Warm White / 4.8W	Green

23.5ft / 70 LEDs / 4" Spacing

ITEM NUMBER	COLOR	WIRE COLOR
MINI-70/4-G-BL-S	Blue / 4.8W	Green
MINI-70/4-G-GR-S	Green / 4.8W	Green
MINI-70/4-G-MU-S	Multi Color / 4.8W	Green
MINI-70/4-G-PW-S	Pure White / 4.8W	Green
MINI-70/4-G-RE-S	Red / 4.8W	Green
MINI-70/4-G-UWW-S	Ultra Warm White / 4.8W	Green



STANDARD C6


Commercial Standard LED Light String

Not as small as a mini and not as large as a C7, the C6 LED mini lights are a decorators dream! Multicolor lights are a fun color theme for family Christmas decorating, with a festive Christmas spirit effect. C6 light strings are popular for lighting up bushes and trees, or use for indoor decorating or accent lighting.

FEATURES

- Up to 90% energy savings over conventional light string
- Inter-connectable up to 210W
- Pre-assembled, durable, plastic sockets on 22 AWG copper wire; 2-Blade socket with fused stacked plug
- 36,000 hours rated life
- UL Listed for indoor and outdoor use
- 1 Year Warranty
- Standard 120V AC plug and socket power connection


LISTINGS & RATINGS:



BLUE



GOLD




GREEN




MULTI COLOR



PURE WHITE



RED



ULTRA WARM WHITE

STANDARD C6 ORDERING INFORMATION

23.5ft / 70 LEDs / 4" Spacing

ITEM NUMBER	COLOR	WIRE COLOR
C6-70/4-G-BL-S	Blue / 4.8W	Green
C6-70/4-G-GD-S	Gold / 4.8W	Green
C6-70/4-G-GR-S	Green / 4.8W	Green
C6-70/4-G-MU-S	Multi Color / 4.8W	Green
C6-70/4-G-PW-S	Pure White / 4.8W	Green
C6-70/4-G-RE-S	Red / 4.8W	Green
C6-70/4-G-UWW-S	Ultra Warm White / 4.8W	Green

*(MU) Multi Color = Red, Gold, Green, Blue, and Orange

STANDARD C7

Commercial Standard LED Light String

Love traditional decorative bulbs but tired of blown fuses and broken lights? Our colorful C7 LED Light Strings are a convenient replacement for older C7 bulbs, but have durable epoxy lenses and save up to 90% in power compared to a traditional C7 incandescent.

FEATURES

- Up to 90% energy savings over conventional light string
- Inter-connectable up to 210W
- Pre-assembled, durable, plastic sockets on 22 AWG copper wire; 2-Blade socket with fused stacked plug
- 36,000 hours rated life
- UL Listed for indoor and outdoor use
- 1 Year Warranty
- Standard 120V AC plug and socket power connection

LISTINGS & RATINGS:



STANDARD C7 ORDERING INFORMATION

16.7ft / 25 LEDs / 8" Spacing

ITEM NUMBER	COLOR	WIRE COLOR
C7-25/8-G-MU-S	Multi Color / 2.4W	Green
C7-25/8-G-PW-S	Pure White / 2.4W	Green
C7-25/8-G-UWW-S	Ultra Warm White / 2.4W	Green

*(MU) Multi Color = Red, Gold, Green, Blue, and Orange



MULTI COLOR



PURE WHITE



ULTRA WARM WHITE



STANDARD C9

Commercial Standard LED Light String

Recreate your favorite seasonal lighting memories using our LED C9 light string, without having to worry about connecting too many strings! Connect up to 210W and share your holiday lighting spirit by hanging these traditional C9 light strings along roof-lines, wrapping outdoor trees, or use along walkways.

FEATURES

- Up to 90% energy savings over conventional light string
- Inter-connectable up to 210W
- Pre-assembled, durable, plastic sockets on 22 AWG copper wire; 2-Blade socket with fused stacked plug
- 36,000 hours rated life
- UL Listed for indoor and outdoor use
- 1 Year Warranty
- Standard 120V AC plug and socket power connection

LISTINGS & RATINGS:



STANDARD C9 ORDERING INFORMATION

16.7ft / 25 LEDs / 8" Spacing

ITEM NUMBER	COLOR	WIRE COLOR
C9-25/8-G-MU-S	Multi Color / 2.4W	Green
C9-25/8-G-PW-S	Pure White / 2.4W	Green
C9-25/8-G-UWW-S	Ultra Warm White / 2.4W	Green

*(MU) Multi Color = Red, Gold, Green, Blue, and Orange



TWINKLY™ PRO
SPECTRUM+
LIGHT STRING
STRINGERS & REELS
DECORATIVE BULBS
ACCESSORIES
LINEAR LIGHTING
SPECIALTY LIGHTING
ARCHITECTURAL


ICICLE LIGHTS

Commercial Coaxial Icicle Light String

Our superior quality, faceted icicle lights are the answer to your decorating dreams! Durable, weather resistant icicle lights are built to last and maintain professional display even in harsh climates. Hang these stunning strands from your roof, across a white picket fence, or along your porch railing to create an elegant display.

FEATURES

- Faceted Mini lens style icicle lights
- Coaxial power connection system provides strain relief and keeps moisture out of connections
- 6" spacing with 8" and 16" drops
- Perfect for roof lines or perimeter fencing
- 60,000 hours rated life
- ETLus Certified for indoor and outdoor use



LISTINGS & RATINGS:




LED ICICLE LIGHTS ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	DROPS	SPACING	MAX RUN	WIRE
MINI-ICE-70/6-W-PW	Pure White	8 ft	4.8W / String	16 (8"-16")	6"	210W / 43 Strings	White
MINI-ICE-70/6-W-UWW	Ultra Warm White	8 ft	4.8W / String	16 (8"-16")	6"	210W / 43 Strings	White

ICICLE LIGHT ACCESSORIES

ITEM NUMBER	DESCRIPTION
LEDPWRCON-4A-WH	120V AC 4amp Power Adapter (Required) / White



NET LIGHTS

Standard LED Net Lights

Featuring 70 wide angle (5mm) LEDs configured perfectly in a 4' x 6' net, our net lights are great for decorating hedges, bushes, and shrubs or wrapping tree trunks. Simple to use, reduces installation time, and lasts longer than the incandescent alternative.

FEATURES

- 70 Wide angle 5mm bulbs per net
- Available in 3 different color options
- Easy installation! Connect up to 21 nets
- Available in 4ft by 6ft size with 8" LED spacing
- Perfect for small trees, hedges, and shrubbery
- Consuming only 9.6W per net / 60,000 hours rated life
- UL Listed for indoor and outdoor use
- Standard 120V AC plug and socket power connection

LISTINGS & RATINGS:



NET LIGHT ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	LED COUNT	SPACING	MAX RUN	WIRE
5MM-NET46-UWW-S	Ultra Warm White	4ft x 6ft	9.6W / Net	70 / Net	8"	210W / 21 Nets	Green
5MM-NET46-PW-S	Pure White	4ft x 6ft	9.6W / Net	70 / Net	8"	210W / 21 Nets	Green
5MM-NET46-MU-S	Multi Color*	4ft x 6ft	9.6W / Net	70 / Net	8"	210W / 21 Nets	Green

*Multi Color (MU) = Red, Green, Blue, & Yellow