

FLEXBRITE - 1/2"

LED Rope Light Bulk Reels

Professionally crafted LED Flexbrite offers design flexibility, commercial grade quality, and weather resistant construction that can stand the test of time. Clear UV inhibited PVC tubing allows for the highest brightness to shine through to increase linear lighting effects, resulting in vibrant rope light displays great for residential and commercial lighting applications.

FEATURES

- Available in 150ft bulk reels and custom cut options
- Clear, UV inhibited PVC housing
- Parallel wiring to each LED ensures that if one LED goes out, the rest of the cutting increment stays lit
- Vertically mounted 3mm LEDs at 1" spacing
- Cuttable every 36"
- Perfect for outlining landscapes and signage
- UL Listed for indoor and outdoor use
(*UL Listing void if cut)



LISTINGS & RATINGS:



1/2" LED FLEXBRITE ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	LUMENS	WATTAGE	IP RATING	CRI	DIAMETER	CUTTING
ULRL-LED-WW-150	3000K	150ft	32Lm / ft	1W / ft	IP65	72+	1/2in	36in
ULRL-LED-WH-150	5000K	150ft	34Lm / ft	1W / ft	IP65	75+	1/2in	36in

120V Bulk Reels Include: (5) 5ft power connector kits with fused plug (one is pre-attached), (1) pre-attached end cap, and (50) mounting clips

1/2" LED FLEXBRITE ACCESSORIES

ITEM NUMBER	DESCRIPTION
RL-LED-CONKIT-1.6AMP	120V AC 1.6amp 5ft Power Connection Kit w/Plug
RL-INVSP	In-line Invisible Splice Connector
RL-SPLICE	Heavy Duty Splice Connector
RL-END	End Cap (Qty 10)
RL-ST-3	Shrink Tube (Qty 10)
RL-CLIP/SCREW	U-Shaped Mounting Clip w/screw (Qty 10)
RL-TRACK-4	4ft Clear Plastic Mounting Track



Power Cord Kit



Invisible Splice



Heavy Duty Splice



Shrink Tube



End Caps



Mounting Clips



Mounting Track



LED LIGHTSTAR

Bulk Reels

A great low voltage option for your year round lighting displays, LED Lightstar provides a warm white linear lighting option that saves 75% in running costs over incandescent while significantly reducing maintenance costs. Use for tree, festival and tent, accent, decorative, architectural detail, patio, deck, and gazebo lighting.

FEATURES

- 5mm inverted cone lenses attached to 18AWG SPT-1 wire with LEDs spaced every 5.9"
- Wide viewing angle (180°) for high visibility
- Low-voltage reels are safe for year-round use
- 12V DC operation requires a 12VDC power supply (sold separately)
- 200ft Maximum run lengths
- Long life LEDs last up to 50,000 hours
- Suitable for year-round outdoor use (IP65)

LED LIGHTSTAR ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	SPACING	WATTAGE	MAX RUN	CUTTABLE	WIRE
LLSR-6-BK-30	Warm White	344.5ft	5.9"	0.32W / ft	200ft / 65W	Yes	Black

WREATHS

Pre-lit LED Wreath Greenery

Bring the forest into your seasonal lighting displays without the mess. The realistic PVC needles provide a lush background of dense foliage that will complement any decorating scheme. Featuring warm white LED lights and realistic pine cones, pre-lit wreaths are a great addition to any holiday installation.

FEATURES

- Pre-lit with warm white LEDs
- Available in two sizes - 36" and 48" options
- Select 36" and 48" wreaths include realistic pine cones for added decor
- Easy plug and play installation
- 120V AC voltage input
- UL Listed light string for indoor and outdoor use



PRE-LIT WREATHS ORDERING INFORMATION

ITEM NUMBER	SIZE	NUMBER OF TIPS	LED COUNT	WATTAGE	CCT	PINE CONES
031-LED-WR-36	36"	270	100	7.2W	Warm White - 3000K	12
031-LED-WR-48	48"	430	200	14.4W	Warm White - 3000K	24
031-LED-WRB-36	36"	270	100	7.2W	Warm White - 3000K	None
031-LED-WRB-48	48"	430	200	14.4W	Warm White - 3000K	None



GARLAND

9ft Decorative Garland Greenery

If you need a beautiful, sturdy garland this holiday season, our 9ft garland is designed to remain natural looking and full while being used in high traffic, residential and commercial environments. Pre-lit garland also includes realistic pine cones for a more natural look.

FEATURES

- Available in pre-lit LED 9ft lengths
- Available with or without pinecones
- Features traditional warm white color temperature
- Up to 315 tips per garland
- Suitable for indoor and outdoor use
- 120V AC voltage input



GARLAND ORDERING INFORMATION

ITEM NUMBER	SIZE	NUMBER OF TIPS	LED COUNT	WATTAGE	CCT	PINE CONES
031-LED-GA-9	9ft	315 Tips	100	7.2W	Warm White - 3000K	12
031-LED-GAB-9	9ft	315 Tips	100	7.2W	Warm White - 3000K	None





ROPE LIGHT SNOWFLAKES

LED Rope Light Snowflake Motifs

Let it snow this winter with our LED Rope Light Snowflake motifs. Hang these elegant motifs in windows, mantels, trees, or fencing to create a magical scene. Made from sturdy, energy efficient LED rope light that will last throughout many holiday seasons, you'll never have to worry about your seasonal lighting losing its fun.

FEATURES

- Available in three distinct styles to choose from
- Warm White and Cool White color options
- Made from our durable LED rope light
- Includes attached 6ft white power cord with two-prong 120V AC plug
- Features UV inhibitors for lasting clarity
- Multiple sizes available: 18", 24", and 36"
- Long life LEDs last up to 30,000 hours
- Pairs great with traditional LED rope light
- Suitable for year-round outdoor use
- UL Listed for indoor and outdoor use
- Standard 120V AC plug connection



CLASSIC



DELUXE



ELEGANT

LED ROPE LIGHT SNOWFLAKE ORDERING INFORMATION

ITEM NUMBER	VOLTAGE	COLOR	STYLE	SIZE	WATTAGE
LED-CW-HSM-SNOWF18	120V AC	Cool White	Classic	18"	12W
LED-WW-HSM-SNOWF18	120V AC	Warm White	Classic	18"	12W
LED-CW-HSM-SNOWF24	120V AC	Cool White	Classic	24"	18W
LED-WW-HSM-SNOWF24	120V AC	Warm White	Classic	24"	18W
LED-CW-HSM-SNOWF36	120V AC	Cool White	Classic	36"	27W
LED-WW-HSM-SNOWF36	120V AC	Warm White	Classic	36"	27W
LED-CW-HSM-SNOWFA24	120V AC	Cool White	Deluxe	24"	18W
LED-WW-HSM-SNOWFA24	120V AC	Warm White	Deluxe	24"	18W
LED-CW-HSM-SNOWFA36	120V AC	Cool White	Deluxe	36"	30W
LED-WW-HSM-SNOWFA36	120V AC	Warm White	Deluxe	36"	30W
LED-CW-HSM-SNOWFB24	120V AC	Cool White	Elegant	24"	18W
LED-WW-HSM-SNOWFB24	120V AC	Warm White	Elegant	24"	18W
LED-CW-HSM-SNOWFB36	120V AC	Cool White	Elegant	36"	30W
LED-WW-HSM-SNOWFB36	120V AC	Warm White	Elegant	36"	30W

