





TWINKLE PRO  
SPEKTRUM+  
LIGHT STRING  
STRINGERS & REELS  
DECORATIVE BULBS





# COMMERCIAL GRADE

## Commercial Light String & Bulbs

### Commercial Light String

---

Commercial (E12) Candelabra	pg. 76
Commercial (E17) Intermediate	pg. 77
Commercial (E26) Suspended	pg. 78
Commercial (E26) Medium Base	pg. 79

### Commercial Bulbs

---

Pro Dec Series S14	pg. 80
Filament LED S14	pg. 81
Faceted LED S14	pg. 81
Pro Dec G50	pg. 81

### Accessories

---

Catenary Cable	pg. 82
----------------	--------

# COMMERCIAL E12

## E12 Candelabra Base Light String

Commercial E12 Candelabra base stringers are perfect for any outdoor patio or lighting display. Commercial grade stringers are weather resistant and designed for long term usage. Includes guy-wire loop for additional support for large spans or spaces. E12 base sockets are perfect for any standard LED or incandescent bulbs giving you the creative freedom for your lighting display.

### FEATURES

- 330ft Black wire with 12" spacing between 330 sockets
- Great decorative lighting product for patios, gazebos, building outlines, event tents, and retail walkways
- Factory-molded, formulated PVC sockets on heavy-duty wire form a tight weather resistant seal around bulbs
- Suitable for indoor and outdoor commercial applications
- E12 candelabra decorative bulbs sold separately



### COMMERCIAL E12 LIGHT STRING ORDERING INFORMATION

ITEM NUMBER	LEAD/TAIL	COLOR	LENGTH	SOCKETS	SPACING	WIRE GAUGE	MAX RUN
LS-C-12-BK	Bare	Black	330ft	330	12"	SPT-2 / 16AWG	1200W


### COMMERCIAL E12 LIGHT STRING ACCESSORIES

ITEM NUMBER	DESCRIPTION
M-PLUG-BK-SPT2-B	2-Prong Plug for SPT-2 / Black / Bag of 25
LS-CABLE-60	60ft Catenary Cable Kit (Includes 2 Standard Locks)
LS-CABLE-110	110ft Catenary Cable Kit (Includes 2 Standard Locks)
LS-CABLE-500	500ft Catenary Cable Bulk Reel
LS-LOCK-4	Catenary Cable Heavy Duty Locks (Qty 4)
LS-TT	Catenary Cable Tensioning tool

See Catenary Cable (page 72 ) for additional information



2-Prong Plug



Heavy Duty Locks



Tensioning Tool



# COMMERCIAL E17

## E17 Intermediate Base Light String

Commercial E17 Intermediate base stringers are perfect for any outdoor patio or lighting display. Commercial grade stringers are weather resistant and designed for long term usage. Includes guy-wire loop for additional support for large spans or spaces. E17 base sockets are perfect for any standard LED or incandescent bulbs giving you the creative freedom for your lighting display.

### FEATURES

- 330ft Black wire with 15" spacing between 264 sockets
- Great decorative lighting product for patios, gazebos, building outlines, event tents, and retail walkways
- Factory-molded, formulated PVC sockets on heavy-duty wire form a tight weather resistant seal around bulbs
- Suitable for indoor and outdoor commercial applications
- E17 Intermediate decorative bulbs sold separately

### COMMERCIAL E17 LIGHT STRING ORDERING INFORMATION

ITEM NUMBER	LEAD/TAIL	COLOR	LENGTH	SOCKETS	SPACING	WIRE GAUGE	MAX RUN
LS-I-15-BK	Bare Wire	Black	330ft	264	15"	SPT-2 / 16AWG	1200W
LS-I-15-WH	Bare Wire	White	330ft	264	15"	SPT-2 / 16AWG	1200W


### COMMERCIAL E17 LIGHT STRING ACCESSORIES

ITEM NUMBER	DESCRIPTION
M-PLUG-BK-SPT2-B	2-Prong Plug for SPT-2 / Black / Bag of 25
LS-CABLE-60	60ft Catenary Cable Kit (Includes 2 Standard Locks)
LS-CABLE-110	110ft Catenary Cable Kit (Includes 2 Standard Locks)
LS-CABLE-500	500ft Catenary Cable Bulk Reel
LS-LOCK-4	Catenary Cable Heavy Duty Locks (Qty 4)
LS-TT	Catenary Cable Tensioning tool

See Catenary Cable (page 72) for additional information



2-Prong Plug



Heavy Duty Locks



Tensioning Tool

# COMMERCIAL E26

## E26 Suspended Medium Base Light String

Commercial E26 Medium base stringers are perfect for any outdoor patio or lighting display. Commercial grade stringers are weather resistant and designed for long term usage. Includes guy-wire loop for additional support for large spans or spaces. E26 base sockets are perfect for any standard LED or incandescent bulbs giving you the creative freedom for your lighting display.

### FEATURES

- Great decorative lighting product for patios, gazebos, building outlines, event tents, and retail walkways
- Factory-molded, formulated PVC sockets on heavy-duty wire form a tight weather resistant seal around bulbs
- Suitable for indoor and outdoor commercial applications
- E26 Medium base decorative bulbs sold separately
- cTUVus Listed (LS2 only)



### COMMERCIAL SUSPENDED E26 LIGHT STRING ORDERING INFORMATION

ITEM NUMBER	LEAD/TAIL	COLOR	LENGTH	SOCKETS	SPACING	WIRE GAUGE	MAX RUN	RATING
LS2-MS-24-48-BK	120V AC Plug/Socket	Black	48ft	24	24"	14AWG SJTW	1200W	cTUVus
LS2-MS-24-48-WH	120V AC Plug/Socket	White	48ft	24	24"	14AWG SJTW	1200W	cTUVus
LS-MS-24-100-BK	120V AC Plug/Sealed End	Black	100ft	50	24"	14AWG SJTW	1250W	Non-Rated
LS-MS-24-100-WH	120V AC Plug/Sealed End	White	100ft	165	24"	14AWG SJTW	1250W	Non-Rated
LS-MS-24-BK	Bare Wire	Black	330ft	165	24"	14AWG SJTW	1800W	Non-Rated
LS-MS-24-WH	Bare Wire	White	330ft	165	24"	14AWG SJTW	1800W	Non-Rated
LS-M/MS-END	Plastic End Cap							

### CATENARY CABLE ORDERING INFORMATION

ITEM NUMBER	DESCRIPTION	LENGTH	MAX LOAD
LS-CABLE-60	60ft Catenary Cable Kit (Includes 2 Standard Locks)	60 ft	200lbs
LS-CABLE-110	110ft Catenary Cable Kit (Includes 2 Standard Locks)	110 ft	200lbs
LS-CABLE-500	500ft Catenary Cable Bulk Reel	500 ft	330lbs
LS-LOCK-4	Catenary Cable Heavy Duty Locks (Qty 4)	N/A	330lbs
LS-TT	Catenary Cable Tensioning tool	N/A	N/A

See Catenary Cable (page 82) for additional information

TWINKLY™ PRO

SPEKTRUM+

LIGHT STRING

STRINGERS & REELS

DECORATIVE BULBS

ACCESSORIES

LINEAR LIGHTING

SPECIALTY LIGHTING

ARCHITECTURAL



# COMMERCIAL E26

## E26 Medium Base Light String

Commercial E26 Medium base stringers are perfect for any outdoor patio or lighting display. Commercial grade stringers are weather resistant and designed for long term usage. Includes guy-wire loop for additional support for large spans or spaces. E26 base sockets are perfect for any standard LED or incandescent bulbs giving you the creative freedom for your lighting display.

### FEATURES

- Great decorative lighting product for patios, gazebos, building outlines, event tents, and retail walkways
- Factory-molded, formulated PVC sockets on heavy-duty wire form a tight weather resistant seal around bulbs
- Suitable for indoor and outdoor commercial applications
- E26 Medium base decorative bulbs sold separately
- cTUVus Listed (LS2 only)

### COMMERCIAL E26 LIGHT STRING ORDERING INFORMATION

ITEM NUMBER	LEAD/TAIL	COLOR	LENGTH	SOCKETS	SPACING	WIRE GAUGE	MAX RUN	RATING
<b>LS2-M-24-48-BK</b>	120V AC Plug/Socket	Black	48ft	24	24"	14AWG SJTW	1200W	cTUVus
<b>LS-M-24-100-BK</b>	120V AC Plug/Sealed End	Black	100ft	50	24"	14AWG SJTW	1250W	Non-Rated
<b>LS-M-24-BK</b>	Bare Wire	Black	330ft	165	24"	14AWG SJTW	1800W	Non-Rated
<b>LS-M/MS-END</b>	Plastic End Cap							

### CATENARY CABLE ORDERING INFORMATION

ITEM NUMBER	DESCRIPTION	LENGTH	MAX LOAD
<b>LS-CABLE-60</b>	60ft Catenary Cable Kit (Includes 2 Standard Locks)	60 ft	200lbs
<b>LS-CABLE-110</b>	110ft Catenary Cable Kit (Includes 2 Standard Locks)	110 ft	200lbs
<b>LS-CABLE-500</b>	500ft Catenary Cable Bulk Reel	500 ft	330lbs
<b>LS-LOCK-4</b>	Catenary Cable Heavy Duty Locks (Qty 4)	N/A	330lbs
<b>LS-TT</b>	Catenary Cable Tensioning tool	N/A	N/A

See Catenary Cable (page 82) for additional information

# PRO DEC S14


## Professional S14 LED Bulbs

Enhance your commercial or residential outdoor entertainment areas with our Pro Dec designer series S14 bulbs. Pro Dec LED S14 bulbs offer a elegant warm night time glow using a 1.4 Watt SMD Optic Core with a 60,000 hour bulb life. Perfect for replacing your outdated incandescent and inefficient S14 bulbs. Featuring an E26 medium base and glass lens that resists fading, Pro Dec S14 bulbs pair well with our Commercial Grade Light String (sold separately).

### FEATURES

- Professional SMD powered LED S14 Bulb
- E26 Medium base with transparent glass lens
- Available in Opaque and Transparent lens styles
- Dimmable with most CL and TRIAC dimmers
- Stem style optic for controlled light distribution
- 120V AC Operation - 1.4W per bulb - 60,000 hour rating
- cULus Listed for indoor and outdoor locations
- Commercial Grade Light String sold separately

### LISTINGS & RATINGS:



3-11/32"  
M.O.L



OPAQUE BLUE



OPAQUE GREEN



OPAQUE RED



OPAQUE YELLOW



OPAQUE WHITE



WHITE - 5500K



WARM WHITE - 2700K



ULTRA WARM WHITE - 2400K

### PROFESSIONAL S14 BULBS ORDERING INFORMATION

ITEM NUMBER	COLOR	STYLE	SOCKET BASE	VOLTAGE	QTY
PS14F-E26-BL	Blue	Opaque	E26	120V	25
PS14F-E26-GR	Green	Opaque	E26	120V	25
PS14F-E26-RE	Red	Opaque	E26	120V	25
PS14F-E26-YE	Yellow	Opaque	E26	120V	25
PS14F-E26-WH	White	Opaque	E26	120V	25
PS14-E26-WH	White	Transparent	E26	120V	25
PS14-E26-WW	Warm White	Transparent	E26	120V	25
PS14-E26-UWW	Ultra Warm White	Transparent	E26	120V	25





# E26 DECORATIVE BULBS

## FILAMENT LED S14

- Classic filament style LED powered S14 Bulb
- E26 Medium base available in glass or plastic lenses
- Dimmable with most CL and TRIAC dimmers
- 120V line voltage & 12V low voltage bulb options
- 1W per bulb - 10,000 hour rating
- cULus Listed for indoor and outdoor locations

### FILAMENT LED S14 ORDERING INFORMATION

ITEM NUMBER	DESCRIPTION	QTY
<b>S14-LED-F-PET-12AC-30K</b>	12VAC/DC Filament S14 / Warm White / 1.9W / 96Lm / Plastic	25
<b>S14-LED-F-120-30K</b>	120V AC Filament S14 / Warm White / 1W / 80Lm / Glass	25
<b>S14-LED-F-PET-120-30K</b>	120V AC Filament S14 / Warm White / 1.1W / 113Lm / Plastic	25



3-15/32"  
M.O.L




## FACETED LED S14

- Premium SMD powered LED S14 Bulb
- E26 Medium base with faceted durable plastic lens
- Equal beam pattern for even light distribution
- Non-dimmable
- 120V AC Operation - 1.5W per bulb - 25,000 hour rating
- Suitable for indoor and outdoor locations

### FACETED LED S14 ORDERING INFORMATION

ITEM NUMBER	DESCRIPTION	QTY
<b>S14-LED-WW</b>	120V Faceted S14 / Warm White / 1.5W / 34Lm	25



3-11/16"  
M.O.L




## PRO DEC G50

- Professional SMD powered LED G50 Bulb
- E26 Medium base with transparent glass lens
- Dimmable with most CL and TRIAC dimmers
- Stem style optic for controlled light distribution
- 120V AC Operation - 1.4W per bulb - 60,000 hour rating
- cULus Listed for indoor and outdoor locations

### PRO DEC G50 ORDERING INFORMATION

ITEM NUMBER	DESCRIPTION	QTY
<b>PG50-E26-UWW</b>	Pro Dec G50 / Transparent / 2400K	25
<b>PG50-E26-WW</b>	Pro Dec G50 / Transparent / 2700K	25
<b>PG50F-E26-WW</b>	Pro Dec G50 / Opaque / 2700K	25



2-3/8"  
M.O.L



TWINKLY™ PRO

SPECTRUM+

LIGHT STRING

STRINGERS &amp; REELS

DECORATIVE BULBS

ACCESSORIES

LINEAR LIGHTING

SPECIALTY LIGHTING

ARCHITECTURAL


# CATENARY CABLE

## Multi-purpose Suspension Cable


Multi-purpose suspension cable with cable locks for quick, reliable support up to 330 pounds of load and spans up to 110 feet. Available in short run kits that include standard cable locks for each end, or in 500ft bulk reels.

### FEATURES

- Provides support for spans of Commercial Grade Light String, C7 & C9 Stringers, and other linear products
- 1/8" diameter outdoor rated, galvanized cable and clips resist corrosion
- Cable locks can be attached without the use of tools and can be adjusted quickly and easily
- Tensioning Tool allows you to tension wire up to 880lbs with minimal effort due to the 6:1 gear drive mechanism
- The integral torque gauge controls the load applied to the wire, giving consistent tension every time and optimizing the life of the wire



**STANDARD LOCKS**  
(Included with Kits)



**HEAVY DUTY LOCKS**



**BULK REEL**



**TENSIONING TOOL**

### CATENARY CABLE ORDERING INFORMATION

ITEM NUMBER	DESCRIPTION	LENGTH	MAX LOAD
<b>LS-CABLE-60</b>	60ft Catenary Cable Kit (Includes 2 Standard Locks)	60 ft	200lbs
<b>LS-CABLE-110</b>	110ft Catenary Cable Kit (Includes 2 Standard Locks)	110 ft	200lbs
<b>LS-CABLE-500</b>	500ft Catenary Cable Bulk Reel	500 ft	330lbs
<b>LS-LOCK-4</b>	Catenary Cable Heavy Duty Locks (Qty 4)	N/A	330lbs
<b>LS-TT</b>	Catenary Cable Tensioning tool	N/A	N/A

TWINKLY™ PRO

SPEKTRUM+

LIGHT STRING

STRINGERS & REELS

DECORATIVE BULBS

ACCESSORIES

LINEAR LIGHTING

SPECIALTY LIGHTING

ARCHITECTURAL