



The SC75 Concrete Buggy
 » Watch Promo Video on
 YouTube

Canycom International



[HOME](#)

[PRODUCTS](#)

[PARTS LISTS](#)

[NEWS](#)

[GALLERY](#)

[ABOUT US](#)

[CONTACT](#)



CMX1402 Ride-on Brush Cutter



- 4WD and large tires for added traction on slopes and wet ground
- Hydrostatic drive system for smooth and seamless operation
- Shaft driven cutter deck requires no belts or pulleys
- Adjustable cutter deck for trimming from 0" to 6"

CMX1402 SPECIFICATIONS

Weight (lbs.)	720
Length x Width x Height (in.)	76.8 x 39.6 x 36
Engine Type	389 CC Honda Gas Engine
Rated Output (HP)	14

PRODUCT INFO

S SERIES

- ◆ S300PD
- ◆ S25A
- ◆ S160
- ◆ S100A
- ◆ S100

SC SERIES

- ◆ SC75
- ◆ SC45

BP SERIES

- ◆ BFP602
- ◆ BP419
- ◆ SC45

EJ SERIES

- ◆ EJ20

Cutting Dimensions	38.4 x up to 6
Width x Height (in.)	
Max. Speed (mph)	High range: 8.2 Low range: 4.6
Gradeability (degree)	25

CG SERIES

◆ CG510

◆ CG431

◆ CG101

CMX SERIES

◆ CMX1402

◆ CMX2402




Recent Posts

Now Available! Propane
Powered Concrete Buggy
with 180° Pivoting Deck

Parts List

To see the Parts List, click here for the [CMX1402 Honda](#) and here for the [CMX1402 Subaru](#).

Download Printable Catalog



(4-Page PDF Size: 1.9MB)

* To view this file, you need Adobe Acrobat Reader. For free download, click [here](#).

©2015 Canycom USA, Inc.

PO Box 58190 Tukwila, WA 98138 | P:888-450-0381 / 425-450-0381 | F:360-800-6757

A SiteOrigin Theme