

**Standard Features**

- External weight calibration
- Seven-segment (main)/16-segment (sub) display
- Selectable modes: Weighing, Counting, Percentage, Coefficient, Specific Gravity, Statistics, Animal and Formulation
- Mono-metal tuning fork technology (MMTF) provides quick response and stability
- 30-step bar graph display
- AA dry-cell port, (150 hours continuous use with LCD backlight and communication signal ON)
- RS-232 interface for connecting to printer or PC
- Glass breeze break (TE-223, TE-322NC and TE-623 only)

**Specifications****Weighing Units:**

Milligram, Gram, Ounce, Pound, Carat, Pennyweight, Troy Ounce (see technical manual for complete listing)

**Operating Modes:**

Weighing, Counting, Percentage, Coefficient, Specific Gravity, Statistics, Animal, Formulation

**Power:**

100 to 240 VAC adapter, AA dry cell (batteries not included)

**Operating Temperature:**

41 °F to 95 °F (5 °C to 35 °C)

**Est. Weight:**

TE-223 / 322NC: 6.5 lb (3 kg)  
TE-623 / 3202 / 6202 / 15001 / 1501NC / 8200NC: 6.0 lb (2.7 kg)

**Warranty:**

Five-year limited

**Return Policy:**

Rice Lake standard policy

**Approvals:**

NTEP Certified CC 17-104A2  
Measurement Canada AM-6169



Measurement  
Canada  
Approved

Model	Capacity	Resolution	NTEP Resolution	Pan Size	Weighing Chamber	Dimensions	Part #	List Price
<b>NTEP Certified Only</b>								
<b>TE-223</b>	220 g	0.001 g	0.01 g	4.6 in (118 mm)	8.9 × 5.9 × 5.9 in (226 × 150 × 150 mm)	10.6 × 8.1 × 11.8 in (270 × 208 × 301 mm)	<b>187600</b>	\$1,197.00
<b>TE-623</b>	620 g	0.001 g	0.01 g	4.6 in (118 mm)	8.9 × 5.9 × 5.9 in (226 × 150 × 150 mm)	10.6 × 8.1 × 11.8 in (270 × 208 × 301 mm)	<b>186030</b>	\$1,575.00
<b>TE-3202</b>	3,200 g	0.01 g	0.1 g	6.3 × 7.1 in (160 × 180 mm)	N/A	10.4 × 7.5 × 3.4 in (265 × 192 × 86 mm)	<b>186035</b>	\$1,302.00
<b>TE-6202</b>	6,200 g	0.01 g	0.1 g	6.3 × 7.1 in (160 × 180 mm)	N/A	10.4 × 7.5 × 3.4 in (265 × 192 × 86 mm)	<b>186036</b>	\$1,302.00
<b>TE-15001</b>	15,000 g	0.1 g	1.0 g	6.3 × 7.1 in (160 × 180 mm)	N/A	10.4 × 7.5 × 3.4 in (265 × 192 × 86 mm)	<b>186037</b>	\$1,260.00
<b>NTEP Certified and Measurement Canada Approved</b>								
<b>TE-322NC</b>	320 g	0.01 g	0.01 g	4.6 in (118 mm)	8.9 × 5.9 × 5.9 in (226 × 150 × 150 mm)	10.6 × 8.1 × 11.8 in (270 × 208 × 301 mm)	<b>204688</b>	\$1,165.50
<b>TE-1501NC</b>	1,500 g	0.1 g	0.1 g	6.3 × 7.1 in (160 × 180 mm)	N/A	10.4 × 7.5 × 3.4 in (265 × 192 × 86 mm)	<b>204689</b>	\$1,270.50
<b>TE-8200NC</b>	8,200 g	1 g	1 g	6.3 × 7.1 in (160 × 180 mm)	N/A	10.4 × 7.5 × 3.4 in (265 × 192 × 86 mm)	<b>204690</b>	\$1,270.50

**Options/Accessories**

Part #	Description	Price
<b>186074</b>	Power supply 100-240 V AC, 50-60 Hz	\$75.00
<b>186075</b>	In-use dust cover 620 g models and lower	\$30.00
<b>186076</b>	In-use dust cover 3,200 g models and higher	\$30.00
<b>186077</b>	Specific Density Measurement Kit	\$690.00
<b>186079</b>	Ethernet TCP/IP option card	\$690.00

