

Now available aerial platforms

[Back to search results](#)

Palfinger P750



BASIC INFORMATION

Product group	Truck & Van mounted aerial platforms
Brand	Palfinger P750
Year of manufacture	2017
Machine Location	TEERIVUORENKATU 28 Tampere 33300, Finland
Country	Finland

PRICING

Price excl. VAT	POA
VAT (24%)	POA
Price incl. VAT	POA

DETAILS

Working height	75 m
Hours of use	5 800 h
Power type	Diesel
Max horizontal reach	3 700 cm
Emission level	Stage VI / Tier VI
Gross Weight	32 000 kg
Maximum lift capacity	600 kg
Maximum lift height	73 m

Max swing of platform in degrees	200
Meter read-out	87 000 km
Transport dimensions (LxWxH)	14050x2550x4000 mm
Undercarriage brand	Scania P410 LB 8x2*6 HNA
Delivery terms	FCA, CIP, FOB, CIF, EXW
Certificates	CE
Attachments	240V/400 V in cage, water/air line, extendable cage with seat, hydraulic generator, Powerlift system (see picture)
Documents	► Datos-Tecnicos-P750-11750012-es.pdf

[Print](#)

Sitemap

Products

- Aerial platforms
- Insulated aerial platforms
- Stock Program
- Used aerial platforms
- Bronto One® digital services

Contact us

- By contact form
- Find your regional contacts

Keep up with us

- This site uses cookies
- [Cookies Description](#)
- [Privacy Policy Bronto Skylift](#)
- [Terms & Conditions](#)

Services

- Bronto One® digital services
- Training
- Spare Parts
- Maintenance and Repairs
- Upgrades and refurbishments
- Contact services

Success stories

Resources

- Bronto Dealers
- Expert series
- Guides

Company

- News
- Events
- Careers
- Sustainability

Media

Contact