



The SC75 Concrete Buggy
» [Watch Promo Video on YouTube](#)

Canycom International



SC45 Compact Concrete Buggy



Canycom's newest additions to our concrete line allows contractors to access narrow sites unimaginable with other machines. Rubber tracks and an overall width of 29" inches allows operators to pass through garden gates, climb steep slopes, and work in the tightest and roughest of worksites.

The SC45 maneuvers with ease through wet and slippery jobsites, uneven, sloped ground, or sand and gravel.

PRODUCT INFO

S SERIES

- ◆ S300PD
- ◆ S25A
- ◆ S160
- ◆ S100A
- ◆ S100

SC SERIES

- ◆ SC75
- ◆ SC45

BP SERIES

- ◆ BFP602
- ◆ BP419
- ◆ SC45

EJ SERIES

- ◆ EJ20

CG SERIES

- ◆ CG510



[◆ CMX2402](#)

Recent Posts

Now Available! Propane
Powered Concrete Buggy
with 180° Pivoting Deck

SC45 SPECIFICATIONS

Payload (lbs.)	1,000
Length x Width x Height (in.)	91 x 29 x 45
Speed (mph)	1.5-3.3
Weight (lbs.)	463
Engine	163 CC Honda Gas Engine
Transmission	Gear

Parts List

To see the Parts List of this product, click [here](#).

Download Printable Catalog





(4-Page PDF Size: 2 MB)

* To view this file, you need Adobe Acrobat Reader. For free download, click [here](#).

©2015 Canycom USA, Inc.

PO Box 58190 Tukwila, WA 98138 | P:888-450-0381 / 425-450-0381 | F:360-800-6757

A SiteOrigin Theme

