



DR300 Pocket Colorimeter

Applications

- Drinking Water
- Wastewater
- Power Generation
- Industrial
- Field Use
- Beverage
- Food QC Lab



Proven past. Accurate and fast.

The DR300 maintains the Hach Pocket Colorimeter legacy of reliability with a more user friendly design.

Reliable

Since 1993, Hach has continued to provide premium chemistries and colorimetry instrumentation, providing dependable, accurate measurements.

Simple

Simple, intuitive operation reduces potential manual error, ensuring accurate measurement data you can trust, time after time. Larger display with improved backlight makes reading measurements in all conditions even easier.

Durable

Rugged, waterproof (IP67) design withstands whatever conditions you encounter in the field or on the road (drops, extreme temperatures, rain and dirt).

Technical Data*

Source Lamp	Light emitting diode (LED)	Operating Conditions	0 - 50 °C (32 - 122 °F); 0 - 90% relative humidity (non-condensing)
Detector	Silicon photodiode	Display	LCD with backlight
Enclosure Rating	IP67, waterproof at 1 m for 30 minutes	Power Supply	Four AAA alkaline batteries; approximate life is 5000 tests
Wavelength	As specified by model, ±2 nm	Data Logger	Last 50 measurements
Spectral Bandwidth	15 nm filter bandwidth	Weight	0.25 kg (0.55 lbs.)
Absorbance	0 - 2.5 Abs	Dimensions (H x W x D)	34 mm x 69 mm x 157 mm
Sample Cell Compatibility	1 cm (10 mL), 25 mm (10 mL)		

*Subject to change without notice.

Parameters

Parameter	Range	Measurement Method
Aluminum	0.02 - 0.80 mg/L Al	Aluminon
Ammonia Nitrogen	0.01 - 0.80 mg/L NH ₃ -N	Salicylate
Bromine	0.05 - 4.50 mg/L Br ₂ 0.2 - 10.0 mg/L Br ₂	DPD
Chlorine, free ¹⁾ + total ^{1), 2)}	0.02 - 2.00 mg/L Cl ₂ ; 0.1 - 8.0 mg/L Cl ₂	DPD
Chlorine, free ¹⁾ + total ^{1), 2)} , MR	0.05 - 4.00 mg/L Cl ₂ 0.1 - 10.0 mg/L Cl ₂	DPD
Chlorine, pH	0.1 - 10.0 mg/L Cl ₂ 6.0 - 8.5 pH	DPD Phenol Red
Chlorine dioxide	0.05 - 5.00 mg/L ClO ₂	DPD/Glycine
Iron, Ferrover ²⁾	0.02 - 5.00 mg/L Fe	Ferrover
Iron, TPTZ	0.01 - 1.70 mg/L Fe	TPTZ
Manganese, HR ²⁾	0.2-20.0 mg/L Mn	Periodate Oxidation
Molybdenum, LR/HR	0.02 - 3.00 mg/L Mo 0.1 - 12.0 mg/L Mo	Ternary Complex
Monochloramine/ Free Ammonium	0.04 - 4.50 mg/L Monochloramine as Cl ₂ 0.02 - 0.50 mg/L Free Ammonia as NH ₃ -N	Indophenol
Nitrate	0.4 - 30.0 mg/L NO ₃ -N	Cadmium Reduction
Oxygen, dissolved	0.2 - 10.0 mg/L O ₂	HRDO
Ozone	0.01 - 0.25 mg/L O ₃ 0.01 - 0.75 mg/L O ₃	Indigo Trisulfonate
Phosphate ^{1), 2)}	0.02 - 3.00 mg/L PO ₄	Phosver 3
Zinc ²⁾	0.02 - 3.00 mg/L Zn	Zincon

¹⁾Method is USEPA accepted or approved for drinking water (additional steps may be required)

²⁾Method is USEPA accepted or approved for wastewater (additional steps may be required)

Note: Phenol Red colorimetric pH measurement is not accepted for regulatory reporting

Order Information

DR300 Pocket Colorimeters

The DR300 Pocket Colorimeter includes manual, sample cells, and a carrying case. Reagents can be purchased by contacting Hach or your Hach distributor.

- LPV445.97.00110** DR300 Pocket Colorimeter, Chlorine, Free + Total
- LPV445.97.01110** DR300 Pocket Colorimeter, Bromine
- LPV445.97.02110** DR300 Pocket Colorimeter, Nitrate
- LPV445.97.03110** DR300 Pocket Colorimeter, Dissolved Oxygen
- LPV445.97.04110** DR300 Pocket Colorimeter, Ozone
- LPV445.97.06110** DR300 Pocket Colorimeter, Phosphate
- LPV445.97.09110** DR300 Pocket Colorimeter, Zinc
- LPV445.97.10110** DR300 Pocket Colorimeter, Molybdenum, LR/HR
- LPV445.97.12110** DR300 Pocket Colorimeter, Chlorine & pH
- LPV445.97.15110** DR300 Pocket Colorimeter, Manganese, HR
- LPV445.97.16110** DR300 Pocket Colorimeter, Iron, TPTZ
- LPV445.97.22110** DR300 Pocket Colorimeter, Iron, Ferrouver
- LPV445.97.25110** DR300 Pocket Colorimeter, Aluminium
- LPV445.97.26110** DR300 Pocket Colorimeter, Monochloramine/Free Ammonium
- LPV445.97.40110** DR300 Pocket Colorimeter, Ammonium
- LPV445.97.51110** DR300 Pocket Colorimeter, Chlorine Dioxide
- LPV445.97.62110** DR300 Pocket Colorimeter, Chlorine, Free + Total, MR

Wavelength-specific DR300 Pocket Colorimeters

Program custom methods and calibrations on two channels.

- LPV445.97.50110** DR300 Pocket Colorimeter, 500 nm
- LPV445.97.52110** DR300 Pocket Colorimeter, 528 nm
- LPV445.97.60110** DR300 Pocket Colorimeter, 600 nm
- LPV445.97.65110** DR300 Pocket Colorimeter, 655 nm



Order Information

Accessories

2635300	SpecCheck secondary gel standard kit, LR Chlorine, DPD, 0-2.0 mg/L Cl ₂
2893300	SpecCheck secondary gel standard kit, Chlorine, DPD, 0-8.0 mg/L Cl ₂
2507500	SpecCheck secondary gel standard kit, Monochloramine/Free Ammonia, 0-4.50 mg/L Cl ₂ , 0-0.50 mg/L NH ₃ -N
2708000	SpecCheck secondary gel standard kit, Ozone, 0-0.75 mg/L O ₃
4674300	Batteries, AAA, Alkaline, 1.5 V, pk/4
4660200	Multitest kit case (22 x 17 x 15 cm), blue polypropylene
2427606	Sample cell, 1 inch round glass, 6 pcs
4864302	Sample cell, 1 inch round polystyrene, 2 pcs
2126102	Sample cell, 1 cm round, pk/2 (unmatched, caps not included)
LPV446.99.00012	Hach Bluetooth Dongle

SpecCheck Ampule Standards are colored gels that simulate the color produced by the analytical procedure, for simple checks on instrument response. Each set includes a blank and three concentrations.



With Hach Service, you have a global partner who understands your needs and cares about delivering timely, high-quality service you can trust. Our Service Team brings unique expertise to help you maximize instrument uptime, ensure data integrity, maintain operational stability, and reduce compliance risk.



World Headquarters: Loveland, Colorado USA | [hach.com](https://www.hach.com)

United States 800-227-4224 fax: 970-669-2932 email: orders@hach.com
Outside United States 970-669-3050 fax: 970-461-3939 email: int@hach.com

©Hach Company, 2023. All rights reserved.

In the interest of improving and updating its equipment, Hach Company reserves the right to alter specifications to equipment at any time.

DOC052.53.25023.Oct23