



The SC75 Concrete Buggy  
» [Watch Promo Video on YouTube](#)



Canycom International



## EJ20 Electric Utility Cart



The EJ20 Electric Utility Cart is a unique electric powered cart capable of carrying a payload of 440 lbs in clean retail, warehouse, and office environments. Simple and safe controls make this unit easy for all employees to operate. Its dimensions make it ideal for material transport through standard size doors and tight quarters, with an expanding frame giving it additional versatility. The EJ20 wheels are designed to rotate independently, keeping the cart traveling smoothly outdoors through unstable ground.



### EJ20 SPECIFICATIONS

**Payload (lbs.)** 440

### PRODUCT INFO

#### S SERIES

- ◆ S300PD
- ◆ S25A
- ◆ S160
- ◆ S100A
- ◆ S100

#### SC SERIES

- ◆ SC75
- ◆ SC45

#### BP SERIES

- ◆ BFP602
- ◆ BP419
- ◆ SC45

#### EJ SERIES



- ◆ EJ20

#### CG SERIES


- ◆ CG510



◆ CMX2402

-  Independently rotating, no-flat, non-marking tires make the cart highly suitable for work indoors or out.  
 Speed is adjustable by a simple dial, while a pressure sensitive accelerator allows for smooth maneuvering and operating efficiency.

Excellent automatic braking system stops the machine immediately when the accelerator level is released.

-  Battery is removable for easy charging at the nearest standard electrical outlet.  
Frame, loading tray, and battery easily removed for transport. Adjustable handle folds backwards for compact storing.

## Application Possibilities:

Material handling in warehouses, landscaping, nurseries, retail, delivery services, alcohol distribution, moving services, rentals, carrying feed for farm animals and general farm use, stocking at retail stores, as well as for use in orchards, vineyards, and wineries.

## Parts List

To see the Parts List of this product, click [here](#).

## Download Printable Catalog

### Recent Posts

[Now Available! Propane Powered Concrete Buggy with 180° Pivoting Deck](#)



(4-Page PDF Size: 2.6MB)

\* To view this file, you need Adobe Acrobat Reader. For free download, click [here](#).

©2015 Canycom USA, Inc.

PO Box 58190 Tukwila, WA 98138 | P:888-450-0381 / 425-450-0381 | F:360-800-6757

A SiteOrigin Theme