

## SC45 Compact Concrete Buggy



Canycom's newest additions to our concrete line allows contractors to access narrow sites unimaginable with other machines. Rubber tracks and an overall width of 29" inches allows operators to pass through garden gates, climb steep slopes, and work in the tightest and roughest of worksites.

The SC45 maneuvers with ease through wet and slippery jobsites, uneven, sloped ground, or sand and gravel.

#### **PRODUCT INFO**

- S SERIES + S300PD
  - ♦ S25A
  - ♦ S160
  - ♦ S100A
  - ♦ S100
- SC SERIES
- ♦ SC75
- ♦ SC45
- **BP SERIES**
- ◆ BFP602
- ♦ BP419
- ♦ SC45
- EJ SERIES ♦ EJ20



- CG SERIES + CG510 + CG431 + CG101 CMX SERIES + CMX1402
  - ◆ CMX2402

### **Recent Posts**

Now Available! Propane Powered Concrete Buggy with 180° Pivoting Deck

SC45 SPECIFICATIONS	
Payload (lbs.)	1,000
Length x Width x Height (in.)	91 x 29 x 45
Speed (mph)	1.5-3.3
Weight (Ibs.)	463
Engine	163 CC Honda Gas
	Engine
Transmission	Gear

### Parts List

To see the Parts List of this product, click <u>here</u>.

# Download Printable Catalog





©2015 Canycom USA, Inc. PO Box 58190 Tukwila, WA 98138 | P:888-450-0381 / 425-450-0381 | F:360-800-6757

A SiteOrigin Theme