



The SC75 Concrete Buggy
 » [Watch Promo Video on YouTube](#)

Canycom International



[HOME](#)

[PRODUCTS](#)

[PARTS LISTS](#)

[NEWS](#)

[GALLERY](#)

[ABOUT US](#)

[CONTACT](#)



CG101 Walk Behind Flail Mower



Canycom's CG101 Walk Behind Flail Mower is ideally suited to use in tough commercial applications where heavy duty machinery is required.

- The CG101 has a unique rubber track system which enables smooth operation on a variety of soil conditions as well as on steep terrain.
- The heavy duty flails are mounted on a continually adjustable mower head for cutting through heavy grass or light shrubs at the proper height required by the situation.

Canycom's CG101 makes short work of difficult jobs, perfect for professional operators and large land owners.

PRODUCT INFO

S SERIES

- ◆ S300PD
- ◆ S25A
- ◆ S160
- ◆ S100A
- ◆ S100

SC SERIES

- ◆ SC75
- ◆ SC45

BP SERIES

- ◆ BFP602
- ◆ BP419
- ◆ SC45

EJ SERIES

- ◆ EJ20

CG101 Features:

- Operator presence switch for added safety
- Heavy Duty Hour Meter
- Rubber tracks enable smooth operation over uneven ground
- Continuously variable mower head adjusts for cutting different height and thickness
- Wide Compact Brush Cutter
This walk behind brush cutter features a width of 31.5 inches as well as durable, sharp flail blades.
- Heavy Duty 10 HP Air Cooled 4 Cycle Engine for powerful and smooth operability
- Simple to Adjust Blade Height Controls
- Easily adjust blade cutting height from 0-4 in



CG SERIES

◆ CG510

◆ CG431

◆ CG101

CMX SERIES

◆ CMX1402

◆ CMX2402

Recent Posts

Now Available! Propane
Powered Concrete Buggy
with 180° Pivoting Deck

CG101 SPECIFICATIONS


Length x Width x Height (in.) 71 x 40 x 41

Speed (mph)	1st: 0.7 2nd: 1.4 3rd: 2.5
Weight (lbs.)	573
Engine	Air-cooled 4 Cycle Single Cylinder OHC
Rated Output (HP)	10
Cutting Dimensions	31.5 x 2-4
Width x Height (in.)	
Gradeability (degree)	25

Parts List

Click on the following links for the Parts lists for the [CG101 Subaru](#) or the [CG101 Honda](#).

Download Printable Catalog



(4-Page PDF Size: 1.9MB)

* To view this file, you need Adobe Acrobat Reader. For free download, click [here](#).

©2015 Canycom USA, Inc.

PO Box 58190 Tukwila, WA 98138 | P:888-450-0381 / 425-450-0381 | F:360-800-6757

A SiteOrigin Theme