

CANYCOM

BRUSH CUTTER CATALOG



1-888-450-0381
www.canycomsales.com

CANYCOM

RIDE-ON BRUSH CUTTERS

Canycom 4WD CMX Ride-on Brush Cutters are made for use in tough commercial applications and on steep slopes and tight quarters.

Features:

- Shaft driven mower deck for increased power
- Cutter deck ground clearance over 6"
- Four Wheel Drive
- Hydrostatic transmission



CMX2402

- Width – 39.6"
- GX690 Engine – 688 CC
- Weight – 750 lbs.

CMX1402

- Width – 39.6"
- GX390 Engine – 389 CC
- Weight – 720 lbs.



FLAIL BRUSH CUTTERS

Canycom Flail Brush Cutters are suited for use in tough commercial applications on steep slopes and tight quarters.

CG510

- Self-leveling Operator Platform
- Width – 67.7”
- Rubber Track Drive
- Kubota Diesel Engine – 51 HP
- Weight – 4,850 lbs.
- Gradeability – 30 degrees



CANYCOM
HEAVY DUTY



CG101

- Width – 31.5”
- Rubber Track Drive
- Honda GX270 Engine – Electric Start
- Weight – 573 lbs.

FLAIL BRUSH CUTTERS

CANYCOM
HEAVY DUTY

Canycom Flail Brush Cutters are suited for use in tough commercial applications on steep slopes and tight quarters.

CG431 with Trac-Ax

- Effective on trees and brush up to 4" diameter
- Width – 60"
- Max speed – 6 MPH
- Kubota Diesel Engine – 44 HP
- Gradeability – 30 degrees
- Weight – 4,280 bs.



1-888-450-0381
www.canycomsales.com

CANYCOM

Canycom
Tel: 425-450-0381
Fax: 425-450-0384

16000 Christensen Rd, Suite 308
Tukwila, WA 98188
e-mail: info@canycomsales.com