



Lab Essentials



Liquid Handling

Disposable Beaker

Economical beaker with minimal price burden

• Domestic products made by mold designed and manufactured by Lab Companion's, minimizing the cost burden.

Structure that can allow for accurate pouring without spillage

 The unique triangular spout structure allows even highly viscous solutions to be poured precisely without any dripping.

Extended use area and excellent material

- Flat bottom shape for use on a magnetic agitator
- Convenient to use as it does not bend easily even when grasped in the hand.
- Polypropylene (PP) material with excellent chemical resistance.
- Autoclavable, possible to use up to 121°C.
- Four types of composition: 50 ml, 100 ml, 250 ml, and 500 ml.

ate Control of the co

Disposable Beaker with Magnetic Stirrer (MS-T)




Convenient design for actual users

- Stackable design that can store stacked beakers of the same capacity and save storage space.
- Easy to remove overlapping beakers.
- Semi-transparent material makes it easy to check the solution state from the side.
- Graduation are engraved and do not come off even after long periods of use.



Structure allows for pouring without spillage

The triangular spout allows for dripless pouring of even highly viscous solutions.



Can be used on magnetic agitator Flat-bottom structure allows for use on a magnetic agitator by placing a magnetic bar.



Structure allowing for stacked storage It is possible to store beakers of the same capacity by stacking and it is designed to allows the beakers to be removed easily.

Cat. No.	Model	Capacity (ml)	Graduation (ml)	Dimension (Ø x H, mm/inch)
00PER0000023	Disposable beaker, 50 ml	50	5	45 x 55 / 1.8 x 2.2
00PER0000024	Disposable beaker, 100 ml	100	5	56 x 69 / 2.2 x 2.7
00PER0000025	Disposable beaker, 250 ml	250	10	77 x 92 / 3.0 x 3.6
00PER0000026	Disposable beaker, 500 ml	500	20	96 x 116 / 3.8 x 4.6



Plastic Griffin Beaker (Transparent / Translucent)

Fige of

Selectable materials according to purpose of use

- Choice of two series: polymethylpentene (PMP) transparent material and polypropylene (PP) translucent material with excellent chemical resistance.
- PMP: 135°C / PP: 121°C Autoclavable.

Structure that can allow for accurate pouring without spillage

• Pointed spout allows for dripless pouring of even highly viscous solutions.



Plastic Griffin Beaker (PMP)

Extended use area and excellent material

- Flat bottom shape for use on a magnetic agitator.
- Structure that does not become easily deformed.
- Convenient to use as it does not bend easily even when grasped in the hand.
- Plastic griffin beaker conforming to ISO 7056 standards.
- Repetitive use possible with excellent chemical resistance.
- Five different capacity configurations from 100 ml to 2000 ml.



PMP griffin beaker (transparent)

Convenient design for actual users

- Stackable design that can store stacked beakers of the same capacity and save storage space.
- Easy to remove stacked beakers.
- Graduation are engraved and do not come off even after long periods of use.



PP griffin beaker (translucent)



Structure allows for pouring without spillage

Pointed spout allows for dripless pouring of even highly viscous solutions.



Engraved graduation typeGraduation are engraved and do not come off even after long periods of use.



Structure allowing for stacked storage It is possible to store beakers of the same capacity by stacking and it is designed to allows the beakers to be removed easily.

PMP Griffin Beaker (transparent)

The Committee (Grandparters)					
Cat. No.	Capacity (ml)	Graduation (ml)	Dimension (Ø x H, mm/inch)		
00PER0000032	100	5	61 x 72 / 2.4 x 2.8		
00PER0000033	250	10	81 x 95 / 3.2 x 3.7		
00PER0000034	500	20	101 x 119 / 3.9 x 4.7		
00PER0000035	1000	50	125 x 148 / 4.9 x 5.8		
00PER0000036	2000	100	157 x 186 / 6.2 x 7.3		

PP Griffin Beaker (translucent)

(
Cat. No.	Capacity (ml)	Graduation (ml)	Dimension (Ø x H, mm/inch)	
00PER0000027	100	5	61x72 / 2.4x2.8	
00PER0000028	250	10	81x95 / 3.2x3.7	
00PER0000029	500	20	101x119 / 3.9x4.7	
00PER0000030	1000	50	125x148 / 4.9x5.8	
00PER0000031	2000	100	157x186 / 6.2x7.3	

Liquid Handling

Handle Beaker (Transparent / Translucent)

Beaker with a convenient handle

- Handles are convenient for handling, and large capacities can be handled with just one hand.
- The inside of the handle is rounded to minimize pain of hand when holding.

Structure that can allow for accurate pouring without spillage

• Pointed spout allows for dripless pouring of even highly viscous solutions.

Extended use area and excellent material

- Flat bottom shape for use on a magnetic agitator.
- Structure where beaker wall and floor thickness are both constant and do not become easily deformed.
- Plastic beaker conforming to ISO 7056 standards.
- Repetitive use possible with excellent chemical resistance.
- 500ml, 1000ml, and 2000ml capacity available.



- Stackable design that can store stacked beakers of the same capacity and save storage space.
- Easy to remove stacked beakers.
- Graduation are engraved and do not come off even after long periods of use.

PMP Beaker (transparent)

Cat. No.	Capacity (ml)	Graduation (ml)	Dimension (W x Ø x H, mm/inch)
00PER0000042	500	10	148 x 95 x 134 / 5.8 x 3.7 x 5.3
00PER0000039	1000	20	183 x 121 x 166 / 7.2 x 4.8 x 6.5
00PER0000040	2000	50	221 x 149 x 212 / 8.7 x 5.9 x 8.3



Handle Beaker (PMP)



PP Beaker (translucent)

Cat. No.	Capacity (ml)	Graduation (ml)	(W x Ø x H, mm/inch)
00PER0000041	500	10	148 x 95 x 134 / 5.8 x 3.7 x 5.3
00PER0000037	1000	20	183 x 121 x 166 / 7.2 x 4.8 x 6.5
00PER0000038	2000	50	221 x 149 x 212 / 8.7 x 5.9 x 8.3

Wash Bottle

Wash Bottle Common Features

- Easily sprayed solution even when lightly pressed for convenience.
- Made of excellent chemical-resistant material.
 (Bottle: LDPE, Cap & Tube: PP)
- Easy to use with wide hole for supplying liquid.
- Double-helical structure increases tightness of both container and cap.
- Replaceable nozzle tip for effective maintenance.
- Engraved markings for convenient capacity checking
- Built-in safety labels for identification provided as standard.

Automatic Gas-vent Type

 Vapor pressure self-discharge structure inside the container eliminates the inconvenience of liquid flowing out.



Model	WB-N25	WB-N50	WB-G25	WB-G50
Description	Wash Bottle		Automatic Gas-\	Vent Wash Bottle
Capacity (ml)	250	500	250	500
Cat. No.	AAAM2501	AAAM5001	AAAM2511	AAAM5011



Carboy

Distilled water container (bottle with lower spigot), HDPE material

- Excellent chemical resistance, suitable for storage and dispensing of various solutions.
- Leak proof No leakage even when using for a long time due to spigot.
- Adjustable dispensing capacity according to the rotation angle of the spigot handle.
- The spigot is rotatable, and uses a tubing connection with an adapter.
- Adapter can use Tubing ID 6.35 7.94mm.
- The cap is made of silicone gasket, so it has excellent sealing.
- Easy to check the capacity with front-side scale.
- Space-efficient design for solution storage.



Round Type



Rectangular Type









Model	DBR-10	DBR-20	DBC-05	DBC-10
Description	Round Type		Rectangular Type	
Volume (L)	10 / 2.64	20 / 5.28	5 / 1.32	10 / 2.64
Dimension (W x D x H, mm/inch)	225 x 277 x 399 / 8.9 x 10.9 x 15.7	260 x 317 x 539 / 10.2 x 12.5 x 21.2	114 x 387 x 305 / 4.5 x 15.2 x 12	204 x 387 x 317 / 8 x 15.2 x 12.5
Cat. No.	AAAJ3021	AAAJ3031	AAAJ3111	AAAJ3121

Storage

Storage Box

- Excellent chemical resistance due to polypropylene material.
- Easy to separate samples with numbers and letters on covers.
- Pressurized sterilization possible. (autoclavable)
- Temperature range of use (°C/°F): $-20 \sim 121/-4 \sim 249.8$

Model	SRB-100
Tube size (ml)	1.2 to 2.0
Max. Mountable tube	100 (10 × 10)
Dimension (W x D x H,mm/inch)	140 x 140 x 53 / 5.5 x 5.5 x 2.1
Cat. No.	AAAJ7011

% 5 packs for one set.

Centrifuge Tube Rack, PC

- Excellent chemical resistance due to polycarbonate material
- 30ml centrifuge tube rack
- Pressurized sterilization possible. (autoclavable)



Cat. No.	AAAJ2111
Dimension (W x D x H, mm/inch)	263 x 55 x 55 / 10.4 x 2.2 x 2.2
Max. mountable tube	6
Tube size (ml)	30

Conical Tube Rack

• Possible to use independently or in microplate shaker. (except for 50ml conical tube rack, 6 holes)





More detail page 117

Model	15 ml Conical Tube Rack	50 ml Conic	al Tube Rack
Material	ABS (Acrylonitrile-butadienestyrene)	ABS (Acrylonitrile-butadienestyrene)	PC (Polycarbonate)
Dimension (W x D x H, mm/inch)	269 x 85 x 72 / 10.6 x 3.3 x 2.8	269 x 85 x 72 / 10.6 x 3.3 x 2.8	263 x 55 x 55 / 10.4 x 2.2 x 2.2
Max. mountable tube	30 (3 x 10)	12 (2 x 6)	6
Autoclavable	-	-	0
Cat. No.	CPS0011JT	CPS0012JT	AAAJ2211

Micro Tube Rack, PC

- Excellent chemical resistance due to polycarbonate material.
- Different size tubes available on both sides. (1.5ml/2.0ml micro tube on one side and 0.2ml/0.5ml micro tube on the other side)
- Available for independent use and for use in microplate shaker.
- Pressurized sterilization possible. (autoclavable)





Model	1.5 / 2.0 ml Micro Tube Rack	
modet	0.2 / 0.5 ml Micro Tube Rack	
Dimension (W x D x H, mm/inch)	269 x 90 x 50 / 10.6 x 3.5 x 2.0 (Including cover)	
Max. mountable tube	80 (5 x 16), each side	
Cat. No.	AAAJ2311	



Cryo Box

- Excellent durability even at ultra-low temperature with stable PC material.
- Easily distinguish samples with numbers on the covers.
- Cover, tray and dividers are separated for easy cleaning. (Except for CRB-25)
- Pressurized sterilization possible. (autoclavable)
- Temperature range of use (°C/°F):-196 ~ 121 / -320.8 ~ 249.8



Model	CRB-25	CRB-81S	CRB-81T
Tube size (ml)	1.2 to 2.0	1.2 to 2.0	5
Max. Mountable tube	25 (5 x 5)	81 (9 x 9)	91 (9 x 9)
Dimension (W xD x H, mm/inch)	77 x 77 x 53 / 3.0 x 3.0 x 2.1	132 x 132 x 54 / 5.2 x 5.2 x 2.1	132 x 132 x 96 / 5.2 x 5.2 x 3.8
Cat. No.	AAAJ7001	AAAJ7002	AAAJ7003

^{* 5} packs for one set. (each Cat. No.)

Safety Waste Disposal System

Easy to collect and store various chemicals and waste liquids generated in the lab

> Structure minimizes vapor emission

Hinge-type lid minimizes the discharge of vapors from the waste solution into the lab.

> Exclusive carbon filter (option)

Removes bad odors and harmful gas. (carbon filter can be replaced easily without removing existing attachment without the use of any tools)

> Safe anti-static function (SF-14C, WT-20C model)

Prevention of explosion due to static electricity by using special plastic material with anti-static performance, and grounding cable is provided as standard. (completed anti-static performance test by KEPCO)

> Water level notification function (SF model)

Risk revel displayed on the safety funnel when at 17.6L (80%) or 15.4L (70%) based on a 22L waste liquid container.



More detail page 208

SF-14P & WT-20P

with Carbon Filter (option)

SF-14C & WT-20C

with Carbon Filter (option)

Accessories



Model	SF-14C	SF-14P	WT-20C	WT-20P
Description Anti-static safety funnel for collection of waste liquid		General use safety funnel for collection of waste liquid	Anti-static liquid waste container	General-purpose liquid waste container
Dimension (W x D x H, mm / inch)	160 x 142 x 270 / 6.3 x 5.6 x 10.6	160 x 142 x 270 / 6.3 x 5.6 x 10.6	220 x 300 x 380 / 8.7 x 11.8 x 15.0	220 x 300 x 380 / 8.7 x 11.8 x 15.0
Inlet (ø, mm / inch)	135 / 5.3	135 / 5.3	45 / 1.8	45 / 1.8
Lid size (ø, mm / inch)	142 / 5.6	142 / 5.6	65 / 2.6	65 / 2.6
Volume (L / cu ft)	1 / 0.04	1 / 0.04	22 / 0.78	22 / 0.78
Cat. No.	AAAM6001	AAAM6002	AAAM6011	AAAM6012

Storage

Ice Pan

- Bucket made of foamed urethane material with excellent thermal insulation.
- Ice, dry ice, liquid nitrogen, etc. can be used for low temperature maintenance and storage of samples.
- Operating temperature range: -196°C 80°C
- Safe movement with top rim structure.

Model	IBS-310
Exterior (W x D x H, mm / inch)	347 x 257 x 132 / 13.7 x 10.1 x 5.2
Interior (W x D x H, mm / inch)	271 x 181 x 132 / 10.7 x 7.1 x 5.2
Cat. No.	AAAJ2801

On-Ice Rack

- Block made of aluminum with excellent thermal conductivity.
- Keeps the temperature of the sample constant when using on ice.
- Excellent thermal conductivity with aluminum block.



Model	On-Ice Rack	On-Ice Rack (96W)
Dimension (W x D x H, mm / inch)	157 x 152 x 21	157 x 152 x 20
Max. mountable tube	1.5 ml tube 50ea, 0.2 ml tube 64ea	1.5 ml tube 30ea, 96 well plate 1ea
Cat. No.	AAAJ2011	AAAJ2021

Flask Support


- Safe storage and handling of round flasks.
- Convenient handling of various shapes and simultaneous handling of several things.
- Excellent chemical resistance and heat resistance. (-30 to 120°C)
- Side handles for easy movement.





Various types of flasks can be used for various purposes simultaneous storage







Easy to distinguish samples by name tags and numbers



Model	FT 010 13	FT 010 34	FT 025 12	FT 025 23	FT 050 12	FT 100 12	FT 200 12
Capacity (ml)	100	100	250	250	500	1000	2000
Row x column	1 x 3	3 x 4	1 x 2	2 x 3	1 x 2	1 x 2	1 x 2
Hole (dia. x H, mm/inch)	70 x 91 / 2.76 x 3.58	70 x 91 / 2.76 x 3.58	98 x 122 / 3.86 x 4.8	98 x 122 / 3.86 x 4.8	121 x 128 / 4.76 x 5.04	148 x 156 / 5.83 x 6.14	183 x 188 / 7.2 x 7.4
Dimension (W x D x H, mm/inch)	310 x 100 x 100 / 12.2 x 3.94 x 3.94	384 x 265 x 98 / 15.12 x 10.43 x 3.86	280 x 125 x 130 / 11.02 x 4.92 x 5.12	389 x 239 x 130 / 15.31 x 9.41 x 5.12	360 x 146×135 / 14.17 x 5.75 x 5.31	415 x 192 x 165 / 16.34 x 7.56 x 6.5	503 x 223 x 199 / 19.8 x 8.78 x 7.83
Cat. No.	AAA23706	AAA23701	AAA23707	AAA23702	AAA23703	AAA23704	AAA23705

Hood More detail page 188



Fume Hood, Small type

- Excellent chemical resistance due to polyethylene material.
- Top hole that can be connected to the exhaust system.
- The front and back side are made by wide transparent window (PC), useful for simulation and observing in school. (only POH models)

Model		POH-720	PMH-720
Material	Body	Polyethylene	Polyethylene
Material	Observation window	0	X
	Exterior (mm / inch)	720 x 472 x 535 / 28.3 x 18.6 x 21.1	720 x 472 x 535 / 28.3 x 18.6 x 21.1
Dimension	Duct hole (O.D., mm / inch)	150 / 6	150 / 6
	Net weight (kg / lbs)	9.7 / 21.4	9.7 / 21.4
Cat. No.		AAAB5021	AAAB5011

Desiccator

Vacuum Desiccator, Cubic

- Max. 1 Torr vacuum maintained for 72 hours.
- Strong and transparent polycarbonate material.
- Includes vacuum gauge as standard.
- Height-adjustable shelves.
- Multi-level stacking structure for space efficiency.



Desiccator

- Hygrometer included.
- Transparent PC material makes for convenient internal observation.

More detail page 230

- Both shelves and drawers provided.
- Includes desiccant tray as standard.
- UV blocking model provided for light-sensitive samples.



Cat. No.	Capacity (L/cu ft)	
AAAD4001	11 / 0.39	
AAAD4021	23 / 0.81	
AAAD4011	35 / 1.24	
AAAD4031	45 / 1.59	

Cat. No.	Capacity (L / cu ft)
AAAD5011 (Clear)	35 / 1.24
AAAD5111 (UV protection)	35 / 1.24
AAAD5021 (Clear)	50 / 1.77
AAAD5121 (UV protection)	50 / 1.77

Connection

Tubing Connector

- Excellent chemical resistance due to polypropylene material.
- 121°C, Autoclavable.
- Structure prevents tubes from dropping, adding convenience.
- T-shape, Y-shape, Cross Type, Straight Type.
- Various sizes from 3.2 mm to 12.7 mm.






O.D. (mm)	O.D. (inch)	Cat. No.			
O.D. (mm)		T-shape	Y-shape	Cross	Straight
3.2	1/8	00CJA0009042	00CJA0009057	00CJA0009048	N/A
4.0	5/32	00CJA0009041	00CJA0009058	00CJA0009047	N/A
4.7	3/16	00CJA0009044	00CJA0009046	00CJA0009050	00CJA0009051
6.0	1/4	00CJA0009043	00CJA0009045	00CJA0009049	00CJA0009054
8.0	5/16	00CJA0009055	00CJA0009059	00CJA0009061	N/A
9.5	3/8	00CJA0009036	00CJA0009037	00CJA0009062	00CJA0009052
12.7	1/2	00CJA0009056	00CJA0009060	00CJA0009063	00CJA0009053

Filter Adapter

Filter Adapter

- Can be used between the filtering funnel and the filtering flask during vacuum filtration.
- Excellent sealing and adhesion with silicone material.
- Various uses for flasks as they come in various sizes.



Cat. No.	Description
AAA72200	Filter Adapter (5ea / pk)
AAA72210	Filter Adapter (10ea / pk)




Clamp

BEA1000012

3 Prong Clamp (60 mm grip)

Clamp Holder

- Aluminum die-casting and plastic materials allow for lightweight and rigid fixation.
- C-20 and C-10 are suitable for overhead stirrers.
- C-10, C-7 and C-5 models are suitable for use with hotplates and magnetic stirrers.
- Applicable to 5/8" diameter support rod.



Model	C-20	C-10	C-7	C-5
Max. Ø (mm)	27	17	12	12
Cat. No.	AAA37511	AAA37512	AAA37513	AAA37514

Utility Clamp Utility Clamp 3 Prong Utility Clamp Plat 3 Prong Clamp 2 Prong Clamp Fixing Clamp Cat. No. Description Cat. No. Description BEA1000001 Utility Clamp 3 Prong BEA1000013 3 Prong Clamp (20 mm grip) BEA1000002 Utility Clamp Plat (2P) BEA1000014 2 Prong Clamp (60 mm grip) BEA1000011 3 Prong Clamp (80 mm grip)

BEA0570181

Fixing Clamp