



# MVE HEco™ 1800 Series

## Available with the MVE Touch Screen & TEC 3000

The MVE HEco Series is the next generation High Efficiency freezer from MVE. With their unique shroud design, streamlined LN<sub>2</sub> plumbing, and vacuum jacketed transfer hose, the MVE HEco 1800 Series freezers provide efficient use of LN<sub>2</sub>, making them highly efficient. These next generation high efficiency freezers incorporate hinged work surfaces that fully enclose all electronics and plumbing to enhance overall safety and usability.


The technical and visual improvements combine to create a more aesthetically pleasing freezer that offers greater functionality. As with all of MVE's cryogenic freezers, the MVE HEco 1800 Series freezers are available in three unique sizes and provide storage density as well as long hold times and high sample security.

## Key Features


- LN<sub>2</sub> efficiency
- Fully enclosed wiring and plumbing
- Vacuum jacketed transfer hose
- Dry sample storage
- -190°C top box temperature
- Low lift-over height
- Two-tier folding step

## Rack Layout

Square Rack Layout (P)




4R9951 Layout (R)



# MVE HEco™ 1800 Series

	MVE HEco 1879P-190	MVE HEco 1881R-190	MVE HEco 1892P-190	MVE HEco 1894R-190								
<b>Maximum Storage Capacity</b>												
○ 1.2 & 2 ml Vials (Internally Threaded)	79,950	81,900	92,250	94,500								
○ Quantity of Large Racks 100 cell boxes	54	60	54	60								
○ Quantity of Mini Racks 25 cell boxes	30	12	30	12								
○ Number of Shelves per Rack	13	13	15	15								
<b>Performance</b>												
○ LN <sub>2</sub> Capacity at Vapor Platform L est.	292	305	282	300								
○ LN <sub>2</sub> Capacity w/o Inventory L est.	1516	1521	1737	1732								
<b>Unit Dimensions</b>												
○ Neck Opening in. (mm)	25 (635)	25 (635)	25 (635)	25 (635)								
○ Usable Internal Height in. (mm)	29.5 (749)	29.2 (741)	34.5 (876)	34.2 (868)								
○ Inner Diameter in. (mm)	56.0 (1422)	54.8 (1391)	56.0 (1422)	54.7 (1389)								
○ Overall Height in. (mm) TS Model	63.7 (1618)	63.7 (1618)	68.6 (1742)	68.6 (1742)								
○ Liftover Height in. (mm)	38.8 (985)	38.8 (985)	44.0 (1118)	44.0 (1118)								
○ Door Width Requirement** in. (mm)	60.0 (1524)	60.0 (1524)	60.0 (1524)	60.0 (1524)								
○ Weight Empty* lb. (kg)	1721 (781)	1721 (781)	1721 (781)	1721 (781)								
○ Weight Liquid Full* lb. (kg) est.	4830 (2191)	4830 (2191)	4875 (2211)	4875 (2211)								
<b>Blood Bag Capacities</b>												
	<b>Total Bags</b>	<b>Bags/ Frame</b>	<b>No. Frames</b>	<b>Total Bags</b>	<b>Bags/ Frame</b>	<b>No. Frames</b>	<b>Total Bags</b>	<b>Bags/ Frame</b>	<b>No. Frames</b>	<b>Total Bags</b>	<b>Bags/ Frame</b>	<b>No. Frames</b>
791 OS/U Medsep (25 ml)	5,866	7	838	5,628	7	804	6,704	8	838	6,432	8	804
4R9951 (50 ml)	2,952	6	492	2,940	6	490	3,936	8	492	3,920	8	490
4R9953 (250 ml)	1,584	4	396	1,608	4	402	1,980	5	396	2,010	5	402
4R9955 (500 ml)	1,104	4	276	1,240	4	310	1,380	5	276	1,550	5	310
DF200 (200 ml)	960	4	240	984	4	246	1,200	5	240	1,230	5	246
DF700 (700 ml)	504	4	126	544	4	136	630	5	126	680	5	136



## FIVE Year Vacuum Warranty • TWO Year Parts Warranty

\* Without inventory

\*\*Minimum width required for vessel to pass through opening. Footprint may vary. Contact Tech Service for detailed drawings.

\*\*\* The TEC 3000 Conforms to MDD 93/42/EEC, the Medical Device Directive for the EU. Freezer systems UL/C-UL Listed.

## Temperature Test Graph

\* Temperature test indicates typical performance of HEco Series freezer with full inventory system and factory recommended level settings. Actual performance may vary with atmospheric conditions and usage.