
$MINIReStoramod^{TM}$ Modular Hi-Rise Replacement Series



Improves comfort and lowers energy consumption without the cost of a major renovation

The $\mathbf{MINIReStoraMod}^{\mathsf{TM}}$ fan coil is designed for fast, easy, minimally disruptive installations, often in as little as one day or less. Its intelligent design allows for a unit to be isolated and replaced without affecting units in neighboring spaces. $\mathbf{MINIReStoraMod}^{\mathsf{STM}}$ innovative wall panel covers the rough opening, eliminating the need for finish work. Easy to install. Easy to operate. Easy to service. $\mathbf{MINIReStoraMod}^{\mathsf{TM}}$ makes fan coil replacement easy.

$MINIReStoramod^{TM}$:

- Replaces many existing hi-rise fan coils with smaller footprints with the latest in energy savings and IAQ features, including standard ECM, closed cell insulation, and more
- · Does not require closing down the entire floor
- Uses existing materials minimizing waste
- Minimizes disturbances to surrounding wall and finishes
- Minimizes the number of trades that need to be involved to complete the renovation
- · Minimizes downtime with the fastest hi-rise replacement in the industry
- Can reduce fan coil replacement cost by half as compared to traditional replacement projects



IEC or competitor's hi-rise ready for replacement.



Remove surface components and trim drywall.



Remove internal components and trim cabinet edges.



Slide
MINIReStoraMoD™
into cavity, complete
electrical and piping
hookups, and start up.

New Serviceability Enhancements

In addition to being the fastest hi-rise replacement in the industry, the MINIReStoramodTM product from IEC is also the fastest to service. The innovative design allows for any major component such as the motor/blower, control box, or coil to be removed, serviced, and replaced in less than fifteen minutes. Each component has been meticulously placed to ensure maximum performance with the easiest access.

Some of the key $MINIReStoramod^{TM}$ service features include:

- Standard EC motor with backward-inclined blower wheel designed for optimum performance at lowest possible sound levels
- Cleverly designed, slide-out motor/blower tray makes service fast and easy





- Intelligently designed, drop-down control box door allows for simple access to controls or electrical components
- Drop-down control door can also be quickly removed, so components can be serviced away from the occupied space

Coil designed for ease of cleaning and servicing





IEC offers the most comprehensive line of retrofit and replacement products in the industry. For those modular hi-rise replacement applications where there is more space available in the existing cabinet, we also offer the original *ReStoramon®* product.

The **ReStora**MoD® was designed for a fast and minimally disruptive installation. Its intelligent, award winning design allows for a hi-rise unit to be isolated and replaced without affecting units in neighboring spaces. **ReStora**MoD® installs within an existing hi-rise unit which has had its internal components removed. The innovative wall panel covers the rough opening and eliminates the need for finish work. In most cases, room downtime can be limited to less than one day.

Contact your local IEC Sales Representative for more information or to determine which replacement option is right for your project. Visit our



See how ReStora MOD® simplifies the installation process.

